



# TABLE OF CONTENTS

<b>Standard Products</b>	3
Workbenches	16
Clothes hangers	23
Carts	26
<b>Tables</b>	28
Workstations	49
Height adjustable tables	51
Height adjustable workbenches	59
Lifting Tables	67
Packing tables	71
Extraction tables	73
<b>Trolleys</b>	76
Other trolleys	93
Bellows trolleys	98
Cable trolleys	100
Catafalque trolleys	102
Loader wagons	104
Storage trolleys	106
Plate trolleys	109
Picking trolleys	112
Textile trolleys	117
<b>Racks</b>	120
A-frames	138
Litter bins	141
Other stands	146
Hanger racks	152
Branch racks	157
Storage racks	159
Packing racks	162
<b>Rolling tables</b>	164
<b>Cages</b>	169
Mesh cages	176
Roll containers	178
Transport cages	183

<b>Accessories</b> .....	185
Linak Accessories .....	224
TENTE Wheels .....	235
Accessories for height adjustable table .....	240
<b>Stainless steel</b> .....	255
<b>Special Products</b> .....	260
<b>ESD Products</b> .....	267
<b>Undefined-en</b> .....	275
<b>Switchboard installation</b> .....	319
<b>Warehouse &amp; Logistics</b> .....	328
<b>Stock items</b> .....	350
<b>Production &amp; Assembly</b> .....	352
<b>Healthcare sector</b> .....	371
<b>Textile industry</b> .....	377
<b>Transportation</b> .....	384

# STANDARD PRODUCTS

## HEIGHT ADJUSTABLE TABLE - ERG-O-LITE



Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight Table top	46 kg Laminate worktop 22mm (ABS Edge)
Lifting capacity Lifting columns	160 kg 2 pcs DL6 – 650 slg.

[Læs mere](#)

**SKU:** 0202000050-1

## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 1



Sizes	440x420x630-900mm
approx. weight	9kg
Maximum Load	30kg
stillesko	4 pcs.

[Læs mere](#)

**SKU:** 1804099003-1

**Price:** from 925,00 kr.



## ROLLING TABLE WITH 3 SHELVES - 1000X500X1000MM - 088R20

Functional rolling table with 3 shelves and integrated push bar. Equipped with durable Tente wheels for safe and easy transportation.

Sizes	1000x500x1000mm
approx. weight	27kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	545mm
Height to 3rd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** 088R20

**Price:** from 2.985,00 kr.



## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 3

Sizes	440x420x630-900mm
approx. weight	10.5kg
Maximum Load	30kg
stillesko	4 pcs.
Low	

[Læs mere](#)

**SKU:** 1804099003-3

**Price:** from 1.125,00 kr.



## ROLLING TABLE WITH LOOP EDGE - 089R21S

Rolling table with loop edge and 2 shelves - ideal for internal transportation and storage in production and warehouse environments.

Sizes	1000x600x1010mm, 700x500x1010mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	710mm
Shelf plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** 089R21S



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - MODEL 2

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Maksimal vippekapacitet	200 kg. per tilt actuator
Vip funktion	up to 80°
Table top	15 mm birch plywood film/film
Lifting columns	2 DL2 – 500 slg (raise/lower), 2 LA31 – 400 slg.
Wheels	4 x Ø100 swivel castors with brakes

[Læs mere](#)

**SKU:** N/A



## HEIGHT-ADJUSTABLE WASTE RACK WITH LID - MODEL 4

Practical waste rack with lid - 440x420x630-900 mm, weight approx. 11 kg and equipped with wheels Ø75 for flexible placement. Ideal for hygienic waste management in production, institutions and warehouses.

Sizes	440x420x630-900mm
approx. weight	11kg
Maximum Load	30kg
Wheels	Ø75
Low	

[Læs mere](#)

**SKU:** 1804099003-4

**Price:** from 1.245,00 kr.



## A-FRAME ON WHEELS - 1500X1100X2050MM

This A-Frame on wheels - 1500x1100x2050 mm is designed for safe and efficient handling of switchboards, panels and large flat items. The stand is robustly constructed and designed specifically for switchboard assembly, but it is also suitable for a wide range of other environments where heavy or...

Sizes	1500x1100x2050mm
approx. weight	50kg
Maximum Load	100kg. per plate
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

**SKU:** 3086810002

**Price:** from 9.445,00 kr.



## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 2

Practical and robust height-adjustable waste rack with wheels - perfect for efficient waste sorting in industry, warehouses and institutions.

Sizes	440x420x630-900mm
approx. weight	10kg
Maximum Load	30kg
Wheels	Ø75

[Læs mere](#)

**SKU:** 1804099003-2

**Price:** from 1.045,00 kr.



## ROLLING TABLE WITH 2 SHELVES - 080R11 - MODEL 1

Robust standard trolley 900x550x900 mm with 2 shelves. Ideal for warehouse, production and logistics - mobile solution for efficient transportation and storage.

Sizes	500x400x900 mm, 1200x600x900 mm, 900x550x900 mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100, Ø75

[Læs mere](#)

**SKU:** 080R11

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O- LIFT 300 - MODEL 1



Height adjustable table with tilt function. Height 780-1280 mm, tilt up to 80°, lifting capacity 400 kg and weight 125 kg. 15 mm birch plywood (film/film) and Bluetooth operation. Ideal tilting table/assembly table in production.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Maksimal vippekapacitet	200 kg. per tilt actuator up to 80°
Vip funktion	2 DL2 – 500 slg (raise/lower), 2 LA31 – 400 slg.
Lifting columns	50 mm above frame – bolted
Front edge	Phase-mounted and handheld bluetooth operation
Operation	

[Læs mere](#)

**SKU:** 0104300002

## HANGER RACK ON WHEELS WITH 2 HANGER RODS - MODEL 4



This hanger rack on wheels with 2 hanger bars (Model 4) is a mobile and high-capacity solution for professional hanging, sorting and internal transportation of clothes. The rack functions as both a clothing rack and a clothes rack, and with two Ø30 hanger rods you get double hanging space...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	10.5kg
Maximum Load	100kg. per hanger bar
Hanger bar	2x Ø30x2
Wheels	Ø100

[Læs mere](#)

**SKU:** 18040030014



## HANGER RACK ON STYLE SHOE WITH 2 HANGER BARS - MODEL 3

This hanger rack with 2 hanger rods (Model 3) is a stable and space-optimized clothing rack for professional hanging of clothes in stores, warehouses and showrooms. With two hanger rods (Ø30×2) you get significantly more hanging capacity and better sorting of collections, sizes or orders. The...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	
Maximum Load	100kg per suspension rod
Hanger bar	Ø30×2

[Læs mere](#)

**SKU:** 18040030014-1



## HANGER RACK ON WHEELS - MODEL 2

This hanging rack on wheels (Model 2) is a mobile and robust solution for hanging clothes in stores, warehouses, showrooms and packing areas. The rack functions as both a garment rack and clothing rack and is ideal when clothes need to be moved frequently between zones, collections or...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg. per hanger bar
Hanger bar	Ø30
Wheels	Ø100

[Læs mere](#)

**SKU:** 1804003001



## HANGER RACK ON STYLE SHOE - MODEL 1

This hanging rack on style shoe (Model 1) is a stable and simple solution for hanging clothes, textiles or other items in retail, warehouse, showroom and production environments. The rack functions as both a clothing rack and a clothes rack and is designed with a robust hanger bar Ø30 that can...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg per suspension rod
Hanger bar	Ø30

[Læs mere](#)

**SKU:** 1804003001-1



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 4

This height-adjustable table with tilt function is the fourth model out of four in the series. The table is equipped with raising, lowering and tilting functions, castors that are used in the lowest position, cable outlets for an optimized workflow and a mounting frame for superstructure.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	120kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Vip function	up to 80°
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Table top	Laminate worktop 22mm (ABS Edge)
Cable holder overhang	2x400mm
Surface-mounted frame	for superstructure
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** 104310003-4



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 3

This height adjustable table with tilt function is the third of four models in the series.

The table is equipped with raise, lower and tilt functions, castors that are used in the lowest position and cable outlets for an optimized workflow.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	112kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Wheels	Ø75
Table top	Laminate worktop 22mm (ABS Edge)
Front edge	50 mm above frame – Bolted, removable.
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** 104310003-3



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 2

This height-adjustable table with tilt function is the second of four models in the series.

The table is equipped with raise, lower and tilt functions and wheels that are used in the lowest position.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	110kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Vip funktion	up to 80°
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** 104310003-2

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 1



This height-adjustable table with tilt function is the first of four models in the series.

The table is equipped with raise, lower and tilt functions.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	105kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Vip function	up to 80°
Front edge	
Table top	Laminate worktop 22mm (ABS Edge)
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-1



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO- LET 3070 - MODEL 4

This height adjustable table with superstructure (Duo-Let 3070 - Model 4) is a fully featured workstation for assembly and production where ergonomics, structure and high capacity are essential. Available in 1600x800 mm, 1800x800 mm and 2000x800 mm, the table has a 400 kg lifting capacity and...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	100kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 – 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)

[Læs mere](#)

SKU: 0101305003-4



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO-LET 3070 - MODEL 3

This height adjustable table with extension (Duo-Let 3070 - Model 3) is a complete and professional workstation for assembly and production where organization and efficiency are essential. The table is available in 1600×800 mm, 1800×800 mm and 2000×800 mm and has a lifting capacity of 400 kg....

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	75kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting columns	4 pieces DL6 - 650 slg.

[Læs mere](#)

**SKU:** 0101305003-3



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO-LET 3070 - MODEL 2

This height adjustable table with standard extension (Duo-Let 3070 - Model 2) is a complete workstation for assembly, production and workshop environments where order and tool availability are essential. The table is available in 1600×800 mm, 1800×800 mm and 2000×800 mm and has a powerful...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	70kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)

[Læs mere](#)

**SKU:** 0101305003-2

## HEIGHT ADJUSTABLE TABLE - DUO-LET 3070 - MODEL 1



This height adjustable table (Duo-let 3070 - model 1) is a stable and ergonomic workbench for production, assembly and workshop. Available in 1600×800 mm, 1800×800 mm and 2000×800 mm, the table provides ample workspace for both small and large items. With 200 kg lifting capacity and 2...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	50kg
Lifting capacity	200kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting columns	2 pcs DL6 – 650 slg.

[Læs mere](#)

**SKU:** 0101305005

# WORKBENCHES

## HEIGHT ADJUSTABLE TABLE - ERG-O-LITE



Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight Table top	46 kg Laminate worktop 22mm (ABS Edge)
Lifting capacity Lifting columns	160 kg 2 pcs DL6 – 650 slg.

[Læs mere](#)

**SKU:** 0202000050-1

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O- LIFT 300 - MODEL 2



Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight Lifting capacity Maksimal vippekapacitet Vip funktion Table top	125kg 400kg 200 kg. per tilt actuator up to 80° 15 mm birch plywood film/film
Lifting columns	2 DL2 – 500 slg (raise/lower), 2 LA31 – 400 slg.
Wheels	4 x Ø100 swivel castors with brakes

[Læs mere](#)

**SKU:** N/A

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - MODEL 1



Height adjustable table with tilt function. Height 780-1280 mm, tilt up to 80°, lifting capacity 400 kg and weight 125 kg. 15 mm birch plywood (film/film) and Bluetooth operation. Ideal tilting table/assembly table in production.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Maksimal vippekapacitet	200 kg, per tilt actuator
Vip funktion	up to 80°
Lifting columns	2 DL2 – 500 slg (raise/lower), 2 LA31 – 400 slg.
Front edge	50 mm above frame – bolted
Operation	Phase-mounted and handheld bluetooth operation

[Læs mere](#)

**SKU:** 0104300002

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 4



This height-adjustable table with tilt function is the fourth model out of four in the series.

The table is equipped with raising, lowering and tilting functions, castors that are used in the lowest position, cable outlets for an optimized workflow and a mounting frame for superstructure.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	120kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Vip funktion	up to 80°
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Table top	Laminate worktop 22mm (ABS Edge)
Cable holder overhang	2x400mm
Surface-mounted frame	for superstructure

Maksimal vippekapacitet 200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-4



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 3

This height adjustable table with tilt function is the third of four models in the series.

The table is equipped with raise, lower and tilt functions, castors that are used in the lowest position and cable outlets for an optimized workflow.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	112kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Wheels	Ø75
Table top	Laminate worktop 22mm (ABS Edge)
Front edge	50 mm above frame – Bolted, removable.
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-3



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 2

This height-adjustable table with tilt function is the second of four models in the series.

The table is equipped with raise, lower and tilt functions and wheels that are used in the lowest position.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	110kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Vip function	up to 80°
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-2

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 1



This height-adjustable table with tilt function is the first of four models in the series. The table is equipped with raise, lower and tilt functions.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	105kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Vip function	up to 80°
Front edge	
Table top	Laminate worktop 22mm (ABS Edge)
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-1

## LOWERING TABLE WITH SUPERSTRUCTURE - DUO- LET 3070 - MODEL 4



This height adjustable table with superstructure (Duo-Let 3070 - Model 4) is a fully featured workstation for assembly and production where ergonomics, structure and high capacity are essential. Available in 1600x800 mm, 1800x800 mm and 2000x800 mm, the table has a 400 kg lifting capacity and...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	100kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 – 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)

[Læs mere](#)

SKU: 0101305003-4



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO- LET 3070 - MODEL 3

This height adjustable table with extension (Duo-Let 3070 - Model 3) is a complete and professional workstation for assembly and production where organization and efficiency are essential. The table is available in 1600×800 mm, 1800×800 mm and 2000×800 mm and has a lifting capacity of 400 kg....

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	75kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting columns	4 pieces DL6 - 650 slg.

[Læs mere](#)

**SKU:** 0101305003-3



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO- LET 3070 - MODEL 2

This height adjustable table with standard extension (Duo-Let 3070 - Model 2) is a complete workstation for assembly, production and workshop environments where order and tool availability are essential. The table is available in 1600×800 mm, 1800×800 mm and 2000×800 mm and has a powerful...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	70kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)

[Læs mere](#)

**SKU:** 0101305003-2

## HEIGHT ADJUSTABLE TABLE - DUO-LET 3070 - MODEL 1



This height adjustable table (Duo-let 3070 - model 1) is a stable and ergonomic workbench for production, assembly and workshop. Available in 1600×800 mm, 1800×800 mm and 2000×800 mm, the table provides ample workspace for both small and large items. With 200 kg lifting capacity and 2...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	50kg
Lifting capacity	200kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting columns	2 pcs DL6 – 650 slg.

[Læs mere](#)

**SKU:** 0101305005

# CLOTHES HANGERS



## HANGER RACK ON WHEELS WITH 2 HANGER RODS - MODEL 4

This hanger rack on wheels with 2 hanger bars (Model 4) is a mobile and high-capacity solution for professional hanging, sorting and internal transportation of clothes. The rack functions as both a clothing rack and a clothes rack, and with two Ø30 hanger rods you get double hanging space...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	10.5kg
Maximum Load	100kg. per hanger bar
Hanger bar	2x Ø30x2
Wheels	Ø100

[Læs mere](#)

**SKU:** 18040030014



## HANGER RACK ON STYLE SHOE WITH 2 HANGER BARS - MODEL 3

This hanger rack with 2 hanger rods (Model 3) is a stable and space-optimized clothing rack for professional hanging of clothes in stores, warehouses and showrooms. With two hanger rods (Ø30x2) you get significantly more hanging capacity and better sorting of collections, sizes or orders. The...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	
Maximum Load	100kg per suspension rod
Hanger bar	Ø30x2

[Læs mere](#)

**SKU:** 18040030014-1



## HANGER RACK ON WHEELS - MODEL 2

This hanging rack on wheels (Model 2) is a mobile and robust solution for hanging clothes in stores, warehouses, showrooms and packing areas. The rack functions as both a garment rack and clothing rack and is ideal when clothes need to be moved frequently between zones, collections or...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg. per hanger bar
Hanger bar	Ø30
Wheels	Ø100

[Læs mere](#)

**SKU:** 1804003001



## HANGER RACK ON STYLE SHOE - MODEL 1

This hanging rack on style shoe (Model 1) is a stable and simple solution for hanging clothes, textiles or other items in retail, warehouse, showroom and production environments. The rack functions as both a clothing rack and a clothes rack and is designed with a robust hanger bar Ø30 that can...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg per suspension rod
Hanger bar	Ø30

[Læs mere](#)

**SKU:** 1804003001-1

# CARTS



## ROLLING TABLE WITH 2 SHELVES - 080R11 - MODEL 1

Robust standard trolley 900x550x900 mm with 2 shelves. Ideal for warehouse, production and logistics - mobile solution for efficient transportation and storage.

Sizes	500x400x900 mm, 1200x600x900 mm, 900x550x900 mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100, Ø75

[Læs mere](#)

**SKU:** 080R11



## TABLES



## STAINLESS STEEL LIFTING TABLE - 500X600 MM

Compact lifting table - 500x600 mm with electric height adjustment. Ideal as a work table or "toilet table", with robust construction and precise height adjustment in production and assembly.

Sizes	
approx. weight	42kg
Lifting capacity	200kg
Lifting columns	
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - ERGO-LET 312 - 1000X600MM

Sizes	1000x600x935-1385mm
approx. weight	55kg
Lifting capacity	200kg
Table top	15 mm birch plywood film/foil
Vip function	up to 80°
Front edge	150 mm above the worktop
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** 0102312002



## LOWERING TABLE WITH SUPERSTRUCTURE - ERG-O-LIFT 300 - MODEL 2

Height adjustable table with superstructure - Model 2 Heavy-duty electric workbench with height adjustment, 50 mm file table top and solid superstructure for mounting lights, shelves, display arms and tool boards. Weight 165 kg and lifting capacity 400 kg. Perfect as a workstation and ergonomic...

Sizes	1600x800mm, 1800x800mm, 2000x800mm, 2500x800mm
approx. weight	165kg
Lifting capacity	400kg
Table top	50mm filing bench plate
Lifting columns	2 pcs DL2 - 500 pcs (raise/lower)

[Læs mere](#)

**SKU:** 0101300003



## LIFTING TABLE - 1100X600 MM

Robust lifting table - 1100x600 mm with electric raise/lower function. With a weight of 25 kg and lifting capacity of 50 kg, with Ø75 wheels and 10 mm compact laminate tabletop - ideal for medical and industrial applications.

Sizes	1100x600mm
approx. weight	25kg
Lifting capacity	50kg
Battery pack	with controls
Table top	10mm compact laminate
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## STAINLESS STEEL HEIGHT ADJUSTABLE TABLE - ERG- O-LET 310 - 1600X700 MM

Sizes	1600x700x720-1170mm
approx. weight	130kg
Table top	16mm PA plate with 3mm stainless steel plate
Shelf plate	16mm PA plate with 3mm stainless steel plate
Lifting columns	2pcs LA31 - 450 slg.
Lifting capacity	400kg
Wheels	4 TENTE 75 swivels 2 with brake, 2 without brake

[Læs mere](#)

**SKU:** 0102003008



## LIFT TABLE WITH TILT - LIFT-O-LET 120 SPECIAL | ERGONOMICS & ADJUSTABLE DESIGN

Lift-O-Let 120 Special with tilt and lift function, 120 kg capacity. Optimize working height and ergonomics. Get a non-binding offer!

Sizes	1200x800mm
approx. weight	40kg
Lifting capacity	120kg
Table top	15 mm birch plywood film/film

[Læs mere](#)

**SKU:** N/A

## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - ERG- O-LIFT 300 - 2100X1560MM



Sizes	2100x1560mm
Lifting capacity	300kg
Table top	15 mm birch plywood film/film
Lifting columns	2 pcs DL2 - 500 slg - 3 pcs LA31 tilt actuator - 400 slg.
Vip function	up to 80°
Wheels	4 x Ø100 swivel castors with brakes
Maksimal vippekapacitet	400 kg

[Læs mere](#)

**SKU:** S110524

**Price:** from 49.750,00 kr.



## WORKBENCH / QA STATION

Stable workbench for production

Product specifications:

Dimensions:	1600x800x800 mm
Table top:	24 mm grey laminate top
Shelf top:	10 mm grey melamine board
Powder coating:	Optional RAL color

Accessories:

Rear column system  
Buffer aria  
Tool board  
Overshelf  
Steel shelf  
...

Sizes	1600x800x800mm
approx. weight	266kg
Maximum Load	400kg
Shelf plate	10mm melamine
Table top	24mm laminate

[Læs mere](#)

**SKU:** 1200000117

## HEIGHT ADJUSTABLE TABLE - ERG-O-LITE




Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight Table top	46 kg Laminate worktop 22mm (ABS Edge)
Lifting capacity Lifting columns	160 kg 2 pcs DL6 – 650 slg.

[Læs mere](#)

**SKU:** 0202000050-1

## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 4000X750MM - ERG-O-LIFT 300



Height adjustable table with tilt function - 4000x750mm. Heavy-duty tilt table with five height-adjustable roller rails, 400 kg lifting capacity and tilt up to 80°. Weight 350 kg. Ideal as an assembly and production table with electric height adjustment.

Sizes	4000x750x800-1300mm
approx. weight	350kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Front edge	50mm above the worktop
Vip function	up to 80°
Roller rails	5 pieces that can be raised/lowered under the worktop
Gas dampers	2 pcs – 500 pcs.
Lifting columns	2 DL2 – 500 slg (raise/lower), 4 LA31 – 250 slg (tilt), 4 Baselift – 100 slg (roller tracks)
Maksimal vippekapacitet	400 kg

[Læs mere](#)

**SKU:** S110423



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 900X600MM - DUO-LET 3070

Height adjustable table with tilt function - 900x600x720-1370 mm. Electric height and tilt-adjustable workbench for assembly and precision work. Robust construction with lifting capacity of 50 kg and weight approx. 40 kg. Ideal as an assembly table, electrical panel table or workstation in...

Sizes	900x600x720-1370mm
approx. weight	40kg
Lifting capacity	50kg
Wheels	Ø100
Vip function	up to 42°
Maksimal vippekapacitet	50 kg

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH SUPERSTRUCTURE AND DRAWER - DUO-LET 3070

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	100kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)
Skuffer	1 drawer on rails

[Læs mere](#)

SKU: 0101305002



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 2100X1000 MM - ERG-O-LIFT 300

This height adjustable table with tilt function in size 2100x1000 mm is a powerful, ergonomic workstation designed for heavy industrial processes, assembly, production and workshop tasks. The table is built to optimize the working environment and reduce physical strain - even when handling heavy...

Sizes	2100x1000x700-1000mm
approx. weight	150kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Vip function	2 separate tilt functions
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH DRAWER - DUO-LET 3070

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	80kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)
Skuffer	1 drawer on rails

[Læs mere](#)

SKU: N/A

## PACKING TABLE ON WHEELS - FLEXIBLE AND ROBUST WORK TABLE



Flexible packing table on wheels - robust work and assembly table for packing, logistics and production. Available in any RAL color and custom dimensions.

Sizes	2000x750x700mm
approx. weight	55kg
Table top	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

**SKU:** S110509

## STAINLESS STEEL HEIGHT ADJUSTABLE TABLE ON CASTORS - 1500X600 MM - ERG-O-LET 312 - IPX6



Sizes	1500x600x700-1000mm
approx. weight	75kg
Lifting capacity	275kg
Wheels	Ø125
Suitable for the food industry	✓

[Læs mere](#)

**SKU:** N/A



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - MODEL 2

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Maksimal vippekapacitet	200 kg. per tilt actuator up to 80°
Vip function	
Table top	15 mm birch plywood film/film
Lifting columns	2 DL2 – 500 slg (raise/lower), 2 LA31 – 400 slg.
Wheels	4 x Ø100 swivel castors with brakes

[Læs mere](#)

**SKU:** N/A



## PACKING TABLE FRAME - ROBUST AND MOBILE WORKSTATION

Strong packing table frame with castors - ideal as a work and assembly table. Available in any RAL color and custom dimensions.

Sizes	2000x1000x840mm
approx. weight	45kg
Maximum Load	400kg
Prepared for	Sheet metal assembly
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## ERG-O-LIFT 300 - DUAL VIP

- Size: 2500x1000 mm
- Table top: 15 mm two-piece carriage base plate
- Lifter columns: 2 pcs DL2 - 500 slg.
- Tilt actuators: 4 pcs. LA31 - 400 slg.
- Lift capacity: 400 kg.
- Possibility to tilt both sides of the table parrally or separately
- Extension frame with rear column system -
- 3 rear...

Sizes	2500x1000mm
approx. weight	180kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Lifting columns	2 pcs DL2 - 500 slg. 4 pcs LA31 - 400 slg.
Maksimal vippekapacitet	400 kg

[Læs mere](#)

**SKU:** EOL300-DV



## SMALL EXTRACTION TABLE - 650X450X900 MM

Compact small extraction table - 650x450x900mm with strong steel construction and efficient extraction. Suitable for precision work and small assembly tasks where clean air and ergonomics are in focus. With a working height of 900 mm and a weight of 24 kg, the table provides stability and...

Sizes	650x450x900mm
approx. weight	24kg
Maximum Load	100kg
Table top	20x30 birch slats
Wheels	Ø75

[Læs mere](#)

**SKU:** 403003001

## HEIGHT ADJUSTABLE TABLE - DUO-LET 3070



Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	75kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 – 650 slg.

[Læs mere](#)

SKU: N/A

## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 1800X800 MM - ERG-O-LET 312



Height adjustable table with tilt function - 1800x800 mm. Solid workbench prepared for sheet metal assembly. Electric raise/lower and tilt function, lifting capacity 400 kg and robust steel construction. Ideal as a tilting table, assembly table and workstation in industrial production.

Sizes	1800x800mm
approx. weight	105kg
Lifting capacity	400kg
Vip function	up to 80°
Lifting columns	
Prepared for	Sheet metal assembly
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: N/A

## HEIGHT ADJUSTABLE TABLE - ERG-O-LIFT 300 - MODEL 1

Heavy-duty electric workbench with height adjustment, 50 mm file bench plate. Weight approx. 135 kg and lifting capacity of 400 kg. Perfect as a workstation and ergonomic table for assembly and production.



Sizes	1600x800mm, 1800x800mm, 2000x800mm, 2500x800mm
approx. weight	135kg
Lifting capacity	400kg
Table top	50mm filing bench plate
Lifting columns	2 pcs DL2 - 500 pcs (raise/lower)

[Læs mere](#)

**SKU:** 0101300006

## HEIGHT ADJUSTABLE TABLE - 1200X600MM - DUO-LET 3070

Height adjustable table - 1200x600 mm. Compact and ergonomic workbench with electric height adjustment. Solid steel construction with 2 DL6 lifting columns, 200 kg lifting capacity and weight 60 kg. Ideal as a workstation in assembly, workshop and production.



Sizes	1200x600mm
approx. weight	60kg
Lifting capacity	200kg
Lifting columns	2 pcs DL6 - 650 slg.

[Læs mere](#)

**SKU:** N/A



## ERGONOMIC LIFT TABLE ERG-O-LIFT 300 SINGLE | ELECTRIC ASSEMBLY TABLE

Ergonomic lifting table with 300 kg capacity and electric height adjustment. Ideal for assembly and production. Get a quote for ERGO-Lift 300 Single!

Sizes	600/1200x600x800 mm
approx. weight	70kg
Lifting capacity	200kg
Table top	16 mm MDF with grooved rubber mat glued on - 1 piece 600x600 mm, 2 pieces 600x300 mm
Foldable	pages
Battery pack	Included
Lifting columns	1 DL2 - 500 pcs.
Wheels	Ø100

[Læs mere](#)

**SKU:** 102300002



## EXTRACTION TABLE ON WHEELS - 2500X800X900 MM

Flexible extraction table on wheels - 2500x800x900mm, ideal for production and workshops. With a weight of 100 kg, wheels Ø160 and heavy-duty steel construction, the table functions as an extraction workbench that effectively removes dust and particles directly at source. A mobile extraction...

Sizes	2500x800x900mm
approx. weight	100kg
Table top	20x30 birch slats
Wheels	Ø160

[Læs mere](#)

**SKU:** S110435

## HEIGHT ADJUSTABLE TABLE WITH WHEELS - 2400X750 MM - ERG-O-LET 310



Height adjustable table with wheels - 2400x750 mm. Ergonomic workbench with electric height adjustment, heavy-duty steel construction and Ø100 wheels for flexible mobility. Prepared for sheet metal assembly, lifting capacity 400 kg and weight 80 kg. Ideal as a workstation in assembly and...

Sizes	2400x750mm
approx. weight	80kg
Maximum Load	400kg
Actuator	2pcs LA 31 - 450 slg.
Prepared for	Sheet metal assembly
Wheels	Ø100

[Læs mere](#)

SKU: N/A

## EXTRACTION TABLE WITH HEIGHT ADJUSTMENT - ERG-O-LIFT 300



Ergonomic extraction table with height adjustment - 2500x800 mm, with electric height adjustment and 400 kg capacity. Weight 135 kg, double lifting column construction DL2-500 - ideal for production and assembly with clean air and ergonomic requirements.

Sizes	2500x800mm
approx. weight	135kg
Lifting capacity	400kg
Lifting columns	2 pcs DL2 - 500 pcs (raise/lower)
Table top	20x30 birch slats

[Læs mere](#)

SKU: 1003000037



## ERG-O-LIFT 300 - FLEX

- Size: 1180-1880x770 mm
- Table top: 15 mm birch plywood film/film
- Front edge: 30 mm above table top (for 15 mm table top)
- Length adjustable using lockable positioning bolts
- Intervals of 50 mm
- Start height: 850 mm
- Max height: 1350 mm
- Lift capacity: 200 kg.
- Lift columns: 2 pcs DL 2 - 500...

Sizes	1180x1880x760mm
approx. weight	50kg
Maximum Load	200kg
Table top	15 mm birch plywood film/film
Wheels	Ø100
Maksimal vippekapacitet	200 kg
Vip funktion	up to 80°

[Læs mere](#)

**SKU:** EOL300-FLEX



## LIFTING PLATFORM - LIFT-O-LET 390 | ROBUST & ERGONOMIC

Efficient lifting platform with 200 kg capacity, adjustable height (120-480 mm) and mobile 55 kg construction. Optimizes ergonomics and workflow.

Sizes	1200x800x120-480mm
approx. weight	55kg
Lifting capacity	200kg

[Læs mere](#)

**SKU:** N/A

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O- LIFT 300 - MODEL 1



Height adjustable table with tilt function. Height 780-1280 mm, tilt up to 80°, lifting capacity 400 kg and weight 125 kg. 15 mm birch plywood (film/film) and Bluetooth operation. Ideal tilting table/assembly table in production.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Maksimal vippekapacitet	200 kg, per tilt actuator
Vip funktion	up to 80°
Lifting columns	2 DL2 – 500 slg (raise/lower), 2 LA31 – 400 slg.
Front edge	50 mm above frame – bolted
Operation	Phase-mounted and handheld bluetooth operation

[Læs mere](#)

SKU: 0104300002

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 4



This height-adjustable table with tilt function is the fourth model out of four in the series.

The table is equipped with raising, lowering and tilting functions, castors that are used in the lowest position, cable outlets for an optimized workflow and a mounting frame for superstructure.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	120kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Vip funktion	up to 80°
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Table top	Laminate worktop 22mm (ABS Edge)
Cable holder overhang	2x400mm
Surface-mounted frame	for superstructure

Maksimal vippekapacitet 200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-4



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 3

This height adjustable table with tilt function is the third of four models in the series.

The table is equipped with raise, lower and tilt functions, castors that are used in the lowest position and cable outlets for an optimized workflow.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	112kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Wheels	Ø75
Table top	Laminate worktop 22mm (ABS Edge)
Front edge	50 mm above frame – Bolted, removable.
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-3



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 2

This height-adjustable table with tilt function is the second of four models in the series.

The table is equipped with raise, lower and tilt functions and wheels that are used in the lowest position.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	110kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Vip funktion	up to 80°
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-2

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 1



This height-adjustable table with tilt function is the first of four models in the series. The table is equipped with raise, lower and tilt functions.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	105kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Vip function	up to 80°
Front edge	
Table top	Laminate worktop 22mm (ABS Edge)
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-1

## LOWERING TABLE WITH SUPERSTRUCTURE - DUO- LET 3070 - MODEL 4



This height adjustable table with superstructure (Duo-Let 3070 - Model 4) is a fully featured workstation for assembly and production where ergonomics, structure and high capacity are essential. Available in 1600x800 mm, 1800x800 mm and 2000x800 mm, the table has a 400 kg lifting capacity and...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	100kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 – 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)

[Læs mere](#)

SKU: 0101305003-4



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO-LET 3070 - MODEL 3

This height adjustable table with extension (Duo-Let 3070 - Model 3) is a complete and professional workstation for assembly and production where organization and efficiency are essential. The table is available in 1600×800 mm, 1800×800 mm and 2000×800 mm and has a lifting capacity of 400 kg....

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	75kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting columns	4 pieces DL6 - 650 slg.

[Læs mere](#)

**SKU:** 0101305003-3



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO-LET 3070 - MODEL 2

This height adjustable table with standard extension (Duo-Let 3070 - Model 2) is a complete workstation for assembly, production and workshop environments where order and tool availability are essential. The table is available in 1600×800 mm, 1800×800 mm and 2000×800 mm and has a powerful...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	70kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)

[Læs mere](#)

**SKU:** 0101305003-2

## HEIGHT ADJUSTABLE TABLE - DUO-LET 3070 - MODEL 1



This height adjustable table (Duo-let 3070 - model 1) is a stable and ergonomic workbench for production, assembly and workshop. Available in 1600×800 mm, 1800×800 mm and 2000×800 mm, the table provides ample workspace for both small and large items. With 200 kg lifting capacity and 2...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	50kg
Lifting capacity	200kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting columns	2 pcs DL6 – 650 slg.

[Læs mere](#)

**SKU:** 0101305005



## WORKSTATIONS



## WORKBENCH / QA STATION

Stable workbench for production

Product specifications:

Dimensions: 1600x800x800 mm  
Table top: 24 mm grey laminate top  
Shelf top: 10 mm grey melamine board  
Powder coating: Optional RAL color

Accessories:

Rear column system  
Buffer aria  
Tool board  
Overshelf  
Steel shelf  
...

Sizes	1600x800x800mm
approx. weight	266kg
Maximum Load	400kg
Shelf plate	10mm melamine
Table top	24mm laminate

[Læs mere](#)

**SKU:** 1200000117



## HEIGHT ADJUSTABLE TABLES



## LOWERING TABLE WITH SUPERSTRUCTURE - ERG-O-LIFT 300 - MODEL 2

Height adjustable table with superstructure - Model 2 Heavy-duty electric workbench with height adjustment, 50 mm file table top and solid superstructure for mounting lights, shelves, display arms and tool boards. Weight 165 kg and lifting capacity 400 kg. Perfect as a workstation and ergonomic...

Sizes	1600x800mm, 1800x800mm, 2000x800mm, 2500x800mm
approx. weight	165kg
Lifting capacity	400kg
Table top	50mm filing bench plate
Lifting columns	2 pcs DL2 – 500 pcs (raise/lower)

[Læs mere](#)

SKU: 0101300003

## HEIGHT ADJUSTABLE TABLE - 1200X600MM - DUO-LET 3070

Height adjustable table - 1200x600 mm. Compact and ergonomic workbench with electric height adjustment. Solid steel construction with 2 DL6 lifting columns, 200 kg lifting capacity and weight 60 kg. Ideal as a workstation in assembly, workshop and production.

Sizes	1200x600mm
approx. weight	60kg
Lifting capacity	200kg
Lifting columns	2 pcs DL6 – 650 slg.

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH WHEELS - 2400X750 MM - ERG-O-LET 310



Height adjustable table with wheels - 2400x750 mm. Ergonomic workbench with electric height adjustment, heavy-duty steel construction and Ø100 wheels for flexible mobility. Prepared for sheet metal assembly, lifting capacity 400 kg and weight 80 kg. Ideal as a workstation in assembly and...

Sizes	2400x750mm
approx. weight	80kg
Maximum Load	400kg
Actuator	2pcs LA 31 – 450 slg.
Prepared for	Sheet metal assembly
Wheels	Ø100

[Læs mere](#)

SKU: N/A

## STAINLESS STEEL HEIGHT ADJUSTABLE TABLE ON CASTORS - 1500X600 MM - ERG-O-LET 312 - IPX6



Sizes	1500x600x700-1000mm
approx. weight	75kg
Lifting capacity	275kg
Wheels	Ø125
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A

## HEIGHT ADJUSTABLE TABLE - DUO-LET 3070



Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	75kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.

[Læs mere](#)

**SKU:** N/A

## HEIGHT ADJUSTABLE TABLE - ERG-O-LIFT 300 - MODEL 1

Heavy-duty electric workbench with height adjustment, 50 mm file bench plate. Weight approx. 135 kg and lifting capacity of 400 kg. Perfect as a workstation and ergonomic table for assembly and production.



Sizes	1600x800mm, 1800x800mm, 2000x800mm, 2500x800mm
approx. weight	135kg
Lifting capacity	400kg
Table top	50mm filing bench plate
Lifting columns	2 pcs DL2 - 500 pcs (raise/lower)

[Læs mere](#)

**SKU:** 0101300006

## STAINLESS STEEL HEIGHT ADJUSTABLE TABLE - ERG- O-LET 310 - 1600X700 MM



Sizes	1600x700x720-1170mm
approx. weight	130kg
Table top	16mm PA plate with 3mm stainless steel plate
Shelf plate	16mm PA plate with 3mm stainless steel plate
Lifting columns	2pcs LA31 - 450 slg.
Lifting capacity	400kg
Wheels	4 TENTE 75 swivels 2 with brake, 2 without brake

[Læs mere](#)

**SKU:** 0102003008

## HEIGHT ADJUSTABLE TABLE - ERG-O-LITE



Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	46 kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting capacity	160 kg
Lifting columns	2 pcs DL6 - 650 slg.

[Læs mere](#)

**SKU:** 0202000050-1



## HEIGHT ADJUSTABLE TABLE WITH SUPERSTRUCTURE AND DRAWER - DUO-LET 3070

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	100kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)
Skuffer	1 drawer on rails

[Læs mere](#)

**SKU:** 0101305002



## HEIGHT ADJUSTABLE TABLE WITH DRAWER - DUO-LET 3070

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	80kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)
Skuffer	1 drawer on rails

[Læs mere](#)

**SKU:** N/A



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO-LET 3070 - MODEL 4

This height adjustable table with superstructure (Duo-Let 3070 - Model 4) is a fully featured workstation for assembly and production where ergonomics, structure and high capacity are essential. Available in 1600×800 mm, 1800×800 mm and 2000×800 mm, the table has a 400 kg lifting capacity and...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	100kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)

[Læs mere](#)

**SKU:** 0101305003-4



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO-LET 3070 - MODEL 3

This height adjustable table with extension (Duo-Let 3070 - Model 3) is a complete and professional workstation for assembly and production where organization and efficiency are essential. The table is available in 1600×800 mm, 1800×800 mm and 2000×800 mm and has a lifting capacity of 400 kg....

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	75kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting columns	4 pieces DL6 - 650 slg.

[Læs mere](#)

**SKU:** 0101305003-3



## LOWERING TABLE WITH SUPERSTRUCTURE - DUO-LET 3070 - MODEL 2

This height adjustable table with standard extension (Duo-Let 3070 - Model 2) is a complete workstation for assembly, production and workshop environments where order and tool availability are essential. The table is available in 1600x800 mm, 1800x800 mm and 2000x800 mm and has a powerful...

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	70kg
Lifting capacity	400kg
Lifting columns	4 pcs DL6 - 650 slg.
Table top	Laminate worktop 22mm (ABS Edge)

[Læs mere](#)

**SKU:** 0101305003-2

## HEIGHT ADJUSTABLE TABLE - DUO-LET 3070 - MODEL 1

This height adjustable table (Duo-let 3070 - model 1) is a stable and ergonomic workbench for production, assembly and workshop. Available in 1600x800 mm, 1800x800 mm and 2000x800 mm, the table provides ample workspace for both small and large items. With 200 kg lifting capacity and 2...




Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	50kg
Lifting capacity	200kg
Table top	Laminate worktop 22mm (ABS Edge)
Lifting columns	2 pcs DL6 - 650 slg.

[Læs mere](#)

**SKU:** 0101305005

# HEIGHT ADJUSTABLE WORKBENCHES

## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 4000X750MM - ERG-O-LIFT 300



Height adjustable table with tilt function - 4000x750mm. Heavy-duty tilt table with five height-adjustable roller rails, 400 kg lifting capacity and tilt up to 80°. Weight 350 kg. Ideal as an assembly and production table with electric height adjustment.

Sizes	4000x750x800-1300mm
approx. weight	350kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Front edge	50mm above the worktop
Vip function	up to 80°
Roller rails	5 pieces that can be raised/lowered under the worktop
Gas dampers	2 pcs - 500 pcs.
Lifting columns	2 DL2 - 500 slg (raise/lower), 4 LA31 - 250 slg (tilt), 4 Baselift - 100 slg (roller tracks)
Maksimal vippekapacitet	400 kg

[Læs mere](#)

**SKU:** S110423

## ERG-O-LIFT 300 - DUAL VIP

- Size: 2500x1000 mm
- Table top: 15 mm two-piece carriage base plate
- Lifter columns: 2 pcs DL2 - 500 slg.
- Tilt actuators: 4 pcs. LA31 - 400 slg.
- Lift capacity: 400 kg.
- Possibility to tilt both sides of the table parrally or separately
- Extension frame with rear column system -
- 3 rear...

Sizes	2500x1000mm
approx. weight	180kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Lifting columns	2 pcs DL2 - 500 slg. 4 pcs LA31 - 400 slg.
Maksimal vippekapacitet	400 kg

[Læs mere](#)

**SKU:** EOL300-DV





## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 1800X800 MM - ERG-O-LET 312

Height adjustable table with tilt function - 1800x800 mm. Solid workbench prepared for sheet metal assembly. Electric raise/lower and tilt function, lifting capacity 400 kg and robust steel construction. Ideal as a tilting table, assembly table and workstation in industrial production.

Sizes	1800x800mm
approx. weight	105kg
Lifting capacity	400kg
Vip function	up to 80°
Lifting columns	
Prepared for	Sheet metal assembly
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 900X600MM - DUO-LET 3070

Height adjustable table with tilt function - 900x600x720-1370 mm. Electric height and tilt-adjustable workbench for assembly and precision work. Robust construction with lifting capacity of 50 kg and weight approx. 40 kg. Ideal as an assembly table, electrical panel table or workstation in...

Sizes	900x600x720-1370mm
approx. weight	40kg
Lifting capacity	50kg
Wheels	Ø100
Vip function	up to 42°
Maksimal vippekapacitet	50 kg

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 2100X1000 MM - ERG-O- LIFT 300

This height adjustable table with tilt function in size 2100x1000 mm is a powerful, ergonomic workstation designed for heavy industrial processes, assembly, production and workshop tasks. The table is built to optimize the working environment and reduce physical strain - even when handling heavy...

Sizes	2100x1000x700-1000mm
approx. weight	150kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Vip function	2 separate tilt functions
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - ERG- O-LET 312 - 1000X600MM

Sizes	1000x600x935-1385mm
approx. weight	55kg
Lifting capacity	200kg
Table top	15 mm birch plywood film/foil
Vip function	up to 80°
Front edge	150 mm above the worktop
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** 0102312002

## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - 2100X1560MM



Sizes	2100x1560mm
Lifting capacity	300kg
Table top	15 mm birch plywood film/film
Lifting columns	2 pcs DL2 - 500 slg - 3 pcs LA31 tilt actuator - 400 slg.
Vip function	up to 80°
Wheels	4 x Ø100 swivel castors with brakes
Maksimal vippekapaцитet	400 kg

[Læs mere](#)

**SKU:** S110524

**Price:** from 49.750,00 kr.

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - MODEL 2



Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Maksimal vippekapaцитet	200 kg. per tilt actuator
Vip function	up to 80°
Table top	15 mm birch plywood film/film
Lifting columns	2 DL2 - 500 slg (raise/lower), 2 LA31 - 400 slg.
Wheels	4 x Ø100 swivel castors with brakes

[Læs mere](#)

**SKU:** N/A



## ERG-O-LIFT 300 - FLEX

- Size: 1180-1880x770 mm
- Table top: 15 mm birch plywood film/film
- Front edge: 30 mm above table top (for 15 mm table top)
- Length adjustable using lockable positioning bolts
- Intervals of 50 mm
- Start height: 850 mm
- Max height: 1350 mm
- Lift capacity: 200 kg.
- Lift columns: 2 pcs DL 2 - 500...

Sizes	1180x1880x760mm
approx. weight	50kg
Maximum Load	200kg
Table top	15 mm birch plywood film/film
Wheels	Ø100
Maksimal vippekapacitet	200 kg
Vip funktion	up to 80°

[Læs mere](#)

**SKU:** EOL300-FLEX

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - MODEL 1

Height adjustable table with tilt function. Height 780-1280 mm, tilt up to 80°, lifting capacity 400 kg and weight 125 kg. 15 mm birch plywood (film/film) and Bluetooth operation. Ideal tilting table/assembly table in production.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Maksimal vippekapacitet	200 kg. per tilt actuator
Vip funktion	up to 80°
Lifting columns	2 DL2 - 500 slg (raise/lower), 2 LA31 - 400 slg.
Front edge	50 mm above frame - bolted
Operation	Phase-mounted and handheld bluetooth operation

[Læs mere](#)

**SKU:** 0104300002



## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 4



This height-adjustable table with tilt function is the fourth model out of four in the series.

The table is equipped with raising, lowering and tilting functions, castors that are used in the lowest position, cable outlets for an optimized workflow and a mounting frame for superstructure.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	120kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Vip function	up to 80°
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Table top	Laminate worktop 22mm (ABS Edge)
Cable holder overhang	2x400mm
Surface-mounted frame	for superstructure
Maksimal vippekapaçitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** 104310003-4

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 3



This height adjustable table with tilt function is the third of four models in the series.

The table is equipped with raise, lower and tilt functions, castors that are used in the lowest position and cable outlets for an optimized workflow.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	112kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Wheels	Ø75
Table top	Laminate worktop 22mm (ABS Edge)
Front edge	50 mm above frame – Bolted, removable.
Maksimal vippekapaçitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-3

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 2



This height-adjustable table with tilt function is the second of four models in the series. The table is equipped with raise, lower and tilt functions and wheels that are used in the lowest position.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	110kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Vip function	up to 80°
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-2

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 1



This height-adjustable table with tilt function is the first of four models in the series. The table is equipped with raise, lower and tilt functions.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	105kg
Lifting capacity	400kg
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Vip function	up to 80°
Front edge	
Table top	Laminate worktop 22mm (ABS Edge)
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: 104310003-1



## LIFTING TABLES



## ERGONOMIC LIFT TABLE ERG-O-LIFT 300 SINGLE | ELECTRIC ASSEMBLY TABLE

Ergonomic lifting table with 300 kg capacity and electric height adjustment. Ideal for assembly and production. Get a quote for ERGO-Lift 300 Single!

Sizes	600/1200x600x800 mm
approx. weight	70kg
Lifting capacity	200kg
Table top	16 mm MDF with grooved rubber mat glued on - 1 piece 600x600 mm, 2 pieces 600x300 mm
Foldable	pages
Battery pack	Included
Lifting columns	1 DL2 - 500 pcs.
Wheels	Ø100

[Læs mere](#)

**SKU:** 102300002



## STAINLESS STEEL LIFTING TABLE - 500X600 MM

Compact lifting table - 500x600 mm with electric height adjustment. Ideal as a work table or "toilet table", with robust construction and precise height adjustment in production and assembly.

Sizes	
approx. weight	42kg
Lifting capacity	200kg
Lifting columns	
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## LIFTING TABLE - 1100X600 MM

Robust lifting table - 1100x600 mm with electric raise/lower function. With a weight of 25 kg and lifting capacity of 50 kg, with Ø75 wheels and 10 mm compact laminate tabletop - ideal for medical and industrial applications.

Sizes	1100x600mm
approx. weight	25kg
Lifting capacity	50kg
Battery pack	with controls
Table top	10mm compact laminate
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## LIFT TABLE WITH TILT - LIFT-O-LET 120 SPECIAL | ERGONOMICS & ADJUSTABLE DESIGN

Lift-O-Let 120 Special with tilt and lift function, 120 kg capacity. Optimize working height and ergonomics. Get a non-binding offer!

Sizes	1200x800mm
approx. weight	40kg
Lifting capacity	120kg
Table top	15 mm birch plywood film/film

[Læs mere](#)

SKU: N/A

## LIFTING PLATFORM - LIFT-O-LET 390 | ROBUST & ERGONOMIC



Efficient lifting platform with 200 kg capacity, adjustable height (120-480 mm) and mobile 55 kg construction. Optimizes ergonomics and workflow.

Sizes	1200x800x120-480mm
approx. weight	55kg
Lifting capacity	200kg

[Læs mere](#)

**SKU:** N/A



## PACKING TABLES



## PACKING TABLE ON WHEELS - FLEXIBLE AND ROBUST WORK TABLE

Flexible packing table on wheels - robust work and assembly table for packing, logistics and production. Available in any RAL color and custom dimensions.

Sizes	2000x750x700mm
approx. weight	55kg
Table top	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

**SKU:** S110509



## PACKING TABLE FRAME - ROBUST AND MOBILE WORKSTATION

Strong packing table frame with castors - ideal as a work and assembly table. Available in any RAL color and custom dimensions.

Sizes	2000x1000x840mm
approx. weight	45kg
Maximum Load	400kg
Prepared for	Sheet metal assembly
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## EXTRACTION TABLES



## SMALL EXTRACTION TABLE - 650X450X900 MM

Compact small extraction table - 650x450x900mm with strong steel construction and efficient extraction. Suitable for precision work and small assembly tasks where clean air and ergonomics are in focus. With a working height of 900 mm and a weight of 24 kg, the table provides stability and...

Sizes	650x450x900mm
approx. weight	24kg
Maximum Load	100kg
Table top	20x30 birch slats
Wheels	Ø75

[Læs mere](#)

**SKU:** 403003001



## EXTRACTION TABLE ON WHEELS - 2500X800X900 MM

Flexible extraction table on wheels - 2500x800x900mm, ideal for production and workshops. With a weight of 100 kg, wheels Ø160 and heavy-duty steel construction, the table functions as an extraction workbench that effectively removes dust and particles directly at source. A mobile extraction...

Sizes	2500x800x900mm
approx. weight	100kg
Table top	20x30 birch slats
Wheels	Ø160

[Læs mere](#)

**SKU:** S110435

## EXTRACTION TABLE WITH HEIGHT ADJUSTMENT - ERG- O-LIFT 300

Ergonomic extraction table with height adjustment - 2500x800 mm, with electric height adjustment and 400 kg capacity. Weight 135 kg, double lifting column construction DL2-500 - ideal for production and assembly with clean air and ergonomic requirements.

Sizes	2500x800mm
approx. weight	135kg
Lifting capacity	400kg
Lifting columns	2 pcs DL2 - 500 pcs (raise/lower)
Table top	20x30 birch slats

[Læs mere](#)

**SKU:** 1003000037





## TROLLEYS



## BASKET TROLLEY WITH 15 BASKETS - 1440X600X1750MM

Slim basket trolley for sorting clothes with spacious baskets and mobile construction. The trolley's steel frame and Ø75 wheels ensure easy movement and convenient sorting in production and laundry.

Sizes	1440x600x1750mm
approx. weight	75kg
Maximum Load	200kg
Curves	15pcs.
Wheels	Ø100

[Læs mere](#)

**SKU:** S110200



## PICKING TROLLEY WITH SPRINGS - 850X450X800 MM

Ergonomic picking trolley with springs - 850x450x800 mm, where the table top automatically adjusts to the weight. At 30 kg, the table bottoms out and can carry up to 100 kg. Equipped with Ø75 wheels for stable and easy maneuvering in warehouse and production.

Sizes	850x450x800mm
approx. weight	30kg
Maximum Load	100kg
Shelf plate	Painted steel plate
Stroke length on shelf	350mm
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## ERGONOMIC TEXTILE CART - 600X390X770-1070MM

Ergonomic textile trolley in solid steel construction with grid design and open sides. The trolley has smooth-running Tente wheels Ø125, providing high stability and easy maneuverability in packaging, textile and production environments.

Sizes	600x390x770-1070mm
approx. weight	10kg
Maximum Load	75kg
Bottom shelf	150mm from floor
Top shelf	470mm from floor
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## LOADER WAGON - 1200X600X400MM

Heavy-duty trolley - 1200x600x400mm with 15 mm birch plywood platform and comfortable Ø260 pneumatic wheels. The trolley weighs approx. 40 kg and can handle a load of up to 500 kg - ideal for internal transportation of heavy items.

Sizes	1200x600x400mm
approx. weight	40kg
Maximum Load	500kg
Base plate	15 mm birch plywood film/film
Wheels	Ø260

[Læs mere](#)

**SKU:** N/A



## STORAGE TROLLEY WITH ADJUSTABLE SHELF - ROBUST AND FLEXIBLE SOLUTION

Robust storage trolley with adjustable shelf - flexible solution that can also function as a universal trolley, parcel trolley or roller trolley in warehouse and production.

Sizes	1270x660mm
approx. weight	40kg
Maximum Load	300kg
Height to 1st shelf	250mm
Height to 2nd shelf	750-900mm
Shelf plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

SKU: N/A



## PICKING CART WITH 9 COMPARTMENTS - 1080X450X1400 MM

Robust picking cart with 9 compartments - 1080x450x1400 mm, designed for efficient and structured picking and transportation tasks. The weight is 50 kg, max load 150 kg and it has Ø100 wheels for easy maneuvering.

Sizes	1080x450x1400mm
approx. weight	50kg
Maximum Load	150kg
Base plate	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## CABLE TROLLEY WITH BASE PLATE

Size: 800x800x1400 mm  
Base plate: birch plywood film/film  
4 removable suspension rods Ø25x1,5  
c/c distance between suspension rods - 300 mm  
Castors: Ø100 swivel w/brakes

Sizes	1600x900x1800mm
approx. weight	32kg
Maximum Load	200kg
Base plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** S110242

---

## CARGO TRAILER - HARBOR TRAILER

[Læs mere](#)

**SKU:** N/A





## FURNITURE TROLLEY WITH BUCKLES - SAFE AND ROBUST TRANSPORTATION

Solid furniture trolley with buckles - safe and robust solution for transporting furniture and larger items.

Base plate	800x520mm
Back piece	900x360mm
approx. weight	15kg
Maximum Load	100kg
Wheels	Ø100

[Læs mere](#)

**SKU:** S110024

**Price:** from 5.985,00 kr.



## TEXTILE TROLLEY W/ ADJUSTABLE COMPARTMENT DIVIDER

[Læs mere](#)

**SKU:** N/A



## PUSH TROLLEY WITH PUSH BAR - ROBUST AND MOBILE TRANSPORTATION

Bucket trolley with push handle - ergonomic and easy-to-maneuver 1-bucket solution, perfect for efficient transportation in institutions and laundries.

Sizes	850x470x800mm
approx. weight	15kg
Maximum Load	100kg
Ball	800x530x300mm
Wheels	Ø100

[Læs mere](#)

**SKU:** 066B1-800



## BATTERY PICKING CART - 1220X600X1050 MM

Efficient battery-powered picking cart - 1220x600x1050 mm, designed as a mobile workstation for warehouse and production. With a built-in battery, you can power your computer, scanner and other equipment directly from the cart - ideal for flexible and digital picking work.

Sizes	1220x600x1050mm
approx. weight	100kg
Maximum Load	400kg
Battery pack	100 Ah Lead/Gel battery, 1000-Watt UPS Inverter
Connectivity options	Schuko socket outlet with 6 outlets
Shelf plate	16mm melamine
Wheels	Ø125
Tastaturplade	With, Without
CPU Holder	With, Without
Midterhylde	Med, Uden
Skærmholder (VESA-75/100)	With, Without
Labelprinter hylde og opbevaringskasse	With, Without

[Læs mere](#)

**SKU:** 0309003002



## CART FOR CARDBOARD - 600X400X940MM

Functional cardboard cart - ideal for internal transportation and handling of cardboard packaging in production and warehouses. Robust steel construction with Ø125 wheels ensures easy maneuverability and high stability, even with heavy loads.

Sizes	600x400x940mm
approx. weight	20kg
Maximum Load	200kg
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## SMALL PICKING CART - 650X500X960 MM

Compact small picking cart - 650x500x960 mm with integrated tablet holder (350x250 mm), top shelf (490x350 mm) and robust Ø100 wheels. The trolley weighs approximately 20 kg and has a maximum load of 50 kg - ideal for efficient picking and logistics in confined spaces.

Sizes	650x500x960mm
approx. weight	20kg
Maximum Load	50kg
Tablet holder	350x250mm
Top shelf	Inner dimensions: 490x350mm
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## DOUBLE-SIDED SHEET METAL TROLLEY - 1270X800X1200MM

Robust double-sided sheet metal trolley - designed for safe transportation of sheets with access from both sides, ideal for space-saving work and flexible handling.

Sizes	1270x800x1200mm
approx. weight	90kg
Maximum Load	500kg
Wheels	Ø160

[Læs mere](#)

**SKU:** 2041020003

**Price:** from 9.745,00 kr.



## PICKING TROLLEY WITH 4 SHELVES - 1270X660X1700 MM

Robust picking trolley with 4 shelves - 1270x660x1700 mm, ideal for efficient handling and internal transportation in warehouses and production. Smooth-running Tente wheels Ø160 ensure easy maneuverability and stable operation - even with heavy loads.

Sizes	1270x660x1700mm
approx. weight	65kg
Maximum Load	250kg
Height to 1st shelf	250mm
Height to 2nd shelf	620mm
Height to 3rd shelf	990mm
Height to 4th shelf	1360mm
Shelf plate	4pcs. 16mm melamine
Wheels	Swivel Tente Wheels Ø160

[Læs mere](#)

**SKU:** 0301003005



## 85 LITER TUB CART - ROBUST & MOBILE TRANSPORT SOLUTION

Efficient 85 liter trolley with robust plastic tub and mobile construction - perfect for hygienic handling in laundries, healthcare and institutions.

Sizes	650x500x960mm
approx. weight	14kg
Maximum Load	100kg
Wheels	Ø75

[Læs mere](#)

**SKU:** 090200300



## CATAFALQUE 2080X700X500-900MM

A JAS catafalque is designed for dignified, safe and stable coffin handling. The 2080x700x500-900mm model combines functional design, high quality and adjustable working height - ideal as both a coffin trolley and a catafalque trolley in professional settings.

Sizes	2080x700x500-900mm
approx. weight	150kg
Lifting capacity	275kg
Roller rails	5x Ø60 roller rails
Wheels	Ø125

[Læs mere](#)

**SKU:** 1009000002



## STAINLESS STEEL SHELF TROLLEY

[Læs mere](#)

SKU: N/A



## EAR TAG CART - 1050X600X900MM

Compact and functional stainless steel ear tag cart - designed for sorting, ear tagging, transportation of components. The robust, hygienic construction ensures long life and easy cleaning in demanding environments.

Sizes	1050x600x900mm
approx. weight	55kg
Maximum Load	300kg
Wheels	Ø160
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## STAINLESS STEEL SHELVING TROLLEY

[Læs mere](#)

SKU: N/A



## SHELVING TROLLEY WITH 3 SHELVES - 1200X600X1450MM

Sizes	1200x600x1450mm
approx. weight	65kg
Maximum Load	250kg
Wheels	Ø160

[Læs mere](#)

SKU: 1702003004



## PICKING CART WITH 6 COMPARTMENTS - 760X450X1400 MM

Efficient 6-compartment picking trolley - 760x450x1400 mm, with push bars, side grids and large TENTE wheels Ø125 for stability and mobility in warehouse and logistics environments.

Sizes	1080x450x1400mm
approx. weight	55kg
Maximum Load	300kg
Shelf plate	15 mm birch plywood film/film
Wheels	Ø125

[Læs mere](#)

SKU: N/A



## KEG CART

Practical and compact keg cart designed for safe and easy handling of beer kegs and other heavy containers. The trolley provides an ergonomic solution that protects the back and shoulders during transportation and lifting.

Ergonomic handle and lifting mechanism  
Suitable for transporting...

[Læs mere](#)

SKU: N/A



## TEXTILE TROLLEY SMALL

Product description:

Introducing our efficient Small Textile Cart with Countertop, a practical and stylish solution for sorting clothes in a wide range of environments. With a focus on functionality and durability, this trolley is designed to optimize the laundry sorting process and bring order...

Sizes	470x390x900mm
approx. weight	20kg
Maximum Load	100kg
Shelf plate	18mm laminate board
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## PICKING TROLLEY WITH HEIGHT ADJUSTMENT - 950X500X1300 MM

Ergonomic picking trolley with height adjustment - 950x500x1300 mm, suitable for efficient picking and logistics work. The trolley weighs 26 kg, has a maximum load of 75 kg and is equipped with TENTE wheels Ø100 for a stable and smooth ride.

Sizes	950x500x1300mm
approx. weight	26kg
Maximum Load	75kg
Tray	300x400x200mm
Wheels	Ø100

[Læs mere](#)

SKU: 087R15



## LARGE SHEET METAL TROLLEY - 2000X800X1200 MM

Robust large sheet metal trolley - 2000x800x1200 mm in heavy-duty steel for safe transportation of large sheets and items. The trolley has Ø160 wheels, a weight of approx. 180 kg and a maximum load of 400 kg, providing stable and efficient material handling in both production and storage.

Sizes	2000x800x1200mm
approx. weight	180kg
Maximum Load	400kg
Wheels	Ø160

[Læs mere](#)

SKU: N/A



## PLATE TROLLEY WITH ROLLERS - 1200X800X442MM

Efficient sheet metal trolley with rollers - 1200x800x442 mm, weight approx. 70 kg, with front-mounted roller rail and ball rollers. Maximum load 400 kg evenly distributed. Ideal for internal transportation and assembly in production and warehouses.

Sizes	1200x800x442mm
approx. weight	approx. 70kg
Maximum Load	400kg
Wheels	Ø100
Kugle ruller	
Roller rails	

[Læs mere](#)

SKU: S110438



## PARCEL TROLLEY WITH GRID - ROBUST AND SAFE TRANSPORTATION

Solid parcel trolley with grid - robust and mobile solution for safe transportation of parcels and goods in warehouse and logistics environments.

Sizes	1055x600x540mm
approx. weight	50kg
Maximum Load	300kg
Base plate	15 mm birch plywood film/film
Wheels	Ø200

[Læs mere](#)

SKU: N/A



## TOOL TROLLEY WITH LIFTING BENCH - 1000X750X975-1675MM

Raised tool trolley made of stainless steel with roller rails and plastic table top. Designed for demanding and hygiene-sensitive environments where precision, cleanability and flexibility are essential.

Sizes	1000x750x975-1675mm
approx. weight	225kg
Lifting capacity	1000kg
Wheels	Extra strong
Battery pack	with controls
Table top	50 mm PE-HD sheet, with tool slots.

Roller rails	
Electric propulsion	X

[Læs mere](#)

SKU: S110200-1-1



## PICKING TROLLEY WITH BATTERY - 960X650 MM

Ergonomic picking trolley with battery - 960x650 mm, designed as a mobile workstation with power for computer, monitor, scanner etc. Robust construction with electric lift/lower function and built-in battery for efficient, flexible picking and assembly work.

Sizes	960x650mm
approx. weight	100kg
Lifting capacity	200kg
Battery pack	100 Ah Lead/Gel battery, 1000-Watt UPS Inverter
Shelf plate	18mm birch plywood film/film
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A

# OTHER TROLLEYS



## KEG CART

Practical and compact keg cart designed for safe and easy handling of beer kegs and other heavy containers. The trolley provides an ergonomic solution that protects the back and shoulders during transportation and lifting.

Ergonomic handle and lifting mechanism  
Suitable for transporting...

[Læs mere](#)

SKU: N/A



## EAR TAG CART - 1050X600X900MM

Compact and functional stainless steel ear tag cart - designed for sorting, ear tagging, transportation of components. The robust, hygienic construction ensures long life and easy cleaning in demanding environments.

Sizes	1050x600x900mm
approx. weight	55kg
Maximum Load	300kg
Wheels	Ø160
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## FURNITURE TROLLEY WITH BUCKLES - SAFE AND ROBUST TRANSPORTATION

Solid furniture trolley with buckles - safe and robust solution for transporting furniture and larger items.

Base plate	800x520mm
Back piece	900x360mm
approx. weight	15kg
Maximum Load	100kg
Wheels	Ø100

[Læs mere](#)

**SKU:** S110024

**Price:** from 5.985,00 kr.



## STAINLESS STEEL SHELF TROLLEY

[Læs mere](#)

**SKU:** N/A



## STAINLESS STEEL SHELVING TROLLEY

[Læs mere](#)

SKU: N/A



## SHELVING TROLLEY WITH 3 SHELVES - 1200X600X1450MM

Sizes	1200x600x1450mm
approx. weight	65kg
Maximum Load	250kg
Wheels	Ø160

[Læs mere](#)

SKU: 1702003004

## TOOL TROLLEY WITH LIFTING BENCH - 1000X750X975-1675MM

Raised tool trolley made of stainless steel with roller rails and plastic table top. Designed for demanding and hygiene-sensitive environments where precision, cleanability and flexibility are essential.

Sizes	1000x750x975-1675mm
approx. weight	225kg
Lifting capacity	1000kg
Wheels	Extra strong
Battery pack	with controls
Table top	50 mm PE-HD sheet, with tool slots.

Roller rails	
Electric propulsion	X

[Læs mere](#)

**SKU:** S110200-1-1



# BELLOWS TROLLEYS



## 85 LITER TUB CART - ROBUST & MOBILE TRANSPORT SOLUTION

Efficient 85 liter trolley with robust plastic tub and mobile construction - perfect for hygienic handling in laundries, healthcare and institutions.

Sizes	650x500x960mm
approx. weight	14kg
Maximum Load	100kg
Wheels	Ø75

[Læs mere](#)

**SKU:** 090200300



## PUSH TROLLEY WITH PUSH BAR - ROBUST AND MOBILE TRANSPORTATION

Bucket trolley with push handle - ergonomic and easy-to-maneuver 1-bucket solution, perfect for efficient transportation in institutions and laundries.

Sizes	850x470x800mm
approx. weight	15kg
Maximum Load	100kg
Ball	800x530x300mm
Wheels	Ø100

[Læs mere](#)

**SKU:** 066B1-800

# CABLE TROLLEYS



## CABLE TROLLEY WITH BASE PLATE

Size: 800x800x1400 mm

Base plate: birch plywood film/film

4 removable suspension rods Ø25x1,5

c/c distance between suspension rods - 300 mm

Castors: Ø100 swivel w/brakes

Sizes	1600x900x1800mm
approx. weight	32kg
Maximum Load	200kg
Base plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** S110242

# CATAFALQUE TROLLEYS



## CATAFALQUE 2080X700X500-900MM

A JAS catafalque is designed for dignified, safe and stable coffin handling. The 2080x700x500-900mm model combines functional design, high quality and adjustable working height - ideal as both a coffin trolley and a catafalque trolley in professional settings.

Sizes	2080x700x500-900mm
approx. weight	150kg
Lifting capacity	275kg
Roller rails	5x Ø60 roller rails
Wheels	Ø125

[Læs mere](#)

**SKU:** 1009000002

# LOADER WAGONS



## LOADER WAGON - 1200X600X400MM

Heavy-duty trolley - 1200x600x400mm with 15 mm birch plywood platform and comfortable Ø260 pneumatic wheels. The trolley weighs approx. 40 kg and can handle a load of up to 500 kg - ideal for internal transportation of heavy items.

Sizes	1200x600x400mm
approx. weight	40kg
Maximum Load	500kg
Base plate	15 mm birch plywood film/film
Wheels	Ø260

[Læs mere](#)

SKU: N/A

---

## CARGO TRAILER - HARBOR TRAILER

[Læs mere](#)

SKU: N/A





## STORAGE TROLLEYS



## STORAGE TROLLEY WITH ADJUSTABLE SHELF - ROBUST AND FLEXIBLE SOLUTION

Robust storage trolley with adjustable shelf - flexible solution that can also function as a universal trolley, parcel trolley or roller trolley in warehouse and production.

Sizes	1270x660mm
approx. weight	40kg
Maximum Load	300kg
Height to 1st shelf	250mm
Height to 2nd shelf	750-900mm
Shelf plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

SKU: N/A



## CART FOR CARDBOARD - 600X400X940MM

Functional cardboard cart - ideal for internal transportation and handling of cardboard packaging in production and warehouses. Robust steel construction with Ø125 wheels ensures easy maneuverability and high stability, even with heavy loads.

Sizes	600x400x940mm
approx. weight	20kg
Maximum Load	200kg
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## PARCEL TROLLEY WITH GRID - ROBUST AND SAFE TRANSPORTATION

Solid parcel trolley with grid - robust and mobile solution for safe transportation of parcels and goods in warehouse and logistics environments.

Sizes	1055x600x540mm
approx. weight	50kg
Maximum Load	300kg
Base plate	15 mm birch plywood film/film
Wheels	Ø200

[Læs mere](#)

**SKU:** N/A



## PLATE TROLLEYS



## DOUBLE-SIDED SHEET METAL TROLLEY - 1270X800X1200MM

Robust double-sided sheet metal trolley - designed for safe transportation of sheets with access from both sides, ideal for space-saving work and flexible handling.

Sizes	1270x800x1200mm
approx. weight	90kg
Maximum Load	500kg
Wheels	Ø160

[Læs mere](#)

**SKU:** 2041020003

**Price:** from 9.745,00 kr.



## LARGE SHEET METAL TROLLEY - 2000X800X1200 MM

Robust large sheet metal trolley - 2000x800x1200 mm in heavy-duty steel for safe transportation of large sheets and items. The trolley has Ø160 wheels, a weight of approx. 180 kg and a maximum load of 400 kg, providing stable and efficient material handling in both production and storage.

Sizes	2000x800x1200mm
approx. weight	180kg
Maximum Load	400kg
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## PLATE TROLLEY WITH ROLLERS - 1200X800X442MM

Efficient sheet metal trolley with rollers - 1200x800x442 mm, weight approx. 70 kg, with front-mounted roller rail and ball rollers. Maximum load 400 kg evenly distributed. Ideal for internal transportation and assembly in production and warehouses.

Sizes  
approx. weight  
Maximum Load  
Wheels  
Kugle ruller  
Roller rails

1200x800x442mm  
approx. 70kg  
400kg  
Ø100

[Læs mere](#)

**SKU:** S110438

# PICKING TROLLEYS



## BATTERY PICKING CART - 1220X600X1050 MM

Efficient battery-powered picking cart - 1220x600x1050 mm, designed as a mobile workstation for warehouse and production. With a built-in battery, you can power your computer, scanner and other equipment directly from the cart - ideal for flexible and digital picking work.

Sizes	1220x600x1050mm
approx. weight	100kg
Maximum Load	400kg
Battery pack	100 Ah Lead/Gel battery, 1000-Watt UPS Inverter
Connectivity options	Schuko socket outlet with 6 outlets
Shelf plate	16mm melamine
Wheels	Ø125
Tastaturplade	With, Without
CPU Holder	With, Without
Midterhylde	Med, Uden
Skærmholder (VESA-75/100)	With, Without
Labelprinter hylde og opbevaringskasse	With, Without

[Læs mere](#)

**SKU:** 0309003002



## SMALL PICKING CART - 650X500X960 MM

Compact small picking cart - 650x500x960 mm with integrated tablet holder (350x250 mm), top shelf (490x350 mm) and robust Ø100 wheels. The trolley weighs approximately 20 kg and has a maximum load of 50 kg - ideal for efficient picking and logistics in confined spaces.

Sizes	650x500x960mm
approx. weight	20kg
Maximum Load	50kg
Tablet holder	350x250mm
Top shelf	Inner dimensions: 490x350mm
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## PICKING TROLLEY WITH 4 SHELVES - 1270X660X1700 MM

Robust picking trolley with 4 shelves - 1270x660x1700 mm, ideal for efficient handling and internal transportation in warehouses and production. Smooth-running Tente wheels Ø160 ensure easy maneuverability and stable operation - even with heavy loads.

Sizes	1270x660x1700mm
approx. weight	65kg
Maximum Load	250kg
Height to 1st shelf	250mm
Height to 2nd shelf	620mm
Height to 3rd shelf	990mm
Height to 4th shelf	1360mm
Shelf plate	4pcs. 16mm melamine
Wheels	Swivel Tente Wheels Ø160

[Læs mere](#)

SKU: 0301003005



## PICKING CART WITH 6 COMPARTMENTS - 760X450X1400 MM

Efficient 6-compartment picking trolley - 760x450x1400 mm, with push bars, side grids and large TENTE wheels Ø125 for stability and mobility in warehouse and logistics environments.

Sizes	1080x450x1400mm
approx. weight	55kg
Maximum Load	300kg
Shelf plate	15 mm birch plywood film/film
Wheels	Ø125

[Læs mere](#)

SKU: N/A



## PICKING TROLLEY WITH SPRINGS - 850X450X800 MM

Ergonomic picking trolley with springs - 850x450x800 mm, where the table top automatically adjusts to the weight. At 30 kg, the table bottoms out and can carry up to 100 kg. Equipped with Ø75 wheels for stable and easy maneuvering in warehouse and production.

Sizes	850x450x800mm
approx. weight	30kg
Maximum Load	100kg
Shelf plate	Painted steel plate
Stroke length on shelf	350mm
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## PICKING CART WITH 9 COMPARTMENTS - 1080X450X1400 MM

Robust picking cart with 9 compartments - 1080x450x1400 mm, designed for efficient and structured picking and transportation tasks. The weight is 50 kg, max load 150 kg and it has Ø100 wheels for easy maneuvering.

Sizes	1080x450x1400mm
approx. weight	50kg
Maximum Load	150kg
Base plate	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## PICKING TROLLEY WITH HEIGHT ADJUSTMENT - 950X500X1300 MM

Ergonomic picking trolley with height adjustment - 950x500x1300 mm, suitable for efficient picking and logistics work. The trolley weighs 26 kg, has a maximum load of 75 kg and is equipped with TENTE wheels Ø100 for a stable and smooth ride.

Sizes	950x500x1300mm
approx. weight	26kg
Maximum Load	75kg
Tray	300x400x200mm
Wheels	Ø100

[Læs mere](#)

**SKU:** 087R15



## PICKING TROLLEY WITH BATTERY - 960X650 MM

Ergonomic picking trolley with battery - 960x650 mm, designed as a mobile workstation with power for computer, monitor, scanner etc. Robust construction with electric lift/lower function and built-in battery for efficient, flexible picking and assembly work.

Sizes	960x650mm
approx. weight	100kg
Lifting capacity	200kg
Battery pack	100 Ah Lead/Gel battery, 1000-Watt UPS Inverter
Shelf plate	18mm birch plywood film/film
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A



## TEXTILE TROLLEYS



## BASKET TROLLEY WITH 15 BASKETS - 1440X600X1750MM

Slim basket trolley for sorting clothes with spacious baskets and mobile construction. The trolley's steel frame and Ø75 wheels ensure easy movement and convenient sorting in production and laundry.

Sizes	1440x600x1750mm
approx. weight	75kg
Maximum Load	200kg
Curves	15pcs.
Wheels	Ø100

[Læs mere](#)

**SKU:** S110200



## ERGONOMIC TEXTILE CART - 600X390X770-1070MM

Ergonomic textile trolley in solid steel construction with grid design and open sides. The trolley has smooth-running Tente wheels Ø125, providing high stability and easy maneuverability in packaging, textile and production environments.

Sizes	600x390x770-1070mm
approx. weight	10kg
Maximum Load	75kg
Bottom shelf	150mm from floor
Top shelf	470mm from floor
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## TEXTILE TROLLEY W/ ADJUSTABLE COMPARTMENT DIVIDER

[Læs mere](#)

SKU: N/A



## TEXTILE TROLLEY SMALL

Product description:

Introducing our efficient Small Textile Cart with Countertop, a practical and stylish solution for sorting clothes in a wide range of environments. With a focus on functionality and durability, this trolley is designed to optimize the laundry sorting process and bring order...

Sizes	470x390x900mm
approx. weight	20kg
Maximum Load	100kg
Shelf plate	18mm laminate board
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## RACKS



## FLOOR MOUNT FOR LINER STAND

Sizes	1400mm
approx. weight	12.3kg
Maximum Load	200kg

[Læs mere](#)

**SKU:** N/A



## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 3

Sizes	440x420x630-900mm
approx. weight	10.5kg
Maximum Load	30kg
stillesko	4 pcs.
Low	

[Læs mere](#)

**SKU:** 1804099003-3

**Price:** from 1.125,00 kr.



## PACKING RACK ON WHEELS - 600X500MM

Packing stand with bag holder. Height and rotation adjustable stand with tape holder, maximum load of 100kg with a weight of 22.5kg, scissor holder and TENTE wheels Ø75. Ideal for flexible packing and assembly.

Sizes	600x500mm
approx. weight	22.5kg
Maximum Load	100kg
Height adjustable	
Wheels	Ø75

[Læs mere](#)

SKU: N/A

---

## LINE STAND

[Læs mere](#)

SKU: N/A





## HANGER RACK WITH 3 HANGER BARS - 2000X1900X500MM

Hanger rack with 3 hanger bars - 2000x1900x500 mm. Robust construction in powder-coated steel, weight 25 kg, wheels Ø75 and load 100 kg per hanger bar. Ideal for maximum hanging capacity in wardrobes, storage or event areas.

Sizes	2000x1900x500mm
approx. weight	25kg
Maximum Load	100kg. per hanger bar
Hanger bar	3 pcs. Ø30x2
Wheels	Ø75

[Læs mere](#)

**SKU:** 1804003002



## TRASH RACK ON WHEELS - FLEXIBLE AND MOBILE SOLUTION

Robust waste rack on wheels with swivel castors - a mobile and efficient solution for waste sorting in warehouses, production and institutions.

Sizes	470x380x875mm
approx. weight	10kg
Maximum Load	50kg
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## A-FRAME WITH OVERHANG - 1500X1100X2050 MM

This A-frame with overhang is designed for safe and flexible handling of electrical panels, panels, doors, metal covers and large cable reels. Measuring 1500x1100x2050 mm and with a sturdy steel frame, the stand provides a stable and efficient platform for daily use in production, assembly and...

Sizes	1500x1100x2050mm
approx. weight	55kg
Maximum Load	100kg. per plate
Cable holder overhang	2x400mm
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

SKU: N/A




## STORAGE RACK ON WHEELS - 1250X800X1700 MM

Robust storage rack on wheels - 1250x800x1700 mm with 4 shelves and a maximum load of 250 kg. The 4 Tente wheels provide easy and stable maneuvering. Ideal for warehouse, production and internal transportation where flexibility and order are essential.

Sizes	1250x800x1700mm
approx. weight	100kg
Maximum Load	250kg
Table top	15 mm birch plywood film/film

[Læs mere](#)

SKU: N/A



## BRANCH RACK ON WHEELS - 1000X600X1500MM

Branch rack on wheels - 1000x600x1500mm. Mobile and robust solution for storing pipes and profiles. 4 Tente wheels Ø75, weight 20 kg, load 100 kg.

Sizes	1000x600x1500mm
approx. weight	20kg
Maximum Load	100kg
Distance between branches	200mm
Wheels	4pcs Ø75 w/brakes

[Læs mere](#)

**SKU:** 1402003002



## STORAGE RACK WITH 4 SHELVES - 900X555X1500MM

Mobile storage rack on wheels - 900x555x1500 mm with 4 shelves, weight approx. 30 kg and maximum load 200 kg. Equipped with sturdy TENTE wheels for easy maneuverability and flexible internal storage.

Sizes	900x555x1500mm
approx. weight	30kg
Maximum Load	200kg
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## HEIGHT-ADJUSTABLE WASTE RACK WITH LID - MODEL 4

Practical waste rack with lid - 440x420x630-900 mm, weight approx. 11 kg and equipped with wheels Ø75 for flexible placement. Ideal for hygienic waste management in production, institutions and warehouses.

Sizes	440x420x630-900mm
approx. weight	11kg
Maximum Load	30kg
Wheels	Ø75
Low	

[Læs mere](#)

**SKU:** 1804099003-4

**Price:** from 1.245,00 kr.



## ROLLSTAND FLEX SINGLE

Rollstand Flex Single is a flexible roller stand for handling plastic drums and similar in assembly areas. Its adjustable design ensures optimal adaptation to different tasks.

[Læs mere](#)

**SKU:** 3086800140



## WASTE RACK WITH PEDAL - 440X420X630MM

Compact waste rack with pedal - 440x420x630 mm, weight 12 kg. Solid steel construction with non-contact pedal operation for better hygiene in production, workshops and institutions.

Sizes	440x420x630mm
approx. weight	12kg
Maximum Load	30kg
Wheels	Ø75
Low	and Pedal

[Læs mere](#)

SKU: N/A



## HANGER RACK FOR DRUMS - 1000X750X1065MM

Hanger rack for drums - 1000x750x1065 mm. Robust construction in powder-coated steel with TENTE wheels Ø100. Weight 25 kg and maximum load 100 kg. Ideal for handling, storing and unwinding/rewinding plastic drums, reels and cable spools.

Sizes	1000x750x1065mm
approx. weight	25kg
Maximum Load	100kg
Hanger bar	Ø30
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## STORAGE RACK FOR LARGE ITEMS - EFFICIENT AND SPACE-SAVING SOLUTION

Practical storage rack for large items - an efficient and space-saving solution for safe storage and transportation in production, warehouses and workshops.

Sizes	1600x900x1800mm
approx. weight	80kg
Maximum Load	200kg
Shelf plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## A-FRAME WITH REMOVABLE SHELVES - 2000X800X2050MM

A-frame with removable shelves - 2000x800x2050 mm. Robust steel A-frame with removable shelves for flexible storage and handling. Used e.g. in electrical panel production. Weight 70 kg, capacity 200 kg and TENTE wheels for safe mobility.

Sizes	2000x800x2050mm
approx. weight	100kg
Maximum Load	300kg
Wheels	Ø100 swivel with brake
Shelf plate	3mm lacquered steel plate

[Læs mere](#)

**SKU:** S110535



## HANGER RACK WITH REMOVABLE RODS - 2000X500X1900MM

Hanger rack with removable bars - 2000x500x1900 mm. Robust powder-coated steel frame with 3 removable hanger bars  $\text{\O}30 \times 2$ , wheels  $\text{\O}75$ , weight 15 kg and max. load 100 kg per hanger bar. Mobile, flexible solution for storage and presentation.

Sizes	2000x1900x500mm
approx. weight	15kg
Maximum Load	100kg. per hanger bar
Hanger bar	3 pcs. $\text{\O}30 \times 2$
Wheels	$\text{\O}75$

[Læs mere](#)

**SKU:** 1804003003



## TOOL BOARD ON WHEELS

Sizes	930x600x1700mm
Base plate	16mm melamine
Wheels	$\text{\O}125$ swivel w/brake TENTE

[Læs mere](#)

**SKU:** 1804003009



## SAFETY HELMET RACK - CLEAR AND ROBUST STORAGE

Robust rack for safety helmets - practical and clear storage solution. Available in any RAL color and can be made in custom sizes.

Sizes	780x470x100mm
approx. weight	40kg
Maximum Load	150kg

[Læs mere](#)

**SKU:** N/A



## 2-SIDED SCREEN WALL ON WHEELS - 1800X2000MM

Sizes	1800x2000mm
approx. weight	25kg
Maximum Load	200kg
Wheels	Ø75 - 2 w/brakes, 2 un/brakes
Sound damping panels	4 pcs. removable with velcro

[Læs mere](#)

**SKU:** 1804003007



## STAND FOR RETRACTOR

[Læs mere](#)

**SKU:** 1804010001



## STAINLESS STEEL WASTE RACK

Sizes  
approx. weight  
Wheels

440x420x630-900mm

4pcs Ø75 w/brakes

[Læs mere](#)

**SKU:** 1804099075



## GRID RACK - 1500×700×2000 MM

Solid grid stand - 1500×700×2000 mm, weight 45 kg and maximum load 200 kg. Equipped with wheels Ø75 and spot welded mesh 50×50×5 mm - ideal for presentation and visual storage.

Sizes	1500x700x2000mm
approx. weight	45kg
Maximum Load	200kg
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 1

Sizes	440x420x630-900mm
approx. weight	9kg
Maximum Load	30kg
stillesko	4 pcs.

[Læs mere](#)

**SKU:** 1804099003-1

**Price:** from 925,00 kr.

## ROLLSTAND FLEX

[Læs mere](#)

**SKU:** S110200-1



## PACKING STATION - 500X500MM

Compact packing station - 500x500 mm with strong steel construction, 18 kg weight and load up to 50 kg. Height and rotation adjustable work surface with spring solution and TENTE wheels Ø75 - perfect for assembly, packing and logistics.

Sizes	500x500mm
approx. weight	18kg
Maximum Load	50kg
Height adjustable	
Rotation Adjustable	
Wheels	Ø75

[Læs mere](#)

**SKU:** 308680035



## A-FRAME ON WHEELS - 1500X1100X2050MM

This A-Frame on wheels - 1500x1100x2050 mm is designed for safe and efficient handling of switchboards, panels and large flat items. The stand is robustly constructed and designed specifically for switchboard assembly, but it is also suitable for a wide range of other environments where heavy or...

Sizes	1500x1100x2050mm
approx. weight	50kg
Maximum Load	100kg. per plate
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

**SKU:** 3086810002

**Price:** from 9.445,00 kr.



## BRANCH RACK ON WHEELS - 1300X950X1700 MM

Robust branch rack on wheels - double-sided and mobile solution for storing pipes, profiles and moldings with good access and structure.

Sizes	1300x950x1700mm
approx. weight	40kg
Maximum Load	300kg
Forks	Ø19x470mm
Wheels	4 pcs Tente PVR wheels Ø125 swivel
Distance between branches	100mm C/C
Branch target	Ø19x470mm

[Læs mere](#)

**SKU:** 1702000002



## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 2

Practical and robust height-adjustable waste rack with wheels - perfect for efficient waste sorting in industry, warehouses and institutions.

Sizes	440x420x630-900mm
approx. weight	10kg
Maximum Load	30kg
Wheels	Ø75

[Læs mere](#)

**SKU:** 1804099003-2

**Price:** from 1.045,00 kr.



## HANGER RACK ON WHEELS WITH 2 HANGER RODS - MODEL 4

This hanger rack on wheels with 2 hanger bars (Model 4) is a mobile and high-capacity solution for professional hanging, sorting and internal transportation of clothes. The rack functions as both a clothing rack and a clothes rack, and with two Ø30 hanger rods you get double hanging space...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	10.5kg
Maximum Load	100kg. per hanger bar
Hanger bar	2x Ø30x2
Wheels	Ø100

[Læs mere](#)

**SKU:** 18040030014



## HANGER RACK ON STYLE SHOE WITH 2 HANGER BARS - MODEL 3

This hanger rack with 2 hanger rods (Model 3) is a stable and space-optimized clothing rack for professional hanging of clothes in stores, warehouses and showrooms. With two hanger rods (Ø30×2) you get significantly more hanging capacity and better sorting of collections, sizes or orders. The...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	
Maximum Load	100kg per suspension rod
Hanger bar	Ø30×2

[Læs mere](#)

**SKU:** 18040030014-1



## HANGER RACK ON WHEELS - MODEL 2

This hanging rack on wheels (Model 2) is a mobile and robust solution for hanging clothes in stores, warehouses, showrooms and packing areas. The rack functions as both a garment rack and clothing rack and is ideal when clothes need to be moved frequently between zones, collections or...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg. per hanger bar
Hanger bar	Ø30
Wheels	Ø100

[Læs mere](#)

**SKU:** 1804003001



## HANGER RACK ON STYLE SHOE - MODEL 1

This hanging rack on style shoe (Model 1) is a stable and simple solution for hanging clothes, textiles or other items in retail, warehouse, showroom and production environments. The rack functions as both a clothing rack and a clothes rack and is designed with a robust hanger bar Ø30 that can...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg per suspension rod
Hanger bar	Ø30

[Læs mere](#)

**SKU:** 1804003001-1

# A-FRAMES



## A-FRAME WITH OVERHANG - 1500X1100X2050 MM

This A-frame with overhang is designed for safe and flexible handling of electrical panels, panels, doors, metal covers and large cable reels. Measuring 1500x1100x2050 mm and with a sturdy steel frame, the stand provides a stable and efficient platform for daily use in production, assembly and...

Sizes	1500x1100x2050mm
approx. weight	55kg
Maximum Load	100kg. per plate
Cable holder overhang	2x400mm
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

SKU: N/A



## A-FRAME WITH REMOVABLE SHELVES - 2000X800X2050MM

A-frame with removable shelves - 2000x800x2050 mm. Robust steel A-frame with removable shelves for flexible storage and handling. Used e.g. in electrical panel production. Weight 70 kg, capacity 200 kg and TENTE wheels for safe mobility.

Sizes	2000x800x2050mm
approx. weight	100kg
Maximum Load	300kg
Wheels	Ø100 swivel with brake
Shelf plate	3mm lacquered steel plate

[Læs mere](#)

SKU: S110535



## A-FRAME ON WHEELS - 1500X1100X2050MM

This A-Frame on wheels - 1500x1100x2050 mm is designed for safe and efficient handling of switchboards, panels and large flat items. The stand is robustly constructed and designed specifically for switchboard assembly, but it is also suitable for a wide range of other environments where heavy or...

Sizes	1500x1100x2050mm
approx. weight	50kg
Maximum Load	100kg. per plate
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

**SKU:** 3086810002

**Price:** from 9.445,00 kr.

# LITTER BINS



## TRASH RACK ON WHEELS - FLEXIBLE AND MOBILE SOLUTION

Robust waste rack on wheels with swivel castors - a mobile and efficient solution for waste sorting in warehouses, production and institutions.

Sizes	470x380x875mm
approx. weight	10kg
Maximum Load	50kg
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## HEIGHT-ADJUSTABLE WASTE RACK WITH LID - MODEL 4

Practical waste rack with lid - 440x420x630-900 mm, weight approx. 11 kg and equipped with wheels Ø75 for flexible placement. Ideal for hygienic waste management in production, institutions and warehouses.

Sizes	440x420x630-900mm
approx. weight	11kg
Maximum Load	30kg
Wheels	Ø75
Low	

[Læs mere](#)

**SKU:** 1804099003-4

**Price:** from 1.245,00 kr.



## WASTE RACK WITH PEDAL - 440X420X630MM

Compact waste rack with pedal - 440x420x630 mm, weight 12 kg. Solid steel construction with non-contact pedal operation for better hygiene in production, workshops and institutions.

Sizes	440x420x630mm
approx. weight	12kg
Maximum Load	30kg
Wheels	Ø75
Low	and Pedal

[Læs mere](#)

**SKU:** N/A



## STAINLESS STEEL WASTE RACK

Sizes	440x420x630-900mm
approx. weight	
Wheels	4pcs Ø75 w/brakes

[Læs mere](#)

**SKU:** 1804099075



## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 1

Sizes	440x420x630-900mm
approx. weight	9kg
Maximum Load	30kg
stillesko	4 pcs.

[Læs mere](#)

**SKU:** 1804099003-1

**Price:** from 925,00 kr.



## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 3

Sizes	440x420x630-900mm
approx. weight	10.5kg
Maximum Load	30kg
stillesko	4 pcs.
Low	

[Læs mere](#)

**SKU:** 1804099003-3

**Price:** from 1.125,00 kr.



## HEIGHT-ADJUSTABLE WASTE RACK - MODEL 2

Practical and robust height-adjustable waste rack with wheels - perfect for efficient waste sorting in industry, warehouses and institutions.


Sizes	440x420x630-900mm
approx. weight	10kg
Maximum Load	30kg
Wheels	Ø75

[Læs mere](#)

**SKU:** 1804099003-2

**Price:** from 1.045,00 kr.

## OTHER STANDS



## ROLLSTAND FLEX SINGLE

Rollstand Flex Single is a flexible roller stand for handling plastic drums and similar in assembly areas. Its adjustable design ensures optimal adaptation to different tasks.

[Læs mere](#)

**SKU:** 3086800140



## SAFETY HELMET RACK - CLEAR AND ROBUST STORAGE

Robust rack for safety helmets - practical and clear storage solution. Available in any RAL color and can be made in custom sizes.

Sizes	780x470x100mm
approx. weight	40kg
Maximum Load	150kg

[Læs mere](#)

**SKU:** N/A



## STAND FOR RETRACTOR

[Læs mere](#)

SKU: 1804010001



## GRID RACK - 1500×700×2000 MM

Solid grid stand - 1500×700×2000 mm, weight 45 kg and maximum load 200 kg. Equipped with wheels Ø75 and spot welded mesh 50×50×5 mm - ideal for presentation and visual storage.

Sizes	1500x700x2000mm
approx. weight	45kg
Maximum Load	200kg
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## FLOOR MOUNT FOR LINER STAND

Sizes	1400mm
approx. weight	12.3kg
Maximum Load	200kg

[Læs mere](#)

**SKU:** N/A

---

## LINE STAND

[Læs mere](#)

**SKU:** N/A





## TOOL BOARD ON WHEELS

Sizes 930x600x1700mm  
Base plate 16mm melamine  
Wheels Ø125 swivel w/brake TENTE

[Læs mere](#)

**SKU:** 1804003009



## 2-SIDED SCREEN WALL ON WHEELS - 1800X2000MM

Sizes 1800x2000mm  
approx. weight 25kg  
Maximum Load 200kg  
Wheels Ø75 - 2 w/brakes, 2 un/brakes  
Sound damping panels 4 pcs. removable with velcro

[Læs mere](#)

**SKU:** 1804003007

## ROLLSTAND FLEX

[Læs mere](#)

**SKU:** S110200-1



# HANGER RACKS



## HANGER RACK WITH 3 HANGER BARS - 2000X1900X500MM

Hanger rack with 3 hanger bars - 2000x1900x500 mm. Robust construction in powder-coated steel, weight 25 kg, wheels Ø75 and load 100 kg per hanger bar. Ideal for maximum hanging capacity in wardrobes, storage or event areas.

Sizes	2000x1900x500mm
approx. weight	25kg
Maximum Load	100kg. per hanger bar
Hanger bar	3 pcs. Ø30x2
Wheels	Ø75

[Læs mere](#)

**SKU:** 1804003002



## HANGER RACK FOR DRUMS - 1000X750X1065MM

Hanger rack for drums - 1000x750x1065 mm. Robust construction in powder-coated steel with TENTE wheels Ø100. Weight 25 kg and maximum load 100 kg. Ideal for handling, storing and unwinding/rewinding plastic drums, reels and cable spools.

Sizes	1000x750x1065mm
approx. weight	25kg
Maximum Load	100kg
Hanger bar	Ø30
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## HANGER RACK WITH REMOVABLE RODS - 2000X500X1900MM

Hanger rack with removable bars - 2000x500x1900 mm. Robust powder-coated steel frame with 3 removable hanger bars  $\text{\O}30 \times 2$ , wheels  $\text{\O}75$ , weight 15 kg and max. load 100 kg per hanger bar. Mobile, flexible solution for storage and presentation.

Sizes	2000x1900x500mm
approx. weight	15kg
Maximum Load	100kg. per hanger bar
Hanger bar	3 pcs. $\text{\O}30 \times 2$
Wheels	$\text{\O}75$

[Læs mere](#)

**SKU:** 1804003003



## HANGER RACK ON WHEELS WITH 2 HANGER RODS - MODEL 4

This hanger rack on wheels with 2 hanger bars (Model 4) is a mobile and high-capacity solution for professional hanging, sorting and internal transportation of clothes. The rack functions as both a clothing rack and a clothes rack, and with two  $\text{\O}30$  hanger rods you get double hanging space...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	10.5kg
Maximum Load	100kg. per hanger bar
Hanger bar	2x $\text{\O}30 \times 2$
Wheels	$\text{\O}100$

[Læs mere](#)

**SKU:** 18040030014



## HANGER RACK ON STYLE SHOE WITH 2 HANGER BARS - MODEL 3

This hanger rack with 2 hanger rods (Model 3) is a stable and space-optimized clothing rack for professional hanging of clothes in stores, warehouses and showrooms. With two hanger rods (Ø30×2) you get significantly more hanging capacity and better sorting of collections, sizes or orders. The...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	
Maximum Load	100kg per suspension rod
Hanger bar	Ø30×2

[Læs mere](#)

**SKU:** 18040030014-1



## HANGER RACK ON WHEELS - MODEL 2

This hanging rack on wheels (Model 2) is a mobile and robust solution for hanging clothes in stores, warehouses, showrooms and packing areas. The rack functions as both a garment rack and clothing rack and is ideal when clothes need to be moved frequently between zones, collections or...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg. per hanger bar
Hanger bar	Ø30
Wheels	Ø100

[Læs mere](#)

**SKU:** 1804003001



## HANGER RACK ON STYLE SHOE - MODEL 1


This hanging rack on style shoe (Model 1) is a stable and simple solution for hanging clothes, textiles or other items in retail, warehouse, showroom and production environments. The rack functions as both a clothing rack and a clothes rack and is designed with a robust hanger bar Ø30 that can...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg per suspension rod
Hanger bar	Ø30

[Læs mere](#)

**SKU:** 1804003001-1

# BRANCH RACKS



## BRANCH RACK ON WHEELS - 1000X600X1500MM

Branch rack on wheels - 1000x600x1500mm. Mobile and robust solution for storing pipes and profiles. 4 Tente wheels Ø75, weight 20 kg, load 100 kg.

Sizes	1000x600x1500mm
approx. weight	20kg
Maximum Load	100kg
Distance between branches	200mm
Wheels	4pcs Ø75 w/brakes

[Læs mere](#)

**SKU:** 1402003002



## BRANCH RACK ON WHEELS - 1300X950X1700 MM

Robust branch rack on wheels - double-sided and mobile solution for storing pipes, profiles and moldings with good access and structure.

Sizes	1300x950x1700mm
approx. weight	40kg
Maximum Load	300kg
Forks	Ø19x470mm
Wheels	4 pcs Tente PVR wheels Ø125 swivel
Distance between branches	100mm C/C
Branch target	Ø19x470mm

[Læs mere](#)

**SKU:** 1702000002

# STORAGE RACKS



## STORAGE RACK ON WHEELS - 1250X800X1700 MM

Robust storage rack on wheels - 1250x800x1700 mm with 4 shelves and a maximum load of 250 kg. The 4 Tente wheels provide easy and stable maneuvering. Ideal for warehouse, production and internal transportation where flexibility and order are essential.

Sizes	1250x800x1700mm
approx. weight	100kg
Maximum Load	250kg
Table top	15 mm birch plywood film/film

[Læs mere](#)

SKU: N/A



## STORAGE RACK WITH 4 SHELVES - 900X555X1500MM

Mobile storage rack on wheels - 900x555x1500 mm with 4 shelves, weight approx. 30 kg and maximum load 200 kg. Equipped with sturdy TENTE wheels for easy maneuverability and flexible internal storage.

Sizes	900x555x1500mm
approx. weight	30kg
Maximum Load	200kg
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## STORAGE RACK FOR LARGE ITEMS - EFFICIENT AND SPACE-SAVING SOLUTION

Practical storage rack for large items - an efficient and space-saving solution for safe storage and transportation in production, warehouses and workshops.

Sizes  
approx. weight  
Maximum Load  
Shelf plate  
Wheels

1600x900x1800mm  
80kg  
200kg  
16mm melamine  
Ø160

[Læs mere](#)

**SKU:** N/A



## PACKING RACKS



## PACKING RACK ON WHEELS - 600X500MM

Packing stand with bag holder. Height and rotation adjustable stand with tape holder, maximum load of 100kg with a weight of 22.5kg, scissor holder and TENTE wheels Ø75. Ideal for flexible packing and assembly.

Sizes	600x500mm
approx. weight	22.5kg
Maximum Load	100kg
Height adjustable	
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## PACKING STATION - 500X500MM

Compact packing station - 500x500 mm with strong steel construction, 18 kg weight and load up to 50 kg. Height and rotation adjustable work surface with spring solution and TENTE wheels Ø75 - perfect for assembly, packing and logistics.

Sizes	500x500mm
approx. weight	18kg
Maximum Load	50kg
Height adjustable	
Rotation Adjustable	
Wheels	Ø75

[Læs mere](#)

**SKU:** 308680035



## ROLLING TABLES



## ROLLING TABLE WITH LOOP EDGE - 900X550X900 MM - 084R15M

Practical rolling table with looped edge - 900x550x900 mm. Three stable shelves and secure Tente wheels make it ideal for transportation and storage.

Sizes	900x550x900mm
approx. weight	38kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	545mm
Height to 3rd shelf	900mm
Wheels	Ø100
Shelf plate	16mm melamine

[Læs mere](#)

**SKU:** N/A



## ROLLING TABLE WITH 3 SHELVES - 1000X500X1000MM - 088R20

Functional rolling table with 3 shelves and integrated push bar. Equipped with durable Tente wheels for safe and easy transportation.

Sizes	1000x500x1000mm
approx. weight	27kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	545mm
Height to 3rd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** 088R20

**Price:** from 2.985,00 kr.



## ROLLING TABLE WITH LOOP EDGE - 089R21S

Rolling table with loop edge and 2 shelves - ideal for internal transportation and storage in production and warehouse environments.

Sizes	1000x600x1010mm, 700x500x1010mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	710mm
Shelf plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** 089R21S



## ROLLING TABLE WITH PUSH BAR - 080R11 - MODEL 2

Robust long trolley with push bar - 1500x800x900 mm. Perfect for internal transportation and storage. Equipped with durable Tente wheels.

Sizes	1200x600x875mm, 500x400x850mm, 900x550x875mm
approx. weight	25kg
Maximum Load	200kg
Height to 1st shelf	185mm
Height to 2nd shelf	845mm
Shelf plate	16mm melamine
Wheels	Ø100, Ø75

[Læs mere](#)

**SKU:** 080r11-2



## STAINLESS STEEL ROLLER TABLE - 900X550 MM

Sizes	900x550mm
approx. weight	38kg
Maximum Load	200kg
Wheels	Ø100
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE ROLLER TABLE - 600X500MM - 2092900090

Flexible height-adjustable roller table with manual height adjustment and Tente castors. Ideal for internal transportation, assembly and storage with varying needs.

Sizes	600x500mm
approx. weight	15kg
Maximum Load	100kg
Table top	15 mm birch plywood film/film

Height adjustable  
Wheels

Ø75 - 2 w/brakes, 2 un/brakes

[Læs mere](#)

SKU: 2092900090



## ROLLING TABLE WITH 2 SHELVES - 080R11 - MODEL 1

Robust standard trolley 900x550x900 mm with 2 shelves. Ideal for warehouse, production and logistics - mobile solution for efficient transportation and storage.

Sizes	500x400x900 mm, 1200x600x900 mm, 900x550x900 mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100, Ø75

[Læs mere](#)

**SKU:** 080R11



## CAGES



## OPEN-SIDED ROLL CONTAINER - FLEXIBLE AND EASILY ACCESSIBLE

Robust roll container with open side and fold-down grid front - a flexible and easily accessible transportation solution in warehouse environments.

Sizes	1200x600x1850mm
approx. weight	65kg
Base plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

**SKU:** 2095060006



## LARGE ROLL CONTAINER - HIGH CAPACITY AND HEAVY-DUTY CONSTRUCTION

Heavy-duty large roll container - designed with large capacity for warehouse or logistics with volume and durability requirements. Available in optional RAL colors and custom sizes.

Sizes	1200x600x1850mm
approx. weight	100kg
Maximum Load	300kg
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A



## CONTAINER TROLLEY WITH FOLDING DOOR

Sizes	1200x600x1850mm
approx. weight	65kg
Maximum Load	200kg
Base plate	15 mm birch plywood film/film
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## OPEN-FRONT ROLL CONTAINER - FLEXIBLE TRANSPORTATION

Robust roll container with open front - ideal solution for easy access, transportation and efficient inventory management.

Sizes	700x1200x1600mm
approx. weight	85kg
Base plate	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## 2-COMPARTMENT ROLL CONTAINER - FLEXIBLE AND MANAGEABLE STORAGE

Clear 2-compartment roll container with no door - ideal for warehousing, logistics or production. Available in any RAL color and custom sizes.

Sizes	1200x800x1750mm
approx. weight	75kg
Maximum Load	300kg
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## SMALL ROLL CONTAINER - MOBILE AND COMPACT STORAGE SOLUTION

Compact small roll container with wheels - ideal for small goods and efficient storage in warehouses and production. Available in any RAL color and custom dimensions.

Sizes	320x320x680mm
approx. weight	15kg
Maximum Load	100kg
Wheels	Ø50

[Læs mere](#)

**SKU:** N/A



## SMALL MESH CAGE - 900X1200MM

Compact small mesh cage - 900x1200 mm with robust steel frame, dead weight 112 kg and maximum load 480 kg. Ideal as a mesh cage, transport cage or waste cage in warehouses and logistics.

Sizes	900x1200mm
approx. weight	112kg
Maximum Load	480kg

[Læs mere](#)

**SKU:** N/A



## ROLL CONTAINER WITH FOLD-DOWN FRONT - FLEXIBLE STORAGE SOLUTION

Robust roll container with fold-down front - mobile and efficient storage solution that ensures easy access, fast operation and safe transportation.

Sizes	1200x600x1400mm
approx. weight	55kg
Maximum Load	200kg
Wheels	Ø100
Base plate	16mm melamine
Foldable	Front

[Læs mere](#)

**SKU:** N/A



## GAS CAGE - 1310X1220X1950 MM

Stable gas cage - 1310x1220x1950 mm designed for safe transportation of gas cylinders. Holds up to 32 10 kg gas cylinders, ideal for industrial use, storage and transportation.

Sizes	1310x1220x1950mm
approx. weight	210kg
Maximum Load	1000kg
Aluminum boom	2

[Læs mere](#)

SKU: N/A



## TRANSPORT CAGE 1300X1220X840MM

This 1300x1220x840 mm transport cage is designed for safe, structured and efficient handling of gas cylinders and other heavy materials in industry, warehouses and logistics. The cage is dimensioned for 11 kg gas cylinders and can hold up to 16 cylinders at a time. The construction is made of...

Sizes	1300x1220x840mm
approx. weight	75kg
Maximum Load	1000kg
Stabling	Designed to be stackable and stable during transportation

[Læs mere](#)

SKU: N/A



## MESH CAGE WITH FOLDABLE SIDE - 900X1200MM

Practical grid cage with foldable side - 900x1200 mm, made of robust steel and ideal as a transport cage, waste cage or sorting cage. Perfect for efficient and safe handling in production, storage and recycling.

Sizes	900x1200mm
approx. weight	160kg
Maximum Load	480kg
Foldable	Shelf
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A

# MESH CAGES



## SMALL MESH CAGE - 900X1200MM

Compact small mesh cage - 900x1200 mm with robust steel frame, dead weight 112 kg and maximum load 480 kg. Ideal as a mesh cage, transport cage or waste cage in warehouses and logistics.

Sizes	900x1200mm
approx. weight	112kg
Maximum Load	480kg

[Læs mere](#)

**SKU:** N/A



## MESH CAGE WITH FOLDABLE SIDE - 900X1200MM

Practical grid cage with foldable side - 900x1200 mm, made of robust steel and ideal as a transport cage, waste cage or sorting cage. Perfect for efficient and safe handling in production, storage and recycling.

Sizes	900x1200mm
approx. weight	160kg
Maximum Load	480kg
Foldable	Shelf
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A

# ROLL CONTAINERS



## OPEN-SIDED ROLL CONTAINER - FLEXIBLE AND EASILY ACCESSIBLE

Robust roll container with open side and fold-down grid front - a flexible and easily accessible transportation solution in warehouse environments.

Sizes	1200x600x1850mm
approx. weight	65kg
Base plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

**SKU:** 2095060006



## LARGE ROLL CONTAINER - HIGH CAPACITY AND HEAVY-DUTY CONSTRUCTION

Heavy-duty large roll container - designed with large capacity for warehouse or logistics with volume and durability requirements. Available in optional RAL colors and custom sizes.

Sizes	1200x600x1850mm
approx. weight	100kg
Maximum Load	300kg
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A



## CONTAINER TROLLEY WITH FOLDING DOOR

Sizes	1200x600x1850mm
approx. weight	65kg
Maximum Load	200kg
Base plate	15 mm birch plywood film/film
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## OPEN-FRONT ROLL CONTAINER - FLEXIBLE TRANSPORTATION

Robust roll container with open front - ideal solution for easy access, transportation and efficient inventory management.

Sizes	700x1200x1600mm
approx. weight	85kg
Base plate	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## 2-COMPARTMENT ROLL CONTAINER - FLEXIBLE AND MANAGEABLE STORAGE

Clear 2-compartment roll container with no door - ideal for warehousing, logistics or production. Available in any RAL color and custom sizes.

Sizes	1200x800x1750mm
approx. weight	75kg
Maximum Load	300kg
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## SMALL ROLL CONTAINER - MOBILE AND COMPACT STORAGE SOLUTION

Compact small roll container with wheels - ideal for small goods and efficient storage in warehouses and production. Available in any RAL color and custom dimensions.

Sizes	320x320x680mm
approx. weight	15kg
Maximum Load	100kg
Wheels	Ø50

[Læs mere](#)

**SKU:** N/A



## ROLL CONTAINER WITH FOLD-DOWN FRONT - FLEXIBLE STORAGE SOLUTION

Robust roll container with fold-down front - mobile and efficient storage solution that ensures easy access, fast operation and safe transportation.

Sizes	1200x600x1400mm
approx. weight	55kg
Maximum Load	200kg
Wheels	Ø100
Base plate	16mm melamine
Foldable	Front

[Læs mere](#)

**SKU:** N/A

# TRANSPORT CAGES



## GAS CAGE - 1310X1220X1950 MM

Stable gas cage - 1310x1220x1950 mm designed for safe transportation of gas cylinders. Holds up to 32 10 kg gas cylinders, ideal for industrial use, storage and transportation.

Sizes	1310x1220x1950mm
approx. weight	210kg
Maximum Load	1000kg
Aluminum boom	2

[Læs mere](#)

SKU: N/A



## TRANSPORT CAGE 1300X1220X840MM


This 1300x1220x840 mm transport cage is designed for safe, structured and efficient handling of gas cylinders and other heavy materials in industry, warehouses and logistics. The cage is dimensioned for 11 kg gas cylinders and can hold up to 16 cylinders at a time. The construction is made of...

Sizes	1300x1220x840mm
approx. weight	75kg
Maximum Load	1000kg
Stabling	Designed to be stackable and stable during transportation

[Læs mere](#)

SKU: N/A

# ACCESSORIES



## CONTROL FOR LINAK 1 REF. W/MEMORY

Control panel with push buttons for up/down. It is possible to save positions

[Læs mere](#)

**SKU:** DPF1M00-010006

**Price:** from 4,00 kr.



## LA31 450MM 12V LINAK ACTUATOR LEG

1.500N. Stroke length 450mm. It is convertible with control box CBD4, CBD5 and CBD6

Weight	3 kg
Dimensions	13 × 50 × 15 mm

[Læs mere](#)

**SKU:** 313290-01

**Price:** from 910,00 kr.



## LINAK LITHIUM BATTERY 2.85 AH 25.3-25.7V DC

Commodity code: 85076000 Battery (Li-ion) COO: DNK

The battery can be stacked and connected in series. Light gray (Ral 7035). Sealing class IPX 6. Commodity code: 85076000 Battery (Li-ion) COO: DNK. Fits CO71 control box.

Weight 1 kg  
Dimensions 26 × 13 × 5 mm

[Læs mere](#)

**SKU:** BA221W111111

**Price:** from 1.550,00 kr.



## PEN HOLDER - SET

- 3 round holders for pens and similar
- 1 Ø37 tube
- 2 Ø25 tubes
- Height 75 mm

[Læs mere](#)

**SKU:** 0202000052

**Price:** from 35,00 kr.



## PICKING BOX 300X230X150 (DXWXH) GRAY

Stackable modular box that can also be hung on cross profile

Width 230 mm

Depth 300 mm

Height 150 mm

Available in blue, gray and red


Weight 0,2 kg

Dimensions 300 × 230 × 150 mm

[Læs mere](#)

**SKU:** 0202000014

**Price:** from 78,00 kr.



## BATTERY CABLE 200 PLUG WITH 2-PIN CONNECTOR LINA

Weight 0,7 kg

Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0705894

**Price:** from 32,00 kr.



## LA31 300MM 12V LINAK ACTUATOR

2.500N. Stroke length 300mm. It is convertible with control box CBD4, CBD5 and CBD6

Weight 3 kg  
Dimensions 13 × 50 × 15 mm

[Læs mere](#)

**SKU:** 31720H-1130050S.

**Price:** from 916,00 kr.



## MOTOR CABLE 0.2M LINAK


Connection cable between motor and control box.  
Max 1000v. Commoditycode 85444290

Weight 0,3 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0617102-0200

**Price:** from 30,00 kr.



## C-PROFILE RAIL SUSPENSION RAIL 1990 MM R7004

Rail profile for mounting above workbench. For mounting trolleys, lights etc.

Dimensions 1990 × 30 × 30 mm

[Læs mere](#)

**SKU:** 0202000045

**Price:** from 257,60 kr.



## HINGE LOCK - TONGUE 45X16X8 MM

- Locking hasp for mounting on the inside of enclosures

- 45 mm long. 19 mm wide. 8 mm thick

Weight 0,2 kg

Dimensions 8 × 45 × 19 mm

[Læs mere](#)

**SKU:** 2001000075

**Price:** from 13,30 kr.



## WHEEL Ø100 W/BRAKE AND MOUNTING PLATE

Swivel with total brake. Wheel track width 36mm. Build height 132mm. Made of polyurethane shore A 98. Max load 225kg (dynamic)

Weight 1,1 kg  
Dimensions 10 × 10 × 13,2 mm

[Læs mere](#)

**SKU:** 5810665433GS

**Price:** from 149,50 kr.



## LA31 400MM 12V LINAK ACTUATOR VIP

3.500N. Stroke length 400mm. It is convertible with control box CBD4, CBD5 and CBD6

Weight 3 kg  
Dimensions 13 × 50 × 15 mm

[Læs mere](#)

**SKU:** 311782-00

**Price:** from 910,00 kr.



## TENT WHEELS Ø200 W/BRAKES 3477ITP200P63


Swivel wheel with total brake. Build height 240mm and wheel track with molded polyurethane. Aluminum rim. Width of wheel track 50mm. Load at 4km/h 350kg and 700kg at static load.

Weight 3,22 kg  
Dimensions 20 × 9,6 × 24 mm

[Læs mere](#)

**SKU:** 00032643

**Price:** from 596,00 kr.



## STEEL SHELF GRAY R7004 900X210 MM WITH END PLATES

Fits rear column system with cc distance 670 mm  
Plate width 645 x 210 mm. Max capacity is 50 kg.  
Supplied with 2 brackets for mounting on rear  
columns.

The shelf can be mounted obliquely or horizontally  
and is reversible according to whether a front or  
rear edge is required

Dimensions 210 × 90 × 20 mm

[Læs mere](#)

**SKU:** 0202000044

**Price:** from 274,40 kr.



## RUBBER STOPPER - Ø22X7 - BLACK

- Black rubber plug for Ø22 holes
- Outer diameter Ø28
- Height 7 mm

Weight 0,02 kg  
Dimensions 7 × 28 × 28 mm

[Læs mere](#)

**SKU:** 2001000078

**Price:** from 6,66 kr.



## TENT Ø82 NOVATECH ETP 082X76-Ø20 HL83 WHEELS


- Wheels with bearings and PP molded tread.
- Bearing for Ø20 axle. Wheel diameter Ø82.
- Static load 1,400kg. Load at 4km/h 700kg.
- Hub width 83 mm. Standard according to EN12532

Weight 1,14 kg  
Dimensions 82 × 83 × 82 mm

[Læs mere](#)

**SKU:** 00839799

**Price:** from 312,00 kr.



## DL20370-00 LINAK ACTUATOR DL27XCA00350505

DL2 column for reverse mounting. Programmable upside down actuator. 350mm stroke. Built-in dimensions of 505mm. 2,500N

Weight 10 kg  
Dimensions 16 × 25 × 51 mm

[Læs mere](#)

**SKU:** DL20370-00

**Price:** from 3.350,00 kr.

## STACKABLE REVERSIBLE BOX 60X40X32CM



Gray transport box approved for food products. When the box is turned over, the boxes only take up half the space when stacked.


Weight 2,5 kg  
Dimensions 40 × 60 × 32 mm

[Læs mere](#)

**SKU:** S110238

**Price:** from 244,00 kr.

## STEEL SHELF GRAY R7004 670X210 MM WITH END PLATES



Fits rear column system with cc distance 670 mm  
Plate width 645 x 210 mm. Max capacity is 50 kg.  
Supplied with 2 brackets for mounting on rear  
columns.

The shelf can be mounted obliquely or horizontally  
and is reversible according to whether a front or  
rear edge is required

Dimensions 210 × 645 × 20 mm

[Læs mere](#)

**SKU:** 0202000043

**Price:** from 224,00 kr.



## TENTE WHEELS Ø50 W/BRAKE 2475PI050P30-11 CENTER MOUNTED

- Swivel appliance wheel with brake.
- Center mount with Ø11 hole.
- Max load at 3 km/h 40kg. Max load static 80kg.  
Build height 69mm
- test - written Rackbeat after changing the text in  
woocommerce

Weight 0,2 kg  
Dimensions 70 × 50 × 70 mm

[Læs mere](#)

**SKU:** 00003896

**Price:** from 44,86 kr.



## MOTOR CABLE 1.55M LINAK

Connection cable between motor and control box.  
Max 1000v. Commoditycode 85444290

Weight 0,3 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0617102-1550

**Price:** from 50,00 kr.



## DL20184 LINAK ACTUATOR DL2XXCA00500655

Programmable upside down actuator. 500mm  
stroke length. Installation dimensions of 650mm.

Weight 10 kg  
Dimensions 30 × 30 × 80 mm

[Læs mere](#)

**SKU:** DL20184

**Price:** from 3.402,00 kr.

## PLUG Ø36XM16-25 STEEL 235 OVERSIZE


Bushing Ø36 outside with 16mm thread inside.  
Note that this welding plug has an oversized thread,  
which is used when galvanizing finished items etc.

Weight 0,25 kg  
Dimensions 25 × 36 × 36 mm

[Læs mere](#)

**SKU:** B100000-Ø36xM16-25 st\_6G

**Price:** from 74,50 kr.



## KEYBOARD AND MONITOR HOLDER WITH ARM - FOR BACK COLUMN

Flexible arm for mounting on back column.  
Possibility to mount monitor and place keyboard.  
Plate for mouse included.  
Max load 15 kg  
Arm length 570 mm

Weight 5 kg

[Læs mere](#)

**SKU:** 0202000012

**Price:** from 1.920,80 kr.





## Ø150 - SWIVEL PNP W/BRAKES (SOFT WHEELS) - TENTE 2470

- Center mounted wheel Ø11
- Soft wheel track 75 shore A
- Max 75 kg at 3/kmt
- Build height 185 mm

Weight 1 kg  
Dimensions 150 × 150 × 185 mm

[Læs mere](#)

**SKU:** 9099300018

**Price:** from 340,00 kr.



## TENTE WHEELS Ø200 W/BRAKES 3470ITP200P63

Swivel wheel without brake. Build height 240mm and wheel track with molded polyurethane. Aluminum rim. Width of wheel track 50mm. Load at 4km/h 350kg and 700kg at static load.

Weight 3,22 kg  
Dimensions 20 × 9,6 × 24 mm

[Læs mere](#)

**SKU:** 00029281

**Price:** from 518,00 kr.



## LINAK BLUETOOTH DONGLE

For mounting on control box if bluetooth remote control is required. Fits wire lock remote control type BP 10 TV.

[Læs mere](#)

**SKU:** BLE2LIN002

**Price:** from 112,00 kr.



## TENT WHEELS Ø100 UER 100X34-Ø12 - LOOSE

- Loose wheel from Tente Ø100 - Elastech.
- Soft wheel track 63 Shore A.
- Wheel track width 34 mm. Hub width 44.4 mm.
- Max 160 kg at 4 km/h. Static 320 kg.
- For Ø12 axle bolt - option for Ø8 bushing.

[Læs mere](#)

**SKU:** 00030961

**Price:** from 68,00 kr.



## KEYBOARD HOLDER WITH ARM - FOR BACK COLUMN

Keyboard plate mounted on swivel arm. With mouse pad that can be mounted on either the left or right side.

[Læs mere](#)

**SKU:** 0202000011

**Price:** from 1.831,20 kr.



## Ø150 - SWIVEL PNP (SOFT WHEEL) - TENTE 2477

- Center mounted wheel Ø11 w/brakes
- Soft wheel track 75 shore A
- Max 75 kg at 3/kmt
- Build height 185 mm

Dimensions

150 × 150 × 185 mm

[Læs mere](#)

**SKU:** 9099300015

**Price:** from 300,00 kr.



## MOTOR CABLE 0.5M LINAK


Connection cable between motor and control box.  
Max 1000v. Commoditycode 85444290

Weight 0,3 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0617102-0500

**Price:** from 32,00 kr.




## LOOSE WHEEL Ø100 BLUE TPU

Weight 0,3 kg  
Dimensions 10 × 5 × 10 mm

[Læs mere](#)

**SKU:** 3710036084DS

**Price:** from 63,00 kr.



## MONITOR HOLDER WITH ARM - FOR BACK COLUMN


- Flexible arm for mounting on rear column
- Possibility to mount screen or similar
- Hole spacing 100x100 & 75x75 mm
- Arm length 570 mm-
- Possibility to tilt screen

Weight 5 kg  
Dimensions 70 × 360 × 110 mm

[Læs mere](#)

**SKU:** 0202000076

**Price:** from 1.120,00 kr.



## SUSPENSION ARM 700 MM R7004

Dimensions 700 × 30 × 30 mm

[Læs mere](#)

**SKU:** 0202000009

**Price:** from 106,00 kr.



## TENT WHEELS Ø160 W/BRAKES 3477UFP160P63


Alpa wheel Ø160 mounted on mounting plate.  
Swivel wheel with total brake and wire cap.  
Soft wheel tread of 63 Shore A.  
Suitable for trolleys in industry, catering and  
cleaning where no spillage is allowed.  
Silver gray wheels (Ral 7001).  
Center hole spacing 80x105 mm.  
Wheel track width 46...

Weight 2,6 kg  
Dimensions 13,7 × 10,5 × 20 mm

[Læs mere](#)

**SKU:** 00005505

**Price:** from 374,00 kr.



## CONTROL FOR LINAK UP/DOWN 2 REF. U/MEMORY

Weight 0,2 kg

[Læs mere](#)

**SKU:** DPF2K00-010006

**Price:** from 170,00 kr.



## CONTROL FOR LINAK UP/DOWN WATERPROOF TP1


Push-button operation with up/down function. Waterproof to IP 66. With 2.5m cable and network connector. Suitable for control boxes type CBD3/4/5/6

Weight 0,1 kg  
Dimensions 4 × 9 × 6 mm

[Læs mere](#)

**SKU:** TP010002DK-00

**Price:** from 1.053,00 kr.



## ALUMINUM RAIL GUIDE FOR RAISE/LOWER - LEFT


Weight 7 kg

[Læs mere](#)

**SKU:** 2001000077

**Price:** from 2.300,00 kr.

## TOOL BOARD HOOK SET 24 PIECES



Fits perforated sheet with 9x9 mm holes cc 38 mm.

The kit includes the following

- 5 pcs Single suspension hook  $\varnothing 5 \times 38$  mm
- 2 pcs Single suspension hook  $\varnothing 6 \times 200$  mm
- 6 pcs Double suspension hook  $\varnothing 5, 38 \times 11$  mm
- 2 pcs Double suspension hook  $\varnothing 5, 64 \times 11$  mm
- 2 pcs Hanger hook  $\varnothing 5, 44 \times 23$  mm
- 3 pcs...

[Læs mere](#)

**SKU:** 0202000010

**Price:** from 470,40 kr.



## TENT WHEELS $\varnothing 200$ FIXED 3478UFP200P63


- Alpa wheel  $\varnothing 200$  mounted on mounting plate.
- Fixed wheel without brakes - gray
- Soft wheel tread of 63 Shore A.
- Suitable for trolleys in industry, catering and cleaning where no spillage is allowed.
- Center hole spacing 80x105 mm.
- Wheel track width 46 mm.
- Installation height 240...

Weight 2,32 kg  
Dimensions 137 x 115 x 240 mm

[Læs mere](#)

**SKU:** 990000854

**Price:** from 294,00 kr.




## TENT WHEELS Ø100 W/BRAKES 2477PJP100P30-11

Weight 0,8 kg  
Dimensions 14 × 6 × 14 mm

[Læs mere](#)

**SKU:** 00006340

**Price:** from 128,20 kr.



## BATTERY 12V/97A MK1297 GEL

[Læs mere](#)

**SKU:** 6FM100-X\_3

**Price:** from 3.790,00 kr.



## BALANCE BLOCK FOR C-PROFILE 0.6-1.5 KG


Balance block with carabiner.  
For mounting in C-profile above workbench.  
It comes with 2 meters of line.

Weight 0,2 kg  
Dimensions 6 × 2,2 × 2,2 mm

[Læs mere](#)

**SKU:** 0202000047

**Price:** from 492,80 kr.



## SUSPENSION RAIL 670 MM R7004

Dimensions 20 × 670 × 80 mm

[Læs mere](#)

**SKU:** 0202000008

**Price:** from 83,00 kr.



## TENTE WHEELS Ø200 W/BRAKES 3470UFP200P63

- Alpa wheel Ø200 mounted on mounting plate
- Swivel wheel without brake.
- Soft wheel tread of 63 Shore A.
- Suitable for trolleys in industry, catering and cleaning where no spillage is allowed.
- Silver gray wheels (Ral 7001).
- Center hole spacing 80x105 mm.
- Wheel track width 46 mm....

Weight 2,71 kg  
Dimensions 137 × 105 × 240 mm

[Læs mere](#)

**SKU:** 990005972

**Price:** from 350,00 kr.



## CONTROL BOX LINAK CBD6S 2 CHANNELS 200W

Electronic control box. The control box is programmable.

Weight 2 kg  
Dimensions 8 × 35 × 10 mm

[Læs mere](#)

**SKU:** CBD6SP00020A-009

**Price:** from 650,00 kr.



## LOOSE WHEEL Ø125/Ø8 GRAY TPE

Rim made of PP. With roller bearings. Roller track width 32mm. Total width 46mm. Center hole Ø. Hardness 85 shore A

Weight 0,3 kg  
Dimensions 12,5 × 5 × 12,5 mm

[Læs mere](#)

**SKU:** 3712532083GG-46

**Price:** from 64,13 kr.



## BACK BAR GRAY - 1446X25X50X2 MM R7004


- Profile tube 50x25 with holes for shelf supports.  
- Note price is for 1 piece

Weight 2,4 kg  
Dimensions 50 × 25 × 1460 mm

[Læs mere](#)

**SKU:** 0202006003-1

**Price:** from 296,80 kr.



## SUSPENSION RAIL 900 MM R7004

Dimensions 20 × 900 × 80 mm

[Læs mere](#)

**SKU:** 0202000007

**Price:** from 103,00 kr.



## TENT WHEELS Ø160 W/BRAKES 3470UFP160P63

Alpa castors Ø160 mounted on mounting plate - with wire cap.

Swivel wheel without brake.

Soft wheel tread of 63 Shore A.

Suitable for trolleys in industry, catering and cleaning where no spillage is allowed.

Silver gray wheels (Ral 7001).

Center hole spacing 80x105 mm.

Wheel track width 46...

Weight 2,24 kg

Dimensions 13,7 × 10,5 × 20 mm

[Læs mere](#)

**SKU:** 00005604

**Price:** from 310,00 kr.



## CONTROL FOR LINAK UP/DOWN DPF1K00

Push-button control with up/down function  
(remember the mounting plate to mount it with)

Weight 0,1 kg  
Dimensions 5 × 4 × 2 mm

[Læs mere](#)

**SKU:** DPF1K00-010006

**Price:** from 120,00 kr.



## LINAK LITHIUM BATTERY 2.15AH/52WH 24V DC

-Linak battery

Weight 0,6 kg  
Dimensions 26 × 13 × 5 mm

[Læs mere](#)

**SKU:** BA001.

**Price:** from 1.190,00 kr.



## CAT FOR C-PROFILE 22MM - DOUBLE WHEEL


- Castors for over table rail
- For mounting in open C-profile 30x30
- With hook

Weight 0,2 kg  
Dimensions 100 × 22 × 100 mm

[Læs mere](#)

**SKU:** 2001000006

**Price:** from 165,80 kr.



## STEEL SHELF 900X300 MM R7004

- Fits rear pillar system with cc distance 900 mm.
- Plate size 875 x 300 mm. Max capacity is 50 kg.
- Comes with 2 brackets for mounting on rear pillars.
- The shelf can be mounted obliquely or horizontally and is reversible according to whether you want a front or rear edge

Weight 2 kg  
Dimensions 300 × 875 × 20 mm

[Læs mere](#)

**SKU:** 0202000005

**Price:** from 290,00 kr.



## MOTOR CABLE 1.0M LINAK

Connection cable between motor and control box.  
Max 1000v. Commoditycode 85444290

Weight 0,3 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0617102-1000

**Price:** from 34,00 kr.



## TENTE WHEELS Ø125 W/BRAKES 3470PVR125P62

Black polypropylene rim, solid rubber tread in 80 shore A hardness. Wheel width 37mm. Load at 4 km/h 100 kg. Static load 200 kg. Build height 155mm. Overall width 75mm.

Weight 1,05 kg  
Dimensions 13 × 7,5 × 15,5 mm

[Læs mere](#)

**SKU:** 00001161

**Price:** from 88,00 kr.

## CAT FOR C-PROFILE 22MM - SINGLE WHEEL

Weight 0,2 kg  
Dimensions 6 × 2,2 × 2,2 mm

[Læs mere](#)

**SKU:** 2001000005

**Price:** from 135,00 kr.



---


## STEEL SHELF 670X300 MM R7004


Dimensions 300 × 645 × 20 mm

[Læs mere](#)

**SKU:** 0202000004

**Price:** from 235,00 kr.





## BLUETOOTH OPERATION

discontinued and replaced by BP12BL3000

[Læs mere](#)

**SKU:** HB12BL3000



## DEVICE C13 PLUG W/ 2 M CORD 230V POWER CABLE LINAK

Connection cable from power outlet to control box (type CBD6) or other device.

Weight 0,7 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0015869

**Price:** from 40,00 kr.



## MOUNTING KIT M8 W/SPRING FOR REAR COLUMN

Bolt set for mounting rear columns on garden/lower table. For easier mounting of the vertical column to the horizontal rails under the table.


Contains 2 M8 bolts with spring, washer and threaded plate (nut). One set is needed per rear column

Weight 0,08 kg

[Læs mere](#)

**SKU:** 2001000004

**Price:** from 39,20 kr.



## TOOL BOARD 480X900 MM R7024

Sono Art. no.: 634486

Weight 1,5 kg  
Dimensions 870 × 480 × 20 mm

[Læs mere](#)

**SKU:** 0202000003

**Price:** from 375,00 kr.



## LA31 250MM 12V LINAK ACTUATOR

2.500N. Stroke length 250mm. It is convertible with control box CBD4, CBD5 and CBD6

Weight 3 kg  
Dimensions 13 × 50 × 15 mm

[Læs mere](#)

**SKU:** J21182

**Price:** from 2.259,95 kr.



## NETWORK CABLE 0.3M 8 POLE RJ45 LINAK

Network cable 30 cm. E.g. for interconnecting control boxes. Commoditycode 85444290

Weight 0,2 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0705835

**Price:** from 26,00 kr.




## MOUNTING BRACKET - SUSPENSION ARM FOR C- PROFILE

Weight 0,2 kg  
Dimensions 70 × 70 × 40 mm

[Læs mere](#)

**SKU:** 2001000003

**Price:** from 49,00 kr.



## TOOL BOARD 480X670 MM R7024

Weight 1,2 kg  
Dimensions 20 × 640 × 480 mm

[Læs mere](#)

**SKU:** 0202000002

**Price:** from 295,00 kr.



## **STUDED WHEELS Ø125 DIRECTIONAL/TOTAL BRAKE 2044UAP125R36-32S30 2XM6**


Swivel wheel with directional brake and total brake.  
Build height 158mm. Diameter of axle pin Ø32.  
Length 50mm.  
Width of wheel track 32mm. Soft wheel tread in  
slate gray (ral 7015). Load at 4km/h 150kg and  
450kg at static load. EN12531 - Hospital bed castors.  
NOTE: with directional brake,...

Weight	1 kg
Dimensions	20 × 6,5 × 20 mm

[Læs mere](#)

**SKU:** 00030904

**Price:** from 536,00 kr.



## CONTROL BP 10TV LINAK BLUETOOTH W/2 REFERENCES

Convertible with CBD6S control box and DL IC. Uses CR2032 batteries.

Note there are 2 types: BP11 TV with 1 reference and BP12 TV with 2 references. Remember Bluetooth dongle BLE2LIN002

Weight 0,3 kg  
Dimensions 12 × 4,1 × 1,2 mm

[Læs mere](#)

**SKU:** BP12BL3000

**Price:** from 140,00 kr.



## CLIP HOLDER FOR PAPER - FOR WHITEBOARD

- Document clamp for mounting on tool board with  
Ø9 holes - center distance 38 mm

Weight 0,3 kg  
Dimensions 35 × 60 × 100 mm

[Læs mere](#)

**SKU:** 0202000055

**Price:** from 64,00 kr.



## PICKING BOX 250X148X130 (DXWXH) GRAY

Stackable modular box that can also be hung on  
cross profile

Width 148 mm

Depth 250 mm

Height 130 mm


Available in blue, gray and red

Weight 0,2 kg  
Dimensions 250 × 148 × 130 mm

[Læs mere](#)

**SKU:** 0202000013

**Price:** from 38,00 kr.



## BATTERY CABLE 200 MM 2 POLE CONNECTOR LINAK

Weight 0,7 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0705894-200.

**Price:** from 32,00 kr.

---

## LINAK ACTUATOR DL12 COLUMN

Installation dimensions 545mm. Stroke length 660mm. Black. It can be used, but it is also possible to use up to 4 lifting columns in parallel.

Dimensions 6 × 10 × 54,5 mm

[Læs mere](#)

**SKU:** DL12000B0E660518

**Price:** from 1.848,00 kr.





## FOLDER HOLDER - 320X145X250 MM GRAY R7004

Shelf for mounting on back columns. Movable when mounted on back pillars.

[Læs mere](#)

**SKU:** 0202000046

**Price:** from 347,20 kr.



## PICKING BOX 300X115X100 (DXWXH) BLUE

Stackable modular box that can also be hung on cross profile

Width 115 mm

Depth 300 mm

Height 100 mm

Available in blue, gray and red

Weight 0,2 kg


Dimensions 300 × 115 × 100 mm

[Læs mere](#)

**SKU:** 0202000019

**Price:** from 50,40 kr.

# LINAK ACCESSORIES



## CONTROL FOR LINAK 1 REF. W/MEMORY

Control panel with push buttons for up/down. It is possible to save positions

[Læs mere](#)

**SKU:** DPF1M00-010006

**Price:** from 4,00 kr.

---

## LINAK ACTUATOR DL12 COLUMN

Installation dimensions 545mm. Stroke length 660mm. Black. It can be used, but it is also possible to use up to 4 lifting columns in parallel.

Dimensions  $6 \times 10 \times 54,5$  mm

[Læs mere](#)

**SKU:** DL12000B0E660518

**Price:** from 1.848,00 kr.





## MOTOR CABLE 1.55M LINAK

Connection cable between motor and control box.  
Max 1000v. Commoditycode 85444290

Weight 0,3 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0617102-1550

**Price:** from 50,00 kr.



## LINAK LITHIUM BATTERY 2.85 AH 25.3-25.7V DC

Commodity code: 85076000 Battery (Li-ion) COO:  
DNK

The battery can be stacked and connected in series.  
Light gray (Ral 7035). Sealing class IPX 6. Commodity  
code: 85076000 Battery (Li-ion) COO: DNK. Fits  
CO71 control box.

Weight 1 kg  
Dimensions 26 × 13 × 5 mm

[Læs mere](#)

**SKU:** BA221W111111

**Price:** from 1.550,00 kr.



## MOTOR CABLE 0.5M LINAK

Connection cable between motor and control box.  
Max 1000v. Commoditycode 85444290

Weight 0,3 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0617102-0500

**Price:** from 32,00 kr.



## MOTOR CABLE 0.2M LINAK

Connection cable between motor and control box.  
Max 1000v. Commoditycode 85444290

Weight 0,3 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0617102-0200

**Price:** from 30,00 kr.



## CONTROL BOX LINAK CBD6S 2 CHANNELS 200W


Electronic control box. The control box is programmable.

Weight 2 kg  
Dimensions 8 × 35 × 10 mm

[Læs mere](#)

**SKU:** CBD6SP00020A-009

**Price:** from 650,00 kr.



## ALUMINUM RAIL GUIDE FOR RAISE/LOWER - LEFT

Weight 7 kg

[Læs mere](#)

**SKU:** 2001000077

**Price:** from 2.300,00 kr.



## CONTROL FOR LINAK UP/DOWN DPF1K00

Push-button control with up/down function  
(remember the mounting plate to mount it with)

Weight 0,1 kg  
Dimensions 5 × 4 × 2 mm

[Læs mere](#)

**SKU:** DPF1K00-010006

**Price:** from 120,00 kr.



## MOTOR CABLE 1.0M LINAK

Connection cable between motor and control box.  
Max 1000v. Commoditycode 85444290

Weight 0,3 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0617102-1000

**Price:** from 34,00 kr.



## LA31 250MM 12V LINAK ACTUATOR

2.500N. Stroke length 250mm. It is convertible with control box CBD4, CBD5 and CBD6

Weight 3 kg  
Dimensions 13 × 50 × 15 mm

[Læs mere](#)

**SKU:** J21182

**Price:** from 2.259,95 kr.



## LA31 450MM 12V LINAK ACTUATOR LEG

1.500N. Stroke length 450mm. It is convertible with control box CBD4, CBD5 and CBD6

Weight 3 kg  
Dimensions 13 × 50 × 15 mm

[Læs mere](#)

**SKU:** 313290-01

**Price:** from 910,00 kr.



## LA31 300MM 12V LINAK ACTUATOR

2.500N. Stroke length 300mm. It is convertible with control box CBD4, CBD5 and CBD6

Weight 3 kg  
Dimensions 13 × 50 × 15 mm

[Læs mere](#)

**SKU:** 31720H-1130050S.

**Price:** from 916,00 kr.



## LA31 400MM 12V LINAK ACTUATOR VIP


3.500N. Stroke length 400mm. It is convertible with control box CBD4, CBD5 and CBD6

Weight 3 kg  
Dimensions 13 × 50 × 15 mm

[Læs mere](#)

**SKU:** 311782-00

**Price:** from 910,00 kr.



## DL20370-00 LINAK ACTUATOR DL27XCA00350505

DL2 column for reverse mounting. Programmable upside down actuator. 350mm stroke. Built-in dimensions of 505mm. 2,500N

Weight 10 kg  
Dimensions 16 × 25 × 51 mm

[Læs mere](#)

**SKU:** DL20370-00

**Price:** from 3.350,00 kr.



## DL20184 LINAK ACTUATOR DL2XXCA00500655

Programmable upside down actuator. 500mm stroke length. Installation dimensions of 650mm.

Weight 10 kg  
Dimensions 30 × 30 × 80 mm

[Læs mere](#)

**SKU:** DL20184

**Price:** from 3.402,00 kr.



## LINAK BLUETOOTH DONGLE

For mounting on control box if bluetooth remote control is required. Fits wire lock remote control type BP 10 TV.

[Læs mere](#)

**SKU:** BLE2LIN002

**Price:** from 112,00 kr.



## LINAK LITHIUM BATTERY 2.15AH/52WH 24V DC

-Linak battery

Weight	0,6 kg
Dimensions	26 × 13 × 5 mm

[Læs mere](#)

**SKU:** BA001.

**Price:** from 1.190,00 kr.



## DEVICE C13 PLUG W/ 2 M CORD 230V POWER CABLE LINAK

Connection cable from power outlet to control box (type CBD6) or other device.

Weight 0,7 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0015869

**Price:** from 40,00 kr.



## NETWORK CABLE 0.3M 8 POLE RJ45 LINAK

Network cable 30 cm. E.g. for interconnecting control boxes. Commoditycode 85444290

Weight 0,2 kg  
Dimensions 20 × 20 × 2 mm

[Læs mere](#)

**SKU:** CAB0705835

**Price:** from 26,00 kr.

# TENTE WHEELS



## TENTE WHEELS Ø50 W/BRAKE 2475PI050P30-11 CENTER MOUNTED

- Swivel appliance wheel with brake.
- Center mount with Ø11 hole.
- Max load at 3 km/h 40kg. Max load static 80kg.
- Build height 69mm
- test - written Rackbeat after changing the text in woocommerce

Weight 0,2 kg  
Dimensions 70 × 50 × 70 mm

[Læs mere](#)

**SKU:** 00003896

**Price:** from 44,86 kr.



## TENT WHEELS Ø100 UER 100X34-Ø12 - LOOSE

- Loose wheel from Tente Ø100 - Elastech.
- Soft wheel track 63 Shore A.
- Wheel track width 34 mm. Hub width 44.4 mm.
- Max 160 kg at 4 km/h. Static 320 kg.
- For Ø12 axle bolt - option for Ø8 bushing.

[Læs mere](#)

**SKU:** 00030961

**Price:** from 68,00 kr.



## Ø150 - SWIVEL PNP W/BRAKES (SOFT WHEELS) - TENTE 2470

- Center mounted wheel Ø11
- Soft wheel track 75 shore A
- Max 75 kg at 3/kmt
- Build height 185 mm

Weight 1 kg  
Dimensions 150 × 150 × 185 mm

[Læs mere](#)

**SKU:** 9099300018

**Price:** from 340,00 kr.



## Ø150 - SWIVEL PNP (SOFT WHEEL) - TENTE 2477

- Center mounted wheel Ø11 w/brakes
- Soft wheel track 75 shore A
- Max 75 kg at 3/kmt
- Build height 185 mm

Dimensions 150 × 150 × 185 mm

[Læs mere](#)

**SKU:** 9099300015

**Price:** from 300,00 kr.



## TENT WHEELS Ø160 W/BRAKES 3477UFP160P63

Alpa wheel Ø160 mounted on mounting plate.  
Swivel wheel with total brake and wire cap.  
Soft wheel tread of 63 Shore A.  
Suitable for trolleys in industry, catering and cleaning where no spillage is allowed.  
Silver gray wheels (Ral 7001).  
Center hole spacing 80x105 mm.  
Wheel track width 46...

Weight 2,6 kg  
Dimensions 13,7 × 10,5 × 20 mm

[Læs mere](#)

**SKU:** 00005505

**Price:** from 374,00 kr.



## TENT WHEELS Ø200 FIXED 3478UFP200P63

- Alpa wheel Ø200 mounted on mounting plate.
- Fixed wheel without brakes - gray
- Soft wheel tread of 63 Shore A.
- Suitable for trolleys in industry, catering and cleaning where no spillage is allowed.
- Center hole spacing 80x105 mm.
- Wheel track width 46 mm.
- Installation height 240...

Weight 2,32 kg  
Dimensions 137 × 115 × 240 mm

[Læs mere](#)

**SKU:** 990000854

**Price:** from 294,00 kr.



## TENTE WHEELS Ø200 W/BRAKES 3470UFP200P63

- Alpa wheel Ø200 mounted on mounting plate
- Swivel wheel without brake.
- Soft wheel tread of 63 Shore A.
- Suitable for trolleys in industry, catering and cleaning where no spillage is allowed.
- Silver gray wheels (Ral 7001).
- Center hole spacing 80x105 mm.
- Wheel track width 46 mm....

Weight 2,71 kg  
Dimensions 137 × 105 × 240 mm

[Læs mere](#)

**SKU:** 990005972

**Price:** from 350,00 kr.



## TENT WHEELS Ø160 W/BRAKES 3470UFP160P63

- Alpa castors Ø160 mounted on mounting plate - with wire cap.
- Swivel wheel without brake.
- Soft wheel tread of 63 Shore A.
- Suitable for trolleys in industry, catering and cleaning where no spillage is allowed.
- Silver gray wheels (Ral 7001).
- Center hole spacing 80x105 mm.
- Wheel track width 46...


Weight 2,24 kg  
Dimensions 13,7 × 10,5 × 20 mm

[Læs mere](#)

**SKU:** 00005604

**Price:** from 310,00 kr.

# ACCESSORIES FOR HEIGHT ADJUSTABLE TABLE



## MONITOR HOLDER WITH ARM - FOR BACK COLUMN

- Flexible arm for mounting on rear column
- Possibility to mount screen or similar
- Hole spacing 100x100 & 75x75 mm
- Arm length 570 mm-
- Possibility to tilt screen

Weight 5 kg  
Dimensions 70 × 360 × 110 mm

[Læs mere](#)

**SKU:** 0202000076

**Price:** from 1.120,00 kr.



## KEYBOARD HOLDER WITH ARM - FOR BACK COLUMN

Keyboard plate mounted on swivel arm. With mouse pad that can be mounted on either the left or right side.

[Læs mere](#)

**SKU:** 0202000011

**Price:** from 1.831,20 kr.



## HINGE LOCK - TONGUE 45X16X8 MM

- Locking hasp for mounting on the inside of enclosures


- 45 mm long. 19 mm wide. 8 mm thick

Weight 0,2 kg  
Dimensions 8 × 45 × 19 mm

[Læs mere](#)

**SKU:** 2001000075

**Price:** from 13,30 kr.



## SUSPENSION ARM 700 MM R7004

Dimensions 700 × 30 × 30 mm

[Læs mere](#)

**SKU:** 0202000009

**Price:** from 106,00 kr.



## RUBBER STOPPER - Ø22X7 - BLACK


- Black rubber plug for Ø22 holes
- Outer diameter Ø28
- Height 7 mm

Weight 0,02 kg  
Dimensions 7 x 28 x 28 mm

[Læs mere](#)

**SKU:** 2001000078

**Price:** from 6,66 kr.



## TOOL BOARD HOOK SET 24 PIECES

Fits perforated sheet with 9x9 mm holes cc 38 mm.

The kit includes the following

- 5 pcs Single suspension hook Ø5 x 38 mm
- 2 pcs Single suspension hook Ø6 x 200 mm
- 6 pcs Double suspension hook Ø5, 38 x 11 mm
- 2 pcs Double suspension hook Ø5, 64 x 11 mm
- 2 pcs Hanger hook Ø5, 44 x 23 mm
- 3 pcs...

[Læs mere](#)

**SKU:** 0202000010

**Price:** from 470,40 kr.



## BALANCE BLOCK FOR C-PROFILE 0.6-1.5 KG


Balance block with carabiner.  
For mounting in C-profile above workbench.  
It comes with 2 meters of line.

Weight 0,2 kg  
Dimensions 6 × 2,2 × 2,2 mm

[Læs mere](#)

**SKU:** 0202000047

**Price:** from 492,80 kr.



## SUSPENSION RAIL 670 MM R7004

Dimensions 20 × 670 × 80 mm

[Læs mere](#)

**SKU:** 0202000008

**Price:** from 83,00 kr.



## BACK BAR GRAY - 1446X25X50X2 MM R7004


- Profile tube 50x25 with holes for shelf supports.
- Note price is for 1 piece

Weight 2,4 kg  
Dimensions 50 × 25 × 1460 mm

[Læs mere](#)

**SKU:** 0202006003-1

**Price:** from 296,80 kr.



## SUSPENSION RAIL 900 MM R7004

Dimensions 20 × 900 × 80 mm

[Læs mere](#)

**SKU:** 0202000007

**Price:** from 103,00 kr.



## CAT FOR C-PROFILE 22MM - DOUBLE WHEEL


- Castors for over table rail
- For mounting in open C-profile 30x30
- With hook

Weight 0,2 kg  
Dimensions 100 × 22 × 100 mm

[Læs mere](#)

**SKU:** 2001000006

**Price:** from 165,80 kr.



## STEEL SHELF 900X300 MM R7004

- Fits rear pillar system with cc distance 900 mm.
- Plate size 875 x 300 mm. Max capacity is 50 kg.
- Comes with 2 brackets for mounting on rear pillars.
- The shelf can be mounted obliquely or horizontally and is reversible according to whether you want a front or rear edge

Weight 2 kg  
Dimensions 300 × 875 × 20 mm

[Læs mere](#)

**SKU:** 0202000005

**Price:** from 290,00 kr.

## CAT FOR C-PROFILE 22MM - SINGLE WHEEL

Weight 0,2 kg  
Dimensions 6 × 2,2 × 2,2 mm

[Læs mere](#)

**SKU:** 2001000005

**Price:** from 135,00 kr.



---


## STEEL SHELF 670X300 MM R7004

Dimensions 300 × 645 × 20 mm

[Læs mere](#)

**SKU:** 0202000004

**Price:** from 235,00 kr.





## MOUNTING KIT M8 W/SPRING FOR REAR COLUMN

Bolt set for mounting rear columns on garden/lower table. For easier mounting of the vertical column to the horizontal rails under the table.


Contains 2 M8 bolts with spring, washer and threaded plate (nut). One set is needed per rear column

Weight 0,08 kg

[Læs mere](#)

**SKU:** 2001000004

**Price:** from 39,20 kr.



## TOOL BOARD 480X900 MM R7024

Sono Art. no.: 634486

Weight 1,5 kg  
Dimensions 870 × 480 × 20 mm

[Læs mere](#)

**SKU:** 0202000003

**Price:** from 375,00 kr.




## MOUNTING BRACKET - SUSPENSION ARM FOR C- PROFILE

Weight 0,2 kg  
Dimensions 70 × 70 × 40 mm

[Læs mere](#)

**SKU:** 2001000003

**Price:** from 49,00 kr.



## TOOL BOARD 480X670 MM R7024

Weight 1,2 kg  
Dimensions 20 × 640 × 480 mm

[Læs mere](#)

**SKU:** 0202000002

**Price:** from 295,00 kr.



## CLIP HOLDER FOR PAPER - FOR WHITEBOARD

- Document clamp for mounting on tool board with  
Ø9 holes - center distance 38 mm

Weight 0,3 kg  
Dimensions 35 × 60 × 100 mm

[Læs mere](#)

**SKU:** 0202000055

**Price:** from 64,00 kr.



## PICKING BOX 250X148X130 (DXWXH) GRAY

Stackable modular box that can also be hung on  
cross profile

Width 148 mm  
Depth 250 mm  
Height 130 mm

Available in blue, gray and red

Weight 0,2 kg  
Dimensions 250 × 148 × 130 mm

[Læs mere](#)

**SKU:** 0202000013

**Price:** from 38,00 kr.



## FOLDER HOLDER - 320X145X250 MM GRAY R7004

Shelf for mounting on back columns. Movable when mounted on back pillars.

[Læs mere](#)

**SKU:** 0202000046

**Price:** from 347,20 kr.



## PICKING BOX 300X115X100 (DXWXH) BLUE

Stackable modular box that can also be hung on cross profile

Width 115 mm

Depth 300 mm

Height 100 mm

Available in blue, gray and red

Weight 0,2 kg

Dimensions 300 × 115 × 100 mm

[Læs mere](#)

**SKU:** 0202000019

**Price:** from 50,40 kr.



## PEN HOLDER - SET

- 3 round holders for pens and similar
- 1 Ø37 tube
- 2 Ø25 tubes
- Height 75 mm

[Læs mere](#)

**SKU:** 0202000052

**Price:** from 35,00 kr.



## PICKING BOX 300X230X150 (DXWXH) GRAY

Stackable modular box that can also be hung on cross profile

Width 230 mm

Depth 300 mm

Height 150 mm

Available in blue, gray and red


Weight 0,2 kg

Dimensions 300 × 230 × 150 mm

[Læs mere](#)

**SKU:** 0202000014

**Price:** from 78,00 kr.



## C-PROFILE RAIL SUSPENSION RAIL 1990 MM R7004


Rail profile for mounting above workbench. For mounting trolleys, lights etc.

Dimensions 1990 × 30 × 30 mm

[Læs mere](#)

**SKU:** 0202000045

**Price:** from 257,60 kr.



## STEEL SHELF GRAY R7004 900X210 MM WITH END PLATES

Fits rear column system with cc distance 670 mm  
Plate width 645 x 210 mm. Max capacity is 50 kg.  
Supplied with 2 brackets for mounting on rear  
columns.

The shelf can be mounted obliquely or horizontally  
and is reversible according to whether a front or  
rear edge is required


Dimensions 210 × 90 × 20 mm

[Læs mere](#)

**SKU:** 0202000044

**Price:** from 274,40 kr.

## STEEL SHELF GRAY R7004 670X210 MM WITH END PLATES



Fits rear column system with cc distance 670 mm  
Plate width 645 x 210 mm. Max capacity is 50 kg.  
Supplied with 2 brackets for mounting on rear  
columns.

The shelf can be mounted obliquely or horizontally  
and is reversible according to whether a front or  
rear edge is required

Dimensions 210 × 645 × 20 mm

[Læs mere](#)

**SKU:** 0202000043

**Price:** from 224,00 kr.

## KEYBOARD AND MONITOR HOLDER WITH ARM - FOR BACK COLUMN



Flexible arm for mounting on back column.  
Possibility to mount monitor and place keyboard.  
Plate for mouse included.

Max load 15 kg

Arm length 570 mm

Weight 5 kg

[Læs mere](#)

**SKU:** 0202000012

**Price:** from 1.920,80 kr.

# STAINLESS STEEL



## EAR TAG CART - 1050X600X900MM

Compact and functional stainless steel ear tag cart - designed for sorting, ear tagging, transportation of components. The robust, hygienic construction ensures long life and easy cleaning in demanding environments.

Sizes	1050x600x900mm
approx. weight	55kg
Maximum Load	300kg
Wheels	Ø160
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## STAINLESS STEEL LIFTING TABLE - 500X600 MM

Compact lifting table - 500x600 mm with electric height adjustment. Ideal as a work table or "toilet table", with robust construction and precise height adjustment in production and assembly.

Sizes	
approx. weight	42kg
Lifting capacity	200kg
Lifting columns	
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## STAINLESS STEEL ROLLER TABLE - 900X550 MM

Sizes	900x550mm
approx. weight	38kg
Maximum Load	200kg
Wheels	Ø100
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## STAINLESS STEEL HEIGHT ADJUSTABLE TABLE ON CASTORS - 1500X600 MM - ERG-O-LET 312 - IPX6

Sizes	1500x600x700-1000mm
approx. weight	75kg
Lifting capacity	275kg
Wheels	Ø125
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## STAINLESS STEEL SHELF TROLLEY

[Læs mere](#)

SKU: N/A



## STAINLESS STEEL HEIGHT ADJUSTABLE TABLE - ERG-O-LET 310 - 1600X700 MM

Sizes	1600x700x720-1170mm
approx. weight	130kg
Table top	16mm PA plate with 3mm stainless steel plate
Shelf plate	16mm PA plate with 3mm stainless steel plate
Lifting columns	2pcs LA31 - 450 slg.
Lifting capacity	400kg
Wheels	4 TENTE 75 swivels 2 with brake, 2 without brake

[Læs mere](#)

SKU: 0102003008



## STAINLESS STEEL WASTE RACK

Sizes 440x420x630-900mm  
approx. weight  
Wheels 4pcs Ø75 w/brakes

[Læs mere](#)

**SKU:** 1804099075



## TOOL TROLLEY WITH LIFTING BENCH - 1000X750X975-1675MM

Raised tool trolley made of stainless steel with roller rails and plastic table top. Designed for demanding and hygiene-sensitive environments where precision, cleanability and flexibility are essential.

Sizes 1000x750x975-1675mm  
approx. weight 225kg  
Lifting capacity 1000kg  
Wheels Extra strong  
Battery pack with controls  
Table top 50 mm PE-HD sheet, with tool slots.

Roller rails  
Electric propulsion X

[Læs mere](#)

**SKU:** S110200-1-1



## SPECIAL PRODUCTS



## EAR TAG CART - 1050X600X900MM

Compact and functional stainless steel ear tag cart - designed for sorting, ear tagging, transportation of components. The robust, hygienic construction ensures long life and easy cleaning in demanding environments.

Sizes	1050x600x900mm
approx. weight	55kg
Maximum Load	300kg
Wheels	Ø160
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## DOUBLE CABINET WITH HINGED DOORS

[Læs mere](#)

SKU: N/A



## 1-STEP STEPLADDER WITH HANGER HANDLE

1-step stepladder with hanger handle

Product specifications:

- Dimensions: Adapted for easy access and usability in professional environments.
- Shackle handle: Integrated design for extra support and safety during use.
- Robust construction: Designed to ensure reliable support for daily...

[Læs mere](#)

**SKU:** N/A



## STAND FOR RETRACTOR

[Læs mere](#)

**SKU:** 1804010001



## STAIR MODULE / LADDER KIEFEL KMD

[Læs mere](#)

SKU: N/A



## UNWINDER FRAME

[Læs mere](#)

SKU: N/A



## PANEL LIFT - 2100X1850MM - ERG-O-LIFT 300

Panel lift - 2100x1850 mm - Erg-O-Lift 300. Electric height-adjustable lifting solution designed for efficient and ergonomic handling of whiteboards and control panels. Robust construction with capacity for precise assembly.

Sizes	2100x1850mm
Lifting capacity	350kg
Stroke length	500mm
Wheels	Ø125

[Læs mere](#)

SKU: N/A

---

## ROLLSTAND FLEX

[Læs mere](#)

SKU: S110200-1





## ERG-O-LIFT 300 - FLEX

- Size: 1180-1880x770 mm
- Table top: 15 mm birch plywood film/film
- Front edge: 30 mm above table top (for 15 mm table top)
- Length adjustable using lockable positioning bolts
- Intervals of 50 mm
- Start height: 850 mm
- Max height: 1350 mm
- Lift capacity: 200 kg.
- Lift columns: 2 pcs DL 2 - 500...

Sizes	1180x1880x760mm
approx. weight	50kg
Maximum Load	200kg
Table top	15 mm birch plywood film/film
Wheels	Ø100
Maksimal vippekapacitet	200 kg
Vip funktion	up to 80°

[Læs mere](#)

**SKU:** EOL300-FLEX



## PACKING STATION - 500X500MM

Compact packing station - 500x500 mm with strong steel construction, 18 kg weight and load up to 50 kg. Height and rotation adjustable work surface with spring solution and TENTE wheels Ø75 - perfect for assembly, packing and logistics.

Sizes	500x500mm
approx. weight	18kg
Maximum Load	50kg
Height adjustable	
Rotation Adjustable	
Wheels	Ø75

[Læs mere](#)

**SKU:** 308680035



## PICKING TROLLEY WITH HEIGHT ADJUSTMENT - 950X500X1300 MM

Ergonomic picking trolley with height adjustment - 950x500x1300 mm, suitable for efficient picking and logistics work. The trolley weighs 26 kg, has a maximum load of 75 kg and is equipped with TENTE wheels Ø100 for a stable and smooth ride.

Sizes	950x500x1300mm
approx. weight	26kg
Maximum Load	75kg
Tray	300x400x200mm
Wheels	Ø100

[Læs mere](#)

**SKU:** 087R15



## TOOL TROLLEY WITH LIFTING BENCH - 1000X750X975-1675MM

Raised tool trolley made of stainless steel with roller rails and plastic table top. Designed for demanding and hygiene-sensitive environments where precision, cleanability and flexibility are essential.

Sizes	1000x750x975-1675mm
approx. weight	225kg
Lifting capacity	1000kg
Wheels	Extra strong
Battery pack	with controls
Table top	50 mm PE-HD sheet, with tool slots.

Roller rails	
Electric propulsion	X

[Læs mere](#)

**SKU:** S110200-1-1

# ESD PRODUCTS

## PACKING TABLE ON WHEELS - FLEXIBLE AND ROBUST WORK TABLE



Flexible packing table on wheels - robust work and assembly table for packing, logistics and production. Available in any RAL color and custom dimensions.

Sizes	2000x750x700mm
approx. weight	55kg
Table top	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

**SKU:** S110509

## ERG-O-LIFT 300 - DUAL VIP



- Size: 2500x1000 mm
- Table top: 15 mm two-piece carriage base plate
- Lifter columns: 2 pcs DL2 - 500 slg.
- Tilt actuators: 4 pcs. LA31 - 400 slg.
- Lift capacity: 400 kg.
- Possibility to tilt both sides of the table parrally or separately
- Extension frame with rear column system -
- 3 rear...

Sizes	2500x1000mm
approx. weight	180kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Lifting columns	2 pcs DL2 - 500 slg. 4 pcs LA31 - 400 slg.
Maksimal vippekapacitet	400 kg

[Læs mere](#)

**SKU:** EOL300-DV

## HEIGHT ADJUSTABLE TABLE - 1200X600MM - DUO-LET 3070



Height adjustable table - 1200x600 mm. Compact and ergonomic workbench with electric height adjustment. Solid steel construction with 2 DL6 lifting columns, 200 kg lifting capacity and weight 60 kg. Ideal as a workstation in assembly, workshop and production.

Sizes	1200x600mm
approx. weight	60kg
Lifting capacity	200kg
Lifting columns	2 pcs DL6 – 650 slg.

[Læs mere](#)

SKU: N/A

## ERGONOMIC LIFT TABLE ERG-O-LIFT 300 SINGLE | ELECTRIC ASSEMBLY TABLE



Ergonomic lifting table with 300 kg capacity and electric height adjustment. Ideal for assembly and production. Get a quote for ERGO-Lift 300 Single!

Sizes	600/1200x600x800 mm
approx. weight	70kg
Lifting capacity	200kg
Table top	16 mm MDF with grooved rubber mat glued on – 1 piece 600x600 mm, 2 pieces 600x300 mm
Foldable	pages
Battery pack	Included
Lifting columns	1 DL2 – 500 pcs.
Wheels	Ø100

[Læs mere](#)

SKU: 102300002

## HEIGHT ADJUSTABLE TABLE WITH WHEELS - 2400X750 MM - ERG-O-LET 310



Height adjustable table with wheels - 2400x750 mm. Ergonomic workbench with electric height adjustment, heavy-duty steel construction and Ø100 wheels for flexible mobility. Prepared for sheet metal assembly, lifting capacity 400 kg and weight 80 kg. Ideal as a workstation in assembly and...

Sizes	2400x750mm
approx. weight	80kg
Maximum Load	400kg
Actuator	2pcs LA 31 - 450 slg.
Prepared for	Sheet metal assembly
Wheels	Ø100

[Læs mere](#)

SKU: N/A

## LIFTING TABLE - 1100X600 MM



Robust lifting table - 1100x600 mm with electric raise/lower function. With a weight of 25 kg and lifting capacity of 50 kg, with Ø75 wheels and 10 mm compact laminate tabletop - ideal for medical and industrial applications.

Sizes	1100x600mm
approx. weight	25kg
Lifting capacity	50kg
Battery pack	with controls
Table top	10mm compact laminate
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## LIFT TABLE WITH TILT - LIFT-O-LET 120 SPECIAL | ERGONOMICS & ADJUSTABLE DESIGN

Lift-O-Let 120 Special with tilt and lift function, 120 kg capacity. Optimize working height and ergonomics. Get a non-binding offer!

Sizes	1200x800mm
approx. weight	40kg
Lifting capacity	120kg
Table top	15 mm birch plywood film/film

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 900X600MM - DUO-LET 3070

Height adjustable table with tilt function - 900x600x720-1370 mm. Electric height and tilt-adjustable workbench for assembly and precision work. Robust construction with lifting capacity of 50 kg and weight approx. 40 kg. Ideal as an assembly table, electrical panel table or workstation in...

Sizes	900x600x720-1370mm
approx. weight	40kg
Lifting capacity	50kg
Wheels	Ø100
Vip function	up to 42°
Maksimal vippekapacitet	50 kg

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 2100X1000 MM - ERG-O- LIFT 300

This height adjustable table with tilt function in size 2100x1000 mm is a powerful, ergonomic workstation designed for heavy industrial processes, assembly, production and workshop tasks. The table is built to optimize the working environment and reduce physical strain - even when handling heavy...

Sizes	2100x1000x700-1000mm
approx. weight	150kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Vip function	2 separate tilt functions
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** N/A



## TOOL BOARD ON WHEELS

Sizes	930x600x1700mm
Base plate	16mm melamine
Wheels	Ø125 swivel w/brake TENTE

[Læs mere](#)

**SKU:** 1804003009



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - ERG- O-LET 312 - 1000X600MM

Sizes	1000x600x935-1385mm
approx. weight	55kg
Lifting capacity	200kg
Table top	15 mm birch plywood film/foil
Vip function	up to 80°
Front edge	150 mm above the worktop
Maksimal vippekapa- citet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** 0102312002



## ERG-O-LIFT 300 - FLEX

- Size: 1180-1880x770 mm
- Table top: 15 mm birch plywood film/film
- Front edge: 30 mm above table top (for 15 mm table top)
- Length adjustable using lockable positioning bolts
- Intervals of 50 mm
- Start height: 850 mm
- Max height: 1350 mm
- Lift capacity: 200 kg.
- Lift columns: 2 pcs DL 2 - 500...

Sizes	1180x1880x760mm
approx. weight	50kg
Maximum Load	200kg
Table top	15 mm birch plywood film/film
Wheels	Ø100
Maksimal vippekapa- citet	200 kg
Vip function	up to 80°

[Læs mere](#)

**SKU:** EOL300-FLEX

## LIFTING PLATFORM - LIFT-O-LET 390 | ROBUST & ERGONOMIC



Efficient lifting platform with 200 kg capacity, adjustable height (120-480 mm) and mobile 55 kg construction. Optimizes ergonomics and workflow.

Sizes	1200x800x120-480mm
approx. weight	55kg
Lifting capacity	200kg

[Læs mere](#)

SKU: N/A

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - MODEL 1




Height adjustable table with tilt function. Height 780-1280 mm, tilt up to 80°, lifting capacity 400 kg and weight 125 kg. 15 mm birch plywood (film/film) and Bluetooth operation. Ideal tilting table/assembly table in production.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Maksimal vippekapacitet	200 kg. per tilt actuator
Vip funktion	up to 80°
Lifting columns	2 DL2 – 500 slg (raise/lower), 2 LA31 – 400 slg.
Front edge	50 mm above frame – bolted
Operation	Phase-mounted and handheld bluetooth operation

[Læs mere](#)

SKU: 0104300002


# UNDEFINED-EN



## TEXTILE TROLLEY WITH FOLD-DOWN HANDLE

[Læs mere](#)

SKU: N/A



## ERG-O-LIFT 300 - TILT & CASTORS - 1800X1000 MM

- Size: 1800x1000 mm
- Table top: 15 mm birch plywood film/film
- Front edge: 50 mm above table top
- Lifting columns: 2 pcs DL2 - 500 slg.
- Vip actuator: 2 pcs. LA31 - 400 slg.
- Operation: DPF2 fixed & Bluetooth remote control
- Battery: BA001 - 2.15 Ah
- Wheels: Ø100 - swivel w/brakes

[Læs mere](#)

SKU: S110449

Price: from 19.500,00 kr.



## EDGE STRIP BLACK, CLAMPING WIDTH OF 1-2MM


Edge strip in black PVC. Suitable for protecting sharp edges on e.g. steel shelves and similar. Sold by measurements

Dimensions 1 × 1 × 1 mm

[Læs mere](#)

**SKU:** MT101609

**Price:** from 21,30 kr.



## 30X6 FLAT STEEL S275JR

Flat steel in 6 meter length. Weight 1.41 kg per meter. Untreated.


Weight 1,41 kg  
Dimensions 100 × 3 × 0,6 mm

[Læs mere](#)

**SKU:** 347862

**Price:** from 19,26 kr.





## MOUNTING PLATE FOR REMOTE CONTROL W/MAGNET LINAK

For use with remote control with magnet

Weight 0,1 kg  
Dimensions 1,2 × 5 × 14,3 mm

[Læs mere](#)

**SKU:** MB001

**Price:** from 64,00 kr.

## PLATE IN 10MM. 103X270MM


Console for Rollstand


Weight 0,8 kg  
Dimensions 27 × 10,3 × 1 mm

[Læs mere](#)

**SKU:** 3086800031-3

**Price:** from 96,00 kr.





## TAPE / LINER STAND

[Læs mere](#)

**SKU:** 2090000066

**Price:** from 2.342,00 kr.



## 50X50X1.5 SQUARE TUBE PRECISION STEEL TUBE DECAPPED


Retangular steel tubes in 1.5mm material. Material S235JR. Precision steel pipes electric welded. Standard EN10305-5. Available in 6 meter length

Weight	2,28 kg
Dimensions	100 × 5 × 5 mm

[Læs mere](#)

**SKU:** JRKP506

**Price:** from 16,60 kr.



## BASE PLATE STAINLESS STEEL 1.5X606X856MM LASER CUT


Laser cut according to drawing 1.

Dimensions  $10 \times 5 \times 2,5$  mm

[Læs mere](#)

**SKU:** 116063

**Price:** from 472,70 kr.



## THREADED STUD 20X20MM M8 THREAD

To Roll Stand

Weight 0,4 kg  
Dimensions  $2 \times 2 \times 6,3$  mm

[Læs mere](#)

**SKU:** 3086800031-4

**Price:** from 104,00 kr.



## DRAWER SECTION 3X100MM TOP HUNG


Drawers for workbench. For mounting under the table. Gray/blue color (Ral 7037 and Ral 5005). Width 385mm. Height 435mm. Depth 500mm.

Weight 19 kg  
Dimensions 500 × 385 × 435 mm

[Læs mere](#)

**SKU:** 184480408

**Price:** from 4.790,00 kr.



## CUT BRACKET PLATE IN 10MM


Console for Rollstand

Weight 1,5 kg  
Dimensions 1 × 27 × 18 mm

[Læs mere](#)

**SKU:** 3086800031-2

**Price:** from 138,00 kr.




## STAINLESS STEEL PLUG FOR TAPE/LINER STAND

Dimensions  $4 \times 2 \times 2$  mm

[Læs mere](#)

**SKU:** B100000-Ø18X20 M8-90

**Price:** from 80,00 kr.



## REINFORCEMENT FOR POS STOP 5X20MM


Laser cut item for package stand - 30868000035

Dimensions  $59,5 \times 2 \times 0,5$  mm

[Læs mere](#)

**SKU:** 3086800035-12

**Price:** from 27,50 kr.



## STAINLESS STEEL PROFILE GUIDE 1.5X25X50X100MM

Laser cut tube according to drawing 5. Unannealed.

Dimensions 10 × 5 × 2,5 mm

[Læs mere](#)

**SKU:** 116062

**Price:** from 70,00 kr.




## STAINLESS STEEL ROLLER TABLE WITH PUSH BAR - 600X400MM

Sizes	600x400mm
approx. weight	18kg
Maximum Load	200kg
Wheels	Ø75
Suitable for the food industry	✓

[Læs mere](#)

**SKU:** N/A



## 20X3 FLAT STEEL S275JR


Untreated flat steel. Purchased in 6 meter lengths.

Weight 0,47 kg  
Dimensions 100 × 2 × 0,3 mm

[Læs mere](#)

**SKU:** 347774

**Price:** from 7,60 kr.



## PLATE FOR TILT WITH HOLES 5MM


Laser cut item for package stand - 30868000035

Dimensions 7 × 14 × 0,5 mm

[Læs mere](#)

**SKU:** 3086800035-11

**Price:** from 47,00 kr.



## STAINLESS STEEL PLUG FOR TAPE/LINER STAND


Price v/75 pcs Alternative supplier Timms

Weight 0,3 kg  
Dimensions 4 × 2 × 2 mm

[Læs mere](#)

**SKU:** B100000-Ø18X15-M8-R2

**Price:** from 58,00 kr.



## PLATE FOR POSITION STOP


Laser cut part for package stand - 3086800035.  
5mm thick

Dimensions 13 × 13 × 0,5 mm

[Læs mere](#)

**SKU:** 3086800035-10

**Price:** from 48,00 kr.



## STAINLESS STEEL PROFILE GUIDE 1.5X25X25X608MM

Laser cut tube according to drawing 3. Unannealed.

Dimensions  $60 \times 2,5 \times 2,5$  mm

[Læs mere](#)

**SKU:** 116060

**Price:** from 180,00 kr.

## PLUG Ø36XM16-25 STEEL 235 OVERSIZE

Bushing  $\text{Ø}36$  outside with 16mm thread inside. Note that this welding plug has an oversized thread, which is used when galvanizing finished items etc.

Weight 0,25 kg

Dimensions  $25 \times 36 \times 36$  mm

[Læs mere](#)

**SKU:** B100000-Ø36xM16-25 st\_6G

**Price:** from 74,50 kr.



## 40X20X1.5 SQUARE TUBE PRECISION STEEL TUBE


Welded precision steel tubes. Rectangular. Standard.  
EN 10305-3/5 E220, decapped

Weight 1,34 kg  
Dimensions 100 × 3 × 3 mm

[Læs mere](#)

**SKU:** 349657

**Price:** from 23,66 kr.



## 20X6 FLAT STEEL S275JR


Untreated flat steel. Purchased in 6 meter lengths.

Weight 0,94 kg  
Dimensions 100 × 2 × 0,6 mm

[Læs mere](#)

**SKU:** 347789

**Price:** from 14,56 kr.



## ROLLSTAND COMPLETE - 1350 MM CORE

[Læs mere](#)

**SKU:** 3086800019

**Price:** from 30.675,00 kr.



## CATAFALQUE APRON 2080X700

Black cloth sewn to measure. Sewn by Louise Sørensen (family with Jens Axel Sørensen)  
Dimensions sides: 2100x470 mm  
Dimensions ends: 710x470 mm  
(for catafalque with height of 500 mm)

Dimensions 3 × 2100 × 470 mm

[Læs mere](#)

**SKU:** 1234

**Price:** from 1.960,00 kr.



## STAINLESS STEEL PLATE 3X1000X2000MM

Cold rolled. Steel grade EN 1.4301/4307.

Weight 48 kg  
Dimensions 200 × 100 × 0,02 mm

[Læs mere](#)

**SKU:** RAKB213

**Price:** from 2.100,00 kr.



## TENT WHEELS Ø160 FIXED 3478UFP160P63

- Alpa wheels Ø160 mounted on mounting plate.
- Fixed wheel without brake and wire cap.
- Soft wheel track on 63 Shore A.
- Suitable for industrial, catering and cleaning trolleys where spillage is not allowed.
- Silver gray wheels (Ral 7001).
- Center hole spacing 80x105 mm.
- Wheel...

Weight 1,8 kg  
Dimensions 137 × 115 × 200 mm

[Læs mere](#)

**SKU:** 00000803

**Price:** from 250,00 kr.



## 40X40X2 SQUARE TUBE PRECISION STEEL TUBE EN10305


Welded Square Precision steel pipe EN 10305-3/5  
E220, decapped

Weight 2,38 kg  
Dimensions 1000 × 40 × 40 mm

[Læs mere](#)

**SKU:** 349649

**Price:** from 39,00 kr.



## MISCELLANEOUS PURCHASED ITEM

For BOM calculation

[Læs mere](#)

**SKU:** 910

**Price:** from 100,00 kr.



## POM ROLL WITH BALL BEARING

Rolls for foil bending. Rolls without milling for rental. Alternatively, we can buy rods ourselves

[Læs mere](#)

**SKU:** 3089800031-6

**Price:** from 184,00 kr.



## Ø60X2 PRECISION WELDED STEEL PIPE

Precision steel tubes electric welded, round  
EN10305-3 60.0x2.00 mm Typical analysis: SI + 2.5P  
max 0.09%. LEMU part no. JRRP6020  
Type no: --

Discount code: 70600390316

UNSPSC (v. 19.0501): 40181800


HS Code: 73062900

Dimensions 100 × 6 × 6 mm

[Læs mere](#)

**SKU:** JRRP6020

**Price:** from 49,88 kr.



## STAINLESS STEEL PROFILE GUIDE 1.5X25X25X600MM


Laser cut tube according to drawing 4. Unannealed.

Dimensions  $60 \times 2,5 \times 2,5$  mm

[Læs mere](#)

**SKU:** 116061

**Price:** from 210,00 kr.



## HEIGHT ADJUSTABLE TABLE - DUO-LET 3070 - MODEL 1

[Læs mere](#)

**SKU:** N/A



## WORKTOP 1200X650X18 W/ABS EDGE LIGHT GRAY

Table top in 18mm with laminate and ABS rubber light gray edge 2mm and MDF core.  
Color front and back 7927 S-2500

Weight 35 kg  
Dimensions 120 × 300 × 1,8 mm

[Læs mere](#)

**SKU:** 1200x650x18

**Price:** from 2.058,00 kr.



## 30X30 PIPE LEG PLASTIC PLUG BLACK B44 DUPSKO


Head height 5mm. Clamping shoe for end closure of profile pipes with a wall thickness of 1-2mm.

Weight 0,02 kg  
Dimensions 3 × 3 × 2,7 mm

[Læs mere](#)

**SKU:** S110344 B44-3030


**Price:** from 3,88 kr.



## FEE

[Læs mere](#)

**SKU:** gebyr




## MULTIFUNCTIONAL EAR TAG CART

[Læs mere](#)

**SKU:** 086R13-A

**Price:** from 11.650,00 kr.



## STAINLESS STEEL PLATE 1.5X1000X2000MM

Cold rolled. Steel grade EN 1.4301/4307.

Weight 24 kg  
Dimensions 200 × 100 × 0,02 mm

[Læs mere](#)

**SKU:** RAKB2115

**Price:** from 1.066,00 kr.



## MOUNTING BRACKET FOR LIFTING COLUMN LINAK DL2


Used for DL2 column, among other things.

Weight 0,1 kg  
Dimensions 5 × 8 × 2 mm

[Læs mere](#)

**SKU:** 0578006

**Price:** from 184,00 kr.



## TUB 85 LITERS WHITE 80X55X33CM

White tub with handle and approved for food.  
Height incl handle 33cm. Length 80cm. Width 55cm.

Weight 2 kg  
Dimensions 80 × 55 × 33 mm

[Læs mere](#)

**SKU:** 103958001

**Price:** from 350,00 kr.



## POM ROLL WITH BALL BEARING


Rolls for foil benches. With grooves for roller bearing.

Dimensions 10 × 8,5 × 8,5 mm

[Læs mere](#)

**SKU:** 3089800031-7

**Price:** from 232,00 kr.



## CURVED BRACKET IN 10MM PLATE


Console for Rollstand

Weight 1,5 kg  
Dimensions 30 × 27 × 24 mm

[Læs mere](#)

**SKU:** 3086800031-1

**Price:** from 236,00 kr.



## TOGGLE BRACKET FOR SHELF STAINLESS. 165X305MM. SHELF BRACKET


Foldable shelf bracket in stainless steel. Shelf support for max load of 75kg.

Weight 0,4 kg  
Dimensions 30,5 × 2,3 × 16,5 mm

[Læs mere](#)

**SKU:** 318905

**Price:** from 140,00 kr.




## 30X30 PIPE LEG B44-3030 PLASTIC PLUG BLACK

[Læs mere](#)

**SKU:** S110344

**Price:** from 3,88 kr.



## WIRE MESH Ø4 MESH C/C 50MM WELDED BLACK STEEL 1500X3000

Suitable for the bottom of textile trolleys and similar.

Available in 1500x3000mm

Please note order item

Weight 30 kg  
Dimensions 300 × 150 × 1 mm

[Læs mere](#)

**SKU:** 4340501503

**Price:** from 1.500,00 kr.



## 30X30X2 SQUARE TUBE PRECISION STEEL TUBE


Welded Square Precision steel pipe EN 10305-3/5  
E220, decapped

Weight 1,34 kg  
Dimensions 100 × 3 × 3 mm

[Læs mere](#)

**SKU:** 349645

**Price:** from 30,34 kr.



## PLATE 3MM 555X465

Plate in 2mm steel. With curved edge of 20mm. For  
tape liner stand

Weight 1 kg  
Dimensions 46,5 × 55,5 × 2 mm

[Læs mere](#)

**SKU:** 2090000066-2

**Price:** from 238,00 kr.



## ROUND STEEL Ø8 STAINLESS COLD DRAWN GROUND

Stainless round steel EN 1.4301. Ground h9. Weight per meter 0.15kg.

Weight 0,15 kg  
Dimensions 100 × 0,8 × 0,8 mm

[Læs mere](#)

**SKU:** RFBR8

**Price:** from 16,58 kr.



## HAND GRIP M8X30 ADJUSTABLE BLACK

Handle length 55mm.

Weight 0,04 kg  
Dimensions 55 × 30 × 60 mm

[Læs mere](#)

**SKU:** BKP055M

**Price:** from 55,40 kr.



## 30X30X3 SQUARE TUBE HOLLOW PROFILE COLD FORMED

Profile tube square. S235JRH EN 10219

Weight 2,36 kg  
Dimensions 100 × 3 × 3 mm

[Læs mere](#)

**SKU:** 349228

**Price:** from 37,20 kr.



## TRANSPORT CAGE


Transport and storage cage for safe storage of gas cylinders

Weight 73,2 kg

[Læs mere](#)

**SKU:** S110131

**Price:** from 4.985,00 kr.



## DETAIL FOR PACKAGE STAND 5X20MM

Laser cut item for package stand - 3086800035 Flat steel with cut arc

Dimensions 49,5 × 2 × 0,5 mm

[Læs mere](#)

**SKU:** 3086800035-13

**Price:** from 27,00 kr.



## PROFILE TUBE 25X25X1.5 STAINLESS BRUSHED

Stainless steel pipes EN 1.4301. Weight per meter 1.14kg

Weight 1,14 kg  
Dimensions 100 × 2,5 × 2,5 mm

[Læs mere](#)

**SKU:** RIV42515

**Price:** from 149,88 kr.

## 50X30 1 PIPE LEG PLASTIC PLUG BLACK B46 DUPSKO

Dowel shoe for end closure of profile pipes with a wall thickness of 1.2-2mm. Head height 5mm.

Weight 0,02 kg  
Dimensions 2,7 × 3 × 5 mm

[Læs mere](#)

**SKU:** B46-5030 1

**Price:** from 2,40 kr.

## 30X50X3 SQUARE TUBE HOLLOW PROFILE COLD FORMED


Profile tube rectangular. S235JRH EN 10219

Weight 3,3 kg  
Dimensions 100 × 3 × 3 mm

[Læs mere](#)

**SKU:** 349232

**Price:** from 52,00 kr.




## TEXTILE TROLLEY - LARGE MODEL

[Læs mere](#)

**SKU:** 050T1-V3

**Price:** from 2.235,00 kr.



## PLATE 2MM 555X325MM


Plate in 2mm steel. With curved edge of 20mm. For tape liner stand

Weight 1 kg  
Dimensions 32,5 × 55,5 × 2 mm

[Læs mere](#)

**SKU:** 2090000066-1

**Price:** from 154,00 kr.



## CURVED U-PROFILE FOR ROLLSTAND

Curved profile for Rollstand 1150

Weight 0,35 kg  
Dimensions 65 × 10 × 9,5 mm

[Læs mere](#)

**SKU:** 3086800030-17

**Price:** from 342,00 kr.



## 25X25X2 SQUARE TUBE STEEL PROFILE PIPE - EN10305-5


Steel pipes in 2mm material. Material S235JR.  
Precision steel before electric welds

Weight 1,36 kg  
Dimensions 100 × 2,5 × 2,5 mm

[Læs mere](#)

**SKU:** S110391\_2

**Price:** from 20,70 kr.




## 30X30X1.5 SQUARE TUBE PRECISION STEEL TUBE

[Læs mere](#)

**SKU:** S110405

**Price:** from 23,12 kr.



## PERFORATED SHEET 9X9MM HOLES 7% AIR


Perforated plate in black steel. Dimensions 1000x2000mm. Square holes of 9x9mm. Hole spacing cc 34mm. Air passage 7%. 1.5mm thickness.

Dimensions 200 × 100 × 0,15 mm

[Læs mere](#)

**SKU:** F812150300

**Price:** from 632,00 kr.



## WASHER WITH HOLES Ø130X5MM


Laser cut item for package stand - 30868000035

Dimensions 13 × 13 × 0,5 mm

[Læs mere](#)

**SKU:** 3086800035-14

**Price:** from 54,00 kr.



## CURVED SUPPORT PLATE FOR ROLLSTAND


Curved support wedge for Rollstand 1150

Weight 0,4 kg  
Dimensions 22,5 × 10 × 10 mm

[Læs mere](#)

**SKU:** 3086800030-9

**Price:** from 78,00 kr.



## 30X20X1.5 SQUARE TUBE PRECISION STEEL TUBE

Weight 1,1 kg  
Dimensions 100 × 2 × 3 mm

[Læs mere](#)

**SKU:** S110391\_2\_2

**Price:** from 16,08 kr.



## 30X30X2 SQUARE TUBE STEEL PROFILE TUBE

Precision steel pipe electric welded, square  
EN10305-5 30x30x2.00 mm 6 m Typical analysis: SI  
+ 2.5P max 0.09%. Item no. LEMU: JRKP302

Weight 1,75 kg  
Dimensions 100 × 3 × 3 mm

[Læs mere](#)

**SKU:** S110405\_2

**Price:** from 25,24 kr.



## HOLDER FOR UP/DOWN OPERATION LINAK 90GR

Steel plate 90 degrees for mounting push-button controls with up/down function.

Weight 0,05 kg  
Dimensions 5 × 4 × 2 mm

[Læs mere](#)

**SKU:** 914757

**Price:** from 10,00 kr.



## MACHINE SHOE Ø55 BLACK 33-D55M10X30 1


Machine shoe with rubber base Ø55. M10 thread. 30mm long. Base height 21mm. Max 500kg.

Weight 0,16 kg  
Dimensions 5 × 55,5 × 5,1 mm

[Læs mere](#)

**SKU:** 33-D55M10X30 1

**Price:** from 78,80 kr.



## PLATE 20MM 600X110MM

Weight 1,2 kg  
Dimensions 2 × 11 × 60 mm

[Læs mere](#)

**SKU:** 3086800030-7

**Price:** from 734,00 kr.



## BIRCH PLYWOOD WIRE/FILM 2500X1250X15MM CARRIAGE BASE PLATE

Non-slip base plate. Plate dimensions  
15x1250x2500mm. Full plate

Weight 25 kg  
Dimensions 250 × 125 × 1,5 mm

[Læs mere](#)

**SKU:** 1004945

**Price:** from 1.550,30 kr.



## 30X20X1.5 SQUARE TUBE PRECISION STEEL TUBE

Rectangular steel tubes in 1.5mm material. Material S235JR. Precision steel before electric welding. Standard EN10305-5

Weight 1,1 kg  
Dimensions 100 × 2 × 3 mm

[Læs mere](#)

**SKU:** JREP3215

**Price:** from 16,08 kr.



## WORKTOP 3000X1200X18 W/ABS EDGE LIGHT GRAY

Table top in 18mm with laminate and ABS rubber light gray edge 2mm and MDF core. Color front and back 7927 S-2500

Weight 35 kg  
Dimensions 120 × 300 × 1,8 mm

[Læs mere](#)

**SKU:** 3000x1200x18

**Price:** from 6.044,00 kr.

## THREADED ROD M6X1000 STAINLESS A2




1 meter length. DIN 976-1. RF A2. Quality 70.

Dimensions 100 × 0,6 × 0,6 mm

[Læs mere](#)

**SKU:** 2150806000

**Price:** from 18,12 kr.



## PLATE 5MM 75X75MM SUPPORT

Inclined wedge for Rollstand 1150

Weight 0,4 kg

Dimensions 0,5 × 7,5 × 7,5 mm

[Læs mere](#)

**SKU:** 3086800030-8

**Price:** from 24,50 kr.



## HAND GRIP M8X30 BLACK


Black thumbscrew with thread. Diameter of handle 40mm.

Dimensions 17 × 40 × 40 mm

[Læs mere](#)

**SKU:** 83D40M 8x30/20 1

**Price:** from 5,00 kr.



## 80X6 FLAT STEEL S275JR


Flat steel in 6 meter length. Weight 3.77 kg per meter. Untreated.

Weight 1,41 kg  
Dimensions 100 × 8 × 0,6 mm

[Læs mere](#)

**SKU:** 347959

**Price:** from 47,90 kr.



## B100000 WORKTOP 1600X800X24 LIGHT GRAY

Worktop in light gray - 24mm. Laminated board with MDF or particleboard core. ABS rubber edge in light gray

Dimensions 80 × 160 × 1,6 mm

[Læs mere](#)

**SKU:** B100000 bordplade

**Price:** from 2.778,00 kr.



## POSITIONING BOLT WITHOUT STOP M12X1.5 THREAD


M12x1.5 thread. Black handle. Total height 61mm. Mandrel Ø6. Length of mandrel 6mm. Thread length 20mm.

Weight 0,15 kg  
Dimensions 2 × 2 × 6,1 mm

[Læs mere](#)

**SKU:** MT107850

**Price:** from 66,22 kr.



## PLATE 20MM 600X310MM


Plate with 8 M12 holes for Rollstand 1150

Weight 1,5 kg  
Dimensions 2 × 31 × 60 mm

[Læs mere](#)

**SKU:** 3086800030-6

**Price:** from 1.340,00 kr.



## SWIVEL HEAD M10X60 D10 B10

Weight 0,2 kg  
Dimensions 6 × 2 × 2 mm

[Læs mere](#)

**SKU:** 4,05925E+12

**Price:** from 58,06 kr.



## 50X30X2 SQUARE TUBE PRECISION STEEL TUBE


Rectangular steel tubes in 2mm material. Material S235JR. Precision steel before electric welded. Standard EN10305-5

Weight 2,38 kg  
Dimensions 100 × 5 × 3 mm

[Læs mere](#)

**SKU:** 349664

**Price:** from 43,18 kr.



## B100000 BOTTOM SHELF 1600X750X18


Shelf in light gray. Laminated board with MDF or chipboard core. ABS rubber edge - light gray

Dimensions 75 × 160 × 1,6 mm

[Læs mere](#)

**SKU:** B100000-underhylde

**Price:** from 2.450,00 kr.



## KNUCKLE SHELF STAINLESS STEEL 1.5MM LASER CUT

Laser cut according to drawing 2.


Dimensions  $10 \times 5 \times 2,5$  mm

Color

[Læs mere](#)

**SKU:** 116064

**Price:** from 600,50 kr.



## PLATE 20MM 600X110MM

Plate with 4 M12 holes for Rollstand 1150

Weight 1,2 kg

Dimensions  $2 \times 11 \times 60$  mm

[Læs mere](#)

**SKU:** 3086800030-7A

**Price:** from 734,00 kr.



## SWITCHBOARD INSTALLATION



## CABLE TROLLEY WITH BASE PLATE


Size: 800x800x1400 mm  
Base plate: birch plywood film/film  
4 removable suspension rods Ø25x1,5  
c/c distance between suspension rods - 300 mm  
Castors: Ø100 swivel w/brakes

Sizes	1600x900x1800mm
approx. weight	32kg
Maximum Load	200kg
Base plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** S110242

## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 4000X750MM - ERG-O-LIFT 300



Height adjustable table with tilt function - 4000x750mm. Heavy-duty tilt table with five height-adjustable roller rails, 400 kg lifting capacity and tilt up to 80°. Weight 350 kg. Ideal as an assembly and production table with electric height adjustment.

Sizes	4000x750x800-1300mm
approx. weight	350kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Front edge	50mm above the worktop
Vip function	up to 80°
Roller rails	5 pieces that can be raised/lowered under the worktop
Gas dampers	2 pcs - 500 pcs.
Lifting columns	2 DL2 - 500 slg (raise/lower), 4 LA31 - 250 slg (tilt), 4 Baselift - 100 slg (roller tracks)
Maksimal vippekapacitet	400 kg

[Læs mere](#)

**SKU:** S110423



## A-FRAME WITH OVERHANG - 1500X1100X2050 MM

This A-frame with overhang is designed for safe and flexible handling of electrical panels, panels, doors, metal covers and large cable reels. Measuring 1500x1100x2050 mm and with a sturdy steel frame, the stand provides a stable and efficient platform for daily use in production, assembly and...

Sizes	1500x1100x2050mm
approx. weight	55kg
Maximum Load	100kg. per plate
Cable holder overhang	2x400mm
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

**SKU:** N/A



## ERG-O-LIFT 300 - DUAL VIP

- Size: 2500x1000 mm
- Table top: 15 mm two-piece carriage base plate
- Lifter columns: 2 pcs DL2 - 500 slg.
- Tilt actuators: 4 pcs. LA31 - 400 slg.
- Lift capacity: 400 kg.
- Possibility to tilt both sides of the table parrally or separately
- Extension frame with rear column system -
- 3 rear...

Sizes	2500x1000mm
approx. weight	180kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Lifting columns	2 pcs DL2 - 500 slg. 4 pcs LA31 - 400 slg.
Maksimal vippekapacitet	400 kg

[Læs mere](#)

**SKU:** EOL300-DV



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 1800X800 MM - ERG-O-LET 312

Height adjustable table with tilt function - 1800x800 mm. Solid workbench prepared for sheet metal assembly. Electric raise/lower and tilt function, lifting capacity 400 kg and robust steel construction. Ideal as a tilting table, assembly table and workstation in industrial production.

Sizes	1800x800mm
approx. weight	105kg
Lifting capacity	400kg
Vip function	up to 80°
Lifting columns	
Prepared for	Sheet metal assembly
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 900X600MM - DUO-LET 3070

Height adjustable table with tilt function - 900x600x720-1370 mm. Electric height and tilt-adjustable workbench for assembly and precision work. Robust construction with lifting capacity of 50 kg and weight approx. 40 kg. Ideal as an assembly table, electrical panel table or workstation in...

Sizes	900x600x720-1370mm
approx. weight	40kg
Lifting capacity	50kg
Wheels	Ø100
Vip function	up to 42°
Maksimal vippekapacitet	50 kg

[Læs mere](#)

SKU: N/A



## A-FRAME WITH REMOVABLE SHELVES - 2000X800X2050MM

A-frame with removable shelves - 2000x800x2050 mm. Robust steel A-frame with removable shelves for flexible storage and handling. Used e.g. in electrical panel production. Weight 70 kg, capacity 200 kg and TENTE wheels for safe mobility.

Sizes	2000x800x2050mm
approx. weight	100kg
Maximum Load	300kg
Wheels	Ø100 swivel with brake
Shelf plate	3mm lacquered steel plate

[Læs mere](#)

**SKU:** S110535



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 2100X1000 MM - ERG-O-LIFT 300

This height adjustable table with tilt function in size 2100x1000 mm is a powerful, ergonomic workstation designed for heavy industrial processes, assembly, production and workshop tasks. The table is built to optimize the working environment and reduce physical strain - even when handling heavy...

Sizes	2100x1000x700-1000mm
approx. weight	150kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Vip function	2 separate tilt functions
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** N/A

## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - 2100X1560MM



Sizes	2100x1560mm
Lifting capacity	300kg
Table top	15 mm birch plywood film/film
Lifting columns	2 pcs DL2 - 500 slg - 3 pcs LA31 tilt actuator - 400 slg.
Vip function	up to 80°
Wheels	4 x Ø100 swivel castors with brakes
Maksimal vippekapaçitet	400 kg

[Læs mere](#)

**SKU:** S110524

**Price:** from 49.750,00 kr.

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LIFT 300 - MODEL 2



Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Maksimal vippekapaçitet	200 kg. per tilt actuator
Vip function	up to 80°
Table top	15 mm birch plywood film/film
Lifting columns	2 DL2 - 500 slg (raise/lower), 2 LA31 - 400 slg.
Wheels	4 x Ø100 swivel castors with brakes

[Læs mere](#)

**SKU:** N/A



## ERG-O-LIFT 300 - FLEX

- Size: 1180-1880x770 mm
- Table top: 15 mm birch plywood film/film
- Front edge: 30 mm above table top (for 15 mm table top)
- Length adjustable using lockable positioning bolts
- Intervals of 50 mm
- Start height: 850 mm
- Max height: 1350 mm
- Lift capacity: 200 kg.
- Lift columns: 2 pcs DL 2 - 500...

Sizes	1180x1880x760mm
approx. weight	50kg
Maximum Load	200kg
Table top	15 mm birch plywood film/film
Wheels	Ø100
Maksimal vippekapacitet	200 kg
Vip funktion	up to 80°

[Læs mere](#)

**SKU:** EOL300-FLEX



## A-FRAME ON WHEELS - 1500X1100X2050MM

This A-Frame on wheels - 1500x1100x2050 mm is designed for safe and efficient handling of switchboards, panels and large flat items. The stand is robustly constructed and designed specifically for switchboard assembly, but it is also suitable for a wide range of other environments where heavy or...

Sizes	1500x1100x2050mm
approx. weight	50kg
Maximum Load	100kg. per plate
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

**SKU:** 3086810002

**Price:** from 9.445,00 kr.

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O- LIFT 300 - MODEL 1



Height adjustable table with tilt function. Height 780-1280 mm, tilt up to 80°, lifting capacity 400 kg and weight 125 kg. 15 mm birch plywood (film/film) and Bluetooth operation. Ideal tilting table/assembly table in production.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	125kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Maksimal vippekapacitet	200 kg. per tilt actuator
Vip funktion	up to 80°
Lifting columns	2 DL2 – 500 slg (raise/lower), 2 LA31 – 400 slg.
Front edge	50 mm above frame – bolted
Operation	Phase-mounted and handheld bluetooth operation

[Læs mere](#)

**SKU:** 0104300002

## SIT-TO-STAND TABLE WITH TILT FUNCTION - ERG-O-LET 310 - MODEL 2



This height-adjustable table with tilt function is the second of four models in the series. The table is equipped with raise, lower and tilt functions and wheels that are used in the lowest position.

Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight	110kg
Lifting capacity	400kg
Table top	Laminate worktop 22mm (ABS Edge)
Vip funktion	up to 80°
Lifting columns	2 pcs. LA31 – 450 slg. 1 pcs. tilt actuator 400 slg.
Front edge	50 mm above frame – Bolted, removable.
Wheels	Ø75
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

**SKU:** 104310003-2



# WAREHOUSE & LOGISTICS



## FURNITURE TROLLEY WITH BUCKLES - SAFE AND ROBUST TRANSPORTATION

Solid furniture trolley with buckles - safe and robust solution for transporting furniture and larger items.

Base plate	800x520mm
Back piece	900x360mm
approx. weight	15kg
Maximum Load	100kg
Wheels	Ø100

[Læs mere](#)

**SKU:** S110024

**Price:** from 5.985,00 kr.



## STORAGE TROLLEY WITH ADJUSTABLE SHELF - ROBUST AND FLEXIBLE SOLUTION

Robust storage trolley with adjustable shelf - flexible solution that can also function as a universal trolley, parcel trolley or roller trolley in warehouse and production.

Sizes	1270x660mm
approx. weight	40kg
Maximum Load	300kg
Height to 1st shelf	250mm
Height to 2nd shelf	750-900mm
Shelf plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## ROLLING TABLE WITH LOOP EDGE - 900X550X900 MM - 084R15M

Practical rolling table with looped edge - 900x550x900 mm. Three stable shelves and secure Tente wheels make it ideal for transportation and storage.

Sizes	900x550x900mm
approx. weight	38kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	545mm
Height to 3rd shelf	900mm
Wheels	Ø100
Shelf plate	16mm melamine

[Læs mere](#)

**SKU:** N/A



## OPEN-SIDED ROLL CONTAINER - FLEXIBLE AND EASILY ACCESSIBLE

Robust roll container with open side and fold-down grid front - a flexible and easily accessible transportation solution in warehouse environments.

Sizes	1200x600x1850mm
approx. weight	65kg
Base plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

**SKU:** 2095060006



## ROLLING TABLE WITH 3 SHELVES - 1000X500X1000MM - 088R20

Functional rolling table with 3 shelves and integrated push bar. Equipped with durable Tente wheels for safe and easy transportation.

Sizes	1000x500x1000mm
approx. weight	27kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	545mm
Height to 3rd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** 088R20

**Price:** from 2.985,00 kr.



## CART FOR CARDBOARD - 600X400X940MM

Functional cardboard cart - ideal for internal transportation and handling of cardboard packaging in production and warehouses. Robust steel construction with Ø125 wheels ensures easy maneuverability and high stability, even with heavy loads.

Sizes	600x400x940mm
approx. weight	20kg
Maximum Load	200kg
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## BATTERY PICKING CART - 1220X600X1050 MM

Efficient battery-powered picking cart - 1220x600x1050 mm, designed as a mobile workstation for warehouse and production. With a built-in battery, you can power your computer, scanner and other equipment directly from the cart - ideal for flexible and digital picking work.

Sizes	1220x600x1050mm
approx. weight	100kg
Maximum Load	400kg
Battery pack	100 Ah Lead/Gel battery, 1000-Watt UPS Inverter
Connectivity options	Schuko socket outlet with 6 outlets
Shelf plate	16mm melamine
Wheels	Ø125
Tastaturplade	With, Without
CPU Holder	With, Without
Midterhylde	Med, Uden
Skærmholder (VESA-75/100)	With, Without
Labelprinter hylde og opbevaringskasse	With, Without

[Læs mere](#)

**SKU:** 0309003002



## TRASH RACK ON WHEELS - FLEXIBLE AND MOBILE SOLUTION

Robust waste rack on wheels with swivel castors - a mobile and efficient solution for waste sorting in warehouses, production and institutions.

Sizes	470x380x875mm
approx. weight	10kg
Maximum Load	50kg
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## PACKING RACK ON WHEELS - 600X500MM

Packing stand with bag holder. Height and rotation adjustable stand with tape holder, maximum load of 100kg with a weight of 22.5kg, scissor holder and TENTE wheels Ø75. Ideal for flexible packing and assembly.

Sizes	600x500mm
approx. weight	22.5kg
Maximum Load	100kg
Height adjustable	
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## ROLLING TABLE WITH LOOP EDGE - 089R21S

Rolling table with loop edge and 2 shelves - ideal for internal transportation and storage in production and warehouse environments.

Sizes	1000x600x1010mm, 700x500x1010mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	710mm
Shelf plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

SKU: 089R21S



## ROLLING TABLE WITH PUSH BAR - 080R11 - MODEL 2

Robust long trolley with push bar - 1500x800x900 mm. Perfect for internal transportation and storage. Equipped with durable Tente wheels.

Sizes	1200x600x875mm, 500x400x850mm, 900x550x875mm
approx. weight	25kg
Maximum Load	200kg
Height to 1st shelf	185mm
Height to 2nd shelf	845mm
Shelf plate	16mm melamine
Wheels	Ø100, Ø75

[Læs mere](#)

**SKU:** 080r11-2

---

## PALLET TRUCK

Introducing our Pallet Truck 1200x870 Special - a durable and reliable solution designed specifically for efficient pallet picking in pallet racking.

Product specifications:

- Durable steel construction: Solid design to withstand the strain of daily pallet picking.
- Size: Optimal size of...

[Læs mere](#)

**SKU:** N/A





## HANGER RACK WITH 3 HANGER BARS - 2000X1900X500MM

Hanger rack with 3 hanger bars - 2000x1900x500 mm. Robust construction in powder-coated steel, weight 25 kg, wheels Ø75 and load 100 kg per hanger bar. Ideal for maximum hanging capacity in wardrobes, storage or event areas.

Sizes	2000x1900x500mm
approx. weight	25kg
Maximum Load	100kg. per hanger bar
Hanger bar	3 pcs. Ø30x2
Wheels	Ø75

[Læs mere](#)

**SKU:** 1804003002



## PICKING CART WITH 6 COMPARTMENTS - 760X450X1400 MM

Efficient 6-compartment picking trolley - 760x450x1400 mm, with push bars, side grids and large TENTE wheels Ø125 for stability and mobility in warehouse and logistics environments.

Sizes	1080x450x1400mm
approx. weight	55kg
Maximum Load	300kg
Shelf plate	15 mm birch plywood film/film
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A



## A-FRAME WITH REMOVABLE SHELVES - 2000X800X2050MM

A-frame with removable shelves - 2000x800x2050 mm. Robust steel A-frame with removable shelves for flexible storage and handling. Used e.g. in electrical panel production. Weight 70 kg, capacity 200 kg and TENTE wheels for safe mobility.

Sizes	2000x800x2050mm
approx. weight	100kg
Maximum Load	300kg
Wheels	Ø100 swivel with brake
Shelf plate	3mm lacquered steel plate

[Læs mere](#)

**SKU:** S110535



## SMALL PICKING CART - 650X500X960 MM

Compact small picking cart - 650x500x960 mm with integrated tablet holder (350x250 mm), top shelf (490x350 mm) and robust Ø100 wheels. The trolley weighs approximately 20 kg and has a maximum load of 50 kg - ideal for efficient picking and logistics in confined spaces.

Sizes	650x500x960mm
approx. weight	20kg
Maximum Load	50kg
Tablet holder	350x250mm
Top shelf	Inner dimensions: 490x350mm
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## DOUBLE CABINET WITH HINGED DOORS

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 2100X1000 MM - ERG-O-LIFT 300

This height adjustable table with tilt function in size 2100x1000 mm is a powerful, ergonomic workstation designed for heavy industrial processes, assembly, production and workshop tasks. The table is built to optimize the working environment and reduce physical strain - even when handling heavy...

Sizes	2100x1000x700-1000mm
approx. weight	150kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Vip function	2 separate tilt functions
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: N/A



## A-FRAME WITH OVERHANG - 1500X1100X2050 MM

This A-frame with overhang is designed for safe and flexible handling of electrical panels, panels, doors, metal covers and large cable reels. Measuring 1500x1100x2050 mm and with a sturdy steel frame, the stand provides a stable and efficient platform for daily use in production, assembly and...

Sizes	1500x1100x2050mm
approx. weight	55kg
Maximum Load	100kg. per plate
Cable holder overhang	2x400mm
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

**SKU:** N/A



## 1-STEP STEPLADDER WITH HANGER HANDLE

1-step stepladder with hanger handle

Product specifications:

- Dimensions: Adapted for easy access and usability in professional environments.
- Shackle handle: Integrated design for extra support and safety during use.
- Robust construction: Designed to ensure reliable support for daily...

[Læs mere](#)

**SKU:** N/A



## STAINLESS STEEL ROLLER TABLE - 900X550 MM

Sizes	900x550mm
approx. weight	38kg
Maximum Load	200kg
Wheels	Ø100
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## STORAGE RACK ON WHEELS - 1250X800X1700 MM

Robust storage rack on wheels - 1250x800x1700 mm with 4 shelves and a maximum load of 250 kg. The 4 Tente wheels provide easy and stable maneuvering. Ideal for warehouse, production and internal transportation where flexibility and order are essential.

Sizes	1250x800x1700mm
approx. weight	100kg
Maximum Load	250kg
Table top	15 mm birch plywood film/film

[Læs mere](#)

SKU: N/A



## PICKING TROLLEY WITH SPRINGS - 850X450X800 MM

Ergonomic picking trolley with springs - 850x450x800 mm, where the table top automatically adjusts to the weight. At 30 kg, the table bottoms out and can carry up to 100 kg. Equipped with Ø75 wheels for stable and easy maneuvering in warehouse and production.

Sizes	850x450x800mm
approx. weight	30kg
Maximum Load	100kg
Shelf plate	Painted steel plate
Stroke length on shelf	350mm
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## STORAGE RACK WITH 4 SHELVES - 900X555X1500MM

Mobile storage rack on wheels - 900x555x1500 mm with 4 shelves, weight approx. 30 kg and maximum load 200 kg. Equipped with sturdy TENTE wheels for easy maneuverability and flexible internal storage.

Sizes	900x555x1500mm
approx. weight	30kg
Maximum Load	200kg
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## PICKING CART WITH 9 COMPARTMENTS - 1080X450X1400 MM

Robust picking cart with 9 compartments - 1080x450x1400 mm, designed for efficient and structured picking and transportation tasks. The weight is 50 kg, max load 150 kg and it has Ø100 wheels for easy maneuvering.

Sizes	1080x450x1400mm
approx. weight	50kg
Maximum Load	150kg
Base plate	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## KEG CART

Practical and compact keg cart designed for safe and easy handling of beer kegs and other heavy containers. The trolley provides an ergonomic solution that protects the back and shoulders during transportation and lifting.

Ergonomic handle and lifting mechanism  
Suitable for transporting...

[Læs mere](#)

SKU: N/A



## SAFETY HELMET RACK - CLEAR AND ROBUST STORAGE

Robust rack for safety helmets - practical and clear storage solution. Available in any RAL color and can be made in custom sizes.

Sizes	780x470x100mm
approx. weight	40kg
Maximum Load	150kg

[Læs mere](#)

SKU: N/A



## HANGER RACK FOR DRUMS - 1000X750X1065MM

Hanger rack for drums - 1000x750x1065 mm. Robust construction in powder-coated steel with TENTE wheels Ø100. Weight 25 kg and maximum load 100 kg. Ideal for handling, storing and unwinding/rewinding plastic drums, reels and cable spools.

Sizes	1000x750x1065mm
approx. weight	25kg
Maximum Load	100kg
Hanger bar	Ø30
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## EXTRACTION TABLE ON WHEELS - 2500X800X900 MM

Flexible extraction table on wheels - 2500x800x900mm, ideal for production and workshops. With a weight of 100 kg, wheels Ø160 and heavy-duty steel construction, the table functions as an extraction workbench that effectively removes dust and particles directly at source. A mobile extraction...

Sizes	2500x800x900mm
approx. weight	100kg
Table top	20x30 birch slats
Wheels	Ø160

[Læs mere](#)

**SKU:** S110435



## 2-COMPARTMENT ROLL CONTAINER - FLEXIBLE AND MANAGEABLE STORAGE

Clear 2-compartment roll container with no door - ideal for warehousing, logistics or production. Available in any RAL color and custom sizes.

Sizes	1200x800x1750mm
approx. weight	75kg
Maximum Load	300kg
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## STAND FOR RETRACTOR

[Læs mere](#)

SKU: 1804010001



## PACKING TABLE ON WHEELS - FLEXIBLE AND ROBUST WORK TABLE

Flexible packing table on wheels - robust work and assembly table for packing, logistics and production. Available in any RAL color and custom dimensions.

Sizes	2000x750x700mm
approx. weight	55kg
Table top	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

SKU: S110509

## HEIGHT ADJUSTABLE TABLE WITH WHEELS - 2400X750 MM - ERG-O-LET 310



Height adjustable table with wheels - 2400x750 mm. Ergonomic workbench with electric height adjustment, heavy-duty steel construction and Ø100 wheels for flexible mobility. Prepared for sheet metal assembly, lifting capacity 400 kg and weight 80 kg. Ideal as a workstation in assembly and...

Sizes	2400x750mm
approx. weight	80kg
Maximum Load	400kg
Actuator	2pcs LA 31 - 450 slg.
Prepared for	Sheet metal assembly
Wheels	Ø100

[Læs mere](#)

SKU: N/A

## PACKING TABLE FRAME - ROBUST AND MOBILE WORKSTATION



Strong packing table frame with castors - ideal as a work and assembly table. Available in any RAL color and custom dimensions.

Sizes	2000x1000x840mm
approx. weight	45kg
Maximum Load	400kg
Prepared for	Sheet metal assembly
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## STAIR MODULE / LADDER KIEFEL KMD

[Læs mere](#)

SKU: N/A



## ROLLSTAND FLEX

[Læs mere](#)

SKU: S110200-1



## PACKING STATION - 500X500MM

Compact packing station - 500x500 mm with strong steel construction, 18 kg weight and load up to 50 kg. Height and rotation adjustable work surface with spring solution and TENTE wheels Ø75 - perfect for assembly, packing and logistics.

Sizes	500x500mm
approx. weight	18kg
Maximum Load	50kg
Height adjustable	
Rotation Adjustable	
Wheels	Ø75

[Læs mere](#)

**SKU:** 308680035



## HEIGHT ADJUSTABLE ROLLER TABLE - 600X500MM - 2092900090

Flexible height-adjustable roller table with manual height adjustment and Tente castors. Ideal for internal transportation, assembly and storage with varying needs.

Sizes	600x500mm
approx. weight	15kg
Maximum Load	100kg
Table top	15 mm birch plywood film/film

Height adjustable  
Wheels

Ø75 - 2 w/brakes, 2  
un/brakes

[Læs mere](#)

**SKU:** 2092900090



## PARCEL TROLLEY WITH GRID - ROBUST AND SAFE TRANSPORTATION

Solid parcel trolley with grid - robust and mobile solution for safe transportation of parcels and goods in warehouse and logistics environments.

Sizes	1055x600x540mm
approx. weight	50kg
Maximum Load	300kg
Base plate	15 mm birch plywood film/film
Wheels	Ø200

[Læs mere](#)

SKU: N/A



## LARGE SHEET METAL TROLLEY - 2000X800X1200 MM

Robust large sheet metal trolley - 2000x800x1200 mm in heavy-duty steel for safe transportation of large sheets and items. The trolley has Ø160 wheels, a weight of approx. 180 kg and a maximum load of 400 kg, providing stable and efficient material handling in both production and storage.

Sizes	2000x800x1200mm
approx. weight	180kg
Maximum Load	400kg
Wheels	Ø160

[Læs mere](#)

SKU: N/A



## ROLLING TABLE WITH 2 SHELVES - 080R11 - MODEL 1

Robust standard trolley 900x550x900 mm with 2 shelves. Ideal for warehouse, production and logistics - mobile solution for efficient transportation and storage.

Sizes	500x400x900 mm, 1200x600x900 mm, 900x550x900 mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100, Ø75

[Læs mere](#)

**SKU:** 080R11

# STOCK ITEMS

## PALLET TRUCK

Introducing our Pallet Truck 1200x870 Special - a durable and reliable solution designed specifically for efficient pallet picking in pallet racking.

Product specifications:

- Durable steel construction: Solid design to withstand the strain of daily pallet picking.
- Size: Optimal size of...

[Læs mere](#)

**SKU:** N/A



# PRODUCTION & ASSEMBLY



## SMALL EXTRACTION TABLE - 650X450X900 MM

Compact small extraction table - 650x450x900mm with strong steel construction and efficient extraction. Suitable for precision work and small assembly tasks where clean air and ergonomics are in focus. With a working height of 900 mm and a weight of 24 kg, the table provides stability and...

Sizes	650x450x900mm
approx. weight	24kg
Maximum Load	100kg
Table top	20x30 birch slats
Wheels	Ø75

[Læs mere](#)

**SKU:** 403003001



## STORAGE TROLLEY WITH ADJUSTABLE SHELF - ROBUST AND FLEXIBLE SOLUTION

Robust storage trolley with adjustable shelf - flexible solution that can also function as a universal trolley, parcel trolley or roller trolley in warehouse and production.

Sizes	1270x660mm
approx. weight	40kg
Maximum Load	300kg
Height to 1st shelf	250mm
Height to 2nd shelf	750-900mm
Shelf plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## HEIGHT ADJUSTABLE TABLE - 1200X600MM - DUO-LET 3070

Height adjustable table - 1200x600 mm. Compact and ergonomic workbench with electric height adjustment. Solid steel construction with 2 DL6 lifting columns, 200 kg lifting capacity and weight 60 kg. Ideal as a workstation in assembly, workshop and production.

Sizes	1200x600mm
approx. weight	60kg
Lifting capacity	200kg
Lifting columns	2 pcs DL6 – 650 slg.

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 2100X1000 MM - ERG-O- LIFT 300

This height adjustable table with tilt function in size 2100x1000 mm is a powerful, ergonomic workstation designed for heavy industrial processes, assembly, production and workshop tasks. The table is built to optimize the working environment and reduce physical strain - even when handling heavy...

Sizes	2100x1000x700-1000mm
approx. weight	150kg
Lifting capacity	400kg
Table top	15 mm birch plywood film/film
Vip function	2 separate tilt functions
Maksimal vippekapacitet	200 kg. per tilt actuator

[Læs mere](#)

SKU: N/A

## HEIGHT ADJUSTABLE TABLE - ERG-O-LITE




Sizes	1600x800mm, 1800x800mm, 2000x800mm
approx. weight Table top	46 kg Laminate worktop 22mm (ABS Edge)
Lifting capacity Lifting columns	160 kg 2 pcs DL6 – 650 slg.

[Læs mere](#)

**SKU:** 0202000050-1

## PALLET TRUCK



Introducing our Pallet Truck 1200x870 Special - a durable and reliable solution designed specifically for efficient pallet picking in pallet racking.

Product specifications:

- Durable steel construction: Solid design to withstand the strain of daily pallet picking.
- Size: Optimal size of...

[Læs mere](#)

**SKU:** N/A



## ERGONOMIC LIFT TABLE ERG-O-LIFT 300 SINGLE | ELECTRIC ASSEMBLY TABLE

Ergonomic lifting table with 300 kg capacity and electric height adjustment. Ideal for assembly and production. Get a quote for ERGO-Lift 300 Single!

Sizes	600/1200x600x800 mm
approx. weight	70kg
Lifting capacity	200kg
Table top	16 mm MDF with grooved rubber mat glued on - 1 piece 600x600 mm, 2 pieces 600x300 mm
Foldable	pages
Battery pack	Included
Lifting columns	1 DL2 - 500 pcs.
Wheels	Ø100

[Læs mere](#)

**SKU:** 102300002



## SMALL MESH CAGE - 900X1200MM

Compact small mesh cage - 900x1200 mm with robust steel frame, dead weight 112 kg and maximum load 480 kg. Ideal as a mesh cage, transport cage or waste cage in warehouses and logistics.

Sizes	900x1200mm
approx. weight	112kg
Maximum Load	480kg

[Læs mere](#)

**SKU:** N/A



## EXTRACTION TABLE ON WHEELS - 2500X800X900 MM

Flexible extraction table on wheels - 2500x800x900mm, ideal for production and workshops. With a weight of 100 kg, wheels Ø160 and heavy-duty steel construction, the table functions as an extraction workbench that effectively removes dust and particles directly at source. A mobile extraction...

Sizes	2500x800x900mm
approx. weight	100kg
Table top	20x30 birch slats
Wheels	Ø160

[Læs mere](#)

**SKU:** S110435



## STORAGE RACK ON WHEELS - 1250X800X1700 MM

Robust storage rack on wheels - 1250x800x1700 mm with 4 shelves and a maximum load of 250 kg. The 4 Tente wheels provide easy and stable maneuvering. Ideal for warehouse, production and internal transportation where flexibility and order are essential.

Sizes	1250x800x1700mm
approx. weight	100kg
Maximum Load	250kg
Table top	15 mm birch plywood film/film

[Læs mere](#)

**SKU:** N/A



## FLOOR MOUNT FOR LINER STAND

Sizes	1400mm
approx. weight	12.3kg
Maximum Load	200kg

[Læs mere](#)

**SKU:** N/A




## STORAGE RACK WITH 4 SHELVES - 900X555X1500MM

Mobile storage rack on wheels - 900x555x1500 mm with 4 shelves, weight approx. 30 kg and maximum load 200 kg. Equipped with sturdy TENTE wheels for easy maneuverability and flexible internal storage.

Sizes	900x555x1500mm
approx. weight	30kg
Maximum Load	200kg
Wheels	Ø100

[Læs mere](#)


**SKU:** N/A



## UNWINDER FRAME

[Læs mere](#)

SKU: N/A



## ROLLSTAND FLEX SINGLE

Rollstand Flex Single is a flexible roller stand for handling plastic drums and similar in assembly areas. Its adjustable design ensures optimal adaptation to different tasks.

[Læs mere](#)

SKU: 3086800140



## LIFT TABLE WITH TILT - LIFT-O-LET 120 SPECIAL | ERGONOMICS & ADJUSTABLE DESIGN

Lift-O-Let 120 Special with tilt and lift function, 120 kg capacity. Optimize working height and ergonomics. Get a non-binding offer!

Sizes	1200x800mm
approx. weight	40kg
Lifting capacity	120kg
Table top	15 mm birch plywood film/film

[Læs mere](#)

SKU: N/A



## STORAGE RACK FOR LARGE ITEMS - EFFICIENT AND SPACE-SAVING SOLUTION

Practical storage rack for large items - an efficient and space-saving solution for safe storage and transportation in production, warehouses and workshops.

Sizes	1600x900x1800mm
approx. weight	80kg
Maximum Load	200kg
Shelf plate	16mm melamine
Wheels	Ø160

[Læs mere](#)

SKU: N/A

## LINE STAND

[Læs mere](#)

SKU: N/A



## 2-COMPARTMENT ROLL CONTAINER - FLEXIBLE AND MANAGEABLE STORAGE

Clear 2-compartment roll container with no door - ideal for warehousing, logistics or production. Available in any RAL color and custom sizes.

Sizes	1200x800x1750mm
approx. weight	75kg
Maximum Load	300kg
Wheels	Ø160

[Læs mere](#)

SKU: N/A



## WORKBENCH / QA STATION

Stable workbench for production

Product specifications:

Dimensions: 1600x800x800 mm  
Table top: 24 mm grey laminate top  
Shelf top: 10 mm grey melamine board  
Powder coating: Optional RAL color

Accessories:

Rear column system  
Buffer aria  
Tool board  
Overshelf  
Steel shelf  
...

Sizes	1600x800x800mm
approx. weight	266kg
Maximum Load	400kg
Shelf plate	10mm melamine
Table top	24mm laminate

[Læs mere](#)

**SKU:** 1200000117



## ROLLING TABLE WITH PUSH BAR - 080R11 - MODEL 2

Robust long trolley with push bar - 1500x800x900 mm. Perfect for internal transportation and storage. Equipped with durable Tente wheels.

Sizes	1200x600x875mm, 500x400x850mm, 900x550x875mm
approx. weight	25kg
Maximum Load	200kg
Height to 1st shelf	185mm
Height to 2nd shelf	845mm
Shelf plate	16mm melamine
Wheels	Ø100, Ø75

[Læs mere](#)

**SKU:** 080r11-2



## ROLLING TABLE WITH LOOP EDGE - 900X550X900 MM - 084R15M

Practical rolling table with looped edge - 900x550x900 mm. Three stable shelves and secure Tente wheels make it ideal for transportation and storage.

Sizes	900x550x900mm
approx. weight	38kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	545mm
Height to 3rd shelf	900mm
Wheels	Ø100
Shelf plate	16mm melamine

[Læs mere](#)

SKU: N/A



## HEIGHT ADJUSTABLE TABLE WITH TILT FUNCTION - 900X600MM - DUO-LET 3070

Height adjustable table with tilt function - 900x600x720-1370 mm. Electric height and tilt-adjustable workbench for assembly and precision work. Robust construction with lifting capacity of 50 kg and weight approx. 40 kg. Ideal as an assembly table, electrical panel table or workstation in...

Sizes	900x600x720-1370mm
approx. weight	40kg
Lifting capacity	50kg
Wheels	Ø100
Vip function	up to 42°
Maksimal vippekapacitet	50 kg

[Læs mere](#)

SKU: N/A



## ROLLING TABLE WITH 3 SHELVES - 1000X500X1000MM - 088R20

Functional rolling table with 3 shelves and integrated push bar. Equipped with durable Tente wheels for safe and easy transportation.

Sizes	1000x500x1000mm
approx. weight	27kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	545mm
Height to 3rd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** 088R20

**Price:** from 2.985,00 kr.



## HEIGHT-ADJUSTABLE WASTE RACK WITH LID - MODEL 4

Practical waste rack with lid - 440x420x630-900 mm, weight approx. 11 kg and equipped with wheels Ø75 for flexible placement. Ideal for hygienic waste management in production, institutions and warehouses.

Sizes	440x420x630-900mm
approx. weight	11kg
Maximum Load	30kg
Wheels	Ø75
Low	

[Læs mere](#)

**SKU:** 1804099003-4

**Price:** from 1.245,00 kr.



## ROLLING TABLE WITH LOOP EDGE - 089R21S

Rolling table with loop edge and 2 shelves - ideal for internal transportation and storage in production and warehouse environments.

Sizes	1000x600x1010mm, 700x500x1010mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	710mm
Shelf plate	16mm melamine
Wheels	Ø100

[Læs mere](#)

**SKU:** 089R21S



## WASTE RACK WITH PEDAL - 440X420X630MM

Compact waste rack with pedal - 440x420x630 mm, weight 12 kg. Solid steel construction with non-contact pedal operation for better hygiene in production, workshops and institutions.

Sizes	440x420x630mm
approx. weight	12kg
Maximum Load	30kg
Wheels	Ø75 and Pedal

[Læs mere](#)

**SKU:** N/A

## EXTRACTION TABLE WITH HEIGHT ADJUSTMENT - ERGO-LIFT 300



Ergonomic extraction table with height adjustment - 2500x800 mm, with electric height adjustment and 400 kg capacity. Weight 135 kg, double lifting column construction DL2-500 - ideal for production and assembly with clean air and ergonomic requirements.

Sizes	2500x800mm
approx. weight	135kg
Lifting capacity	400kg
Lifting columns	2 pcs DL2 - 500 pcs (raise/lower)
Table top	20x30 birch slats

[Læs mere](#)

**SKU:** 1003000037

## A-FRAME ON WHEELS - 1500X1100X2050MM



This A-Frame on wheels - 1500x1100x2050 mm is designed for safe and efficient handling of switchboards, panels and large flat items. The stand is robustly constructed and designed specifically for switchboard assembly, but it is also suitable for a wide range of other environments where heavy or...

Sizes	1500x1100x2050mm
approx. weight	50kg
Maximum Load	100kg. per plate
Shelf plate	4x 18 mm birch plywood film/film
Wheels	4 swivels with brakes

[Læs mere](#)

**SKU:** 3086810002

**Price:** from 9.445,00 kr.



## BRANCH RACK ON WHEELS - 1300X950X1700 MM

Robust branch rack on wheels - double-sided and mobile solution for storing pipes, profiles and moldings with good access and structure.

Sizes	1300x950x1700mm
approx. weight	40kg
Maximum Load	300kg
Forks	Ø19x470mm
Wheels	4 pcs Tente PVR wheels Ø125 swivel
Distance between branches	100mm C/C
Branch target	Ø19x470mm

[Læs mere](#)

**SKU:** 1702000002



## LIFTING PLATFORM - LIFT- O-LET 390 | ROBUST & ERGONOMIC

Efficient lifting platform with 200 kg capacity, adjustable height (120-480 mm) and mobile 55 kg construction. Optimizes ergonomics and workflow.

Sizes	1200x800x120-480mm
approx. weight	55kg
Lifting capacity	200kg

[Læs mere](#)

**SKU:** N/A



## LARGE SHEET METAL TROLLEY - 2000X800X1200 MM

Robust large sheet metal trolley - 2000x800x1200 mm in heavy-duty steel for safe transportation of large sheets and items. The trolley has Ø160 wheels, a weight of approx. 180 kg and a maximum load of 400 kg, providing stable and efficient material handling in both production and storage.

Sizes	2000x800x1200mm
approx. weight	180kg
Maximum Load	400kg
Wheels	Ø160

[Læs mere](#)

SKU: N/A



## PLATE TROLLEY WITH ROLLERS - 1200X800X442MM

Efficient sheet metal trolley with rollers - 1200x800x442 mm, weight approx. 70 kg, with front-mounted roller rail and ball rollers. Maximum load 400 kg evenly distributed. Ideal for internal transportation and assembly in production and warehouses.

Sizes	1200x800x442mm
approx. weight	approx. 70kg
Maximum Load	400kg
Wheels	Ø100
Kugle ruller	
Roller rails	

[Læs mere](#)

SKU: S110438



## HEIGHT ADJUSTABLE ROLLER TABLE - 600X500MM - 2092900090

Flexible height-adjustable roller table with manual height adjustment and Tente castors. Ideal for internal transportation, assembly and storage with varying needs.

Sizes	600x500mm
approx. weight	15kg
Maximum Load	100kg
Table top	15 mm birch plywood film/film
Height adjustable	
Wheels	Ø75 - 2 w/brakes, 2 un/brakes

[Læs mere](#)

**SKU:** 2092900090



## TOOL TROLLEY WITH LIFTING BENCH - 1000X750X975-1675MM

Raised tool trolley made of stainless steel with roller rails and plastic table top. Designed for demanding and hygiene-sensitive environments where precision, cleanability and flexibility are essential.

Sizes	1000x750x975-1675mm
approx. weight	225kg
Lifting capacity	1000kg
Wheels	Extra strong
Battery pack	with controls
Table top	50 mm PE-HD sheet, with tool slots.

Roller rails	
Electric propulsion	X

[Læs mere](#)

**SKU:** S110200-1-1



## ROLLING TABLE WITH 2 SHELVES - 080R11 - MODEL 1

Robust standard trolley 900x550x900 mm with 2 shelves. Ideal for warehouse, production and logistics - mobile solution for efficient transportation and storage.

Sizes	500x400x900 mm, 1200x600x900 mm, 900x550x900 mm
approx. weight	20kg
Maximum Load	200kg
Height to 1st shelf	210mm
Height to 2nd shelf	900mm
Shelf plate	16mm melamine
Wheels	Ø100, Ø75

[Læs mere](#)

**SKU:** 080R11

# HEALTHCARE SECTOR



## 85 LITER TUB CART - ROBUST & MOBILE TRANSPORT SOLUTION

Efficient 85 liter trolley with robust plastic tub and mobile construction - perfect for hygienic handling in laundries, healthcare and institutions.

Sizes	650x500x960mm
approx. weight	14kg
Maximum Load	100kg
Wheels	Ø75

[Læs mere](#)

**SKU:** 090200300



## CATAFALQUE 2080X700X500-900MM

A JAS catafalque is designed for dignified, safe and stable coffin handling. The 2080x700x500-900mm model combines functional design, high quality and adjustable working height - ideal as both a coffin trolley and a catafalque trolley in professional settings.

Sizes	2080x700x500-900mm
approx. weight	150kg
Lifting capacity	275kg
Roller rails	5x Ø60 roller rails
Wheels	Ø125

[Læs mere](#)

**SKU:** 1009000002



## STAINLESS STEEL LIFTING TABLE - 500X600 MM

Compact lifting table - 500x600 mm with electric height adjustment. Ideal as a work table or "toilet table", with robust construction and precise height adjustment in production and assembly.

Sizes	
approx. weight	42kg
Lifting capacity	200kg
Lifting columns	
Wheels	Ø100

[Læs mere](#)

SKU: N/A



## LIFTING TABLE - 1100X600 MM

Robust lifting table - 1100x600 mm with electric raise/lower function. With a weight of 25 kg and lifting capacity of 50 kg, with Ø75 wheels and 10 mm compact laminate tabletop - ideal for medical and industrial applications.

Sizes	1100x600mm
approx. weight	25kg
Lifting capacity	50kg
Battery pack	with controls
Table top	10mm compact laminate
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## PUSH TROLLEY WITH PUSH BAR - ROBUST AND MOBILE TRANSPORTATION

Bucket trolley with push handle - ergonomic and easy-to-maneuver 1-bucket solution, perfect for efficient transportation in institutions and laundries.

Sizes	850x470x800mm
approx. weight	15kg
Maximum Load	100kg
Ball	800x530x300mm
Wheels	Ø100

[Læs mere](#)

**SKU:** 066B1-800



## STAINLESS STEEL ROLLER TABLE - 900X550 MM

Sizes	900x550mm
approx. weight	38kg
Maximum Load	200kg
Wheels	Ø100
Suitable for the food industry	✓

[Læs mere](#)

**SKU:** N/A



## STAINLESS STEEL HEIGHT ADJUSTABLE TABLE ON CASTORS - 1500X600 MM - ERG-O-LET 312 - IPX6

Sizes	1500x600x700-1000mm
approx. weight	75kg
Lifting capacity	275kg
Wheels	Ø125
Suitable for the food industry	✓

[Læs mere](#)

SKU: N/A



## STAINLESS STEEL SHELF TROLLEY

[Læs mere](#)

SKU: N/A



## STAINLESS STEEL WASTE RACK

Sizes 440x420x630-900mm  
approx. weight  
Wheels 4pcs Ø75 w/brakes

[Læs mere](#)

**SKU:** 1804099075



## PICKING TROLLEY WITH HEIGHT ADJUSTMENT - 950X500X1300 MM

Ergonomic picking trolley with height adjustment - 950x500x1300 mm, suitable for efficient picking and logistics work. The trolley weighs 26 kg, has a maximum load of 75 kg and is equipped with TENTE wheels Ø100 for a stable and smooth ride.

Sizes 950x500x1300mm  
approx. weight 26kg  
Maximum Load 75kg  
Tray 300x400x200mm  
Wheels Ø100

[Læs mere](#)

**SKU:** 087R15

# TEXTILE INDUSTRY



## BASKET TROLLEY WITH 15 BASKETS - 1440X600X1750MM

Slim basket trolley for sorting clothes with spacious baskets and mobile construction. The trolley's steel frame and Ø75 wheels ensure easy movement and convenient sorting in production and laundry.

Sizes	1440x600x1750mm
approx. weight	75kg
Maximum Load	200kg
Curves	15pcs.
Wheels	Ø100

[Læs mere](#)

**SKU:** S110200



## ERGONOMIC TEXTILE CART - 600X390X770-1070MM

Ergonomic textile trolley in solid steel construction with grid design and open sides. The trolley has smooth-running Tente wheels Ø125, providing high stability and easy maneuverability in packaging, textile and production environments.

Sizes	600x390x770-1070mm
approx. weight	10kg
Maximum Load	75kg
Bottom shelf	150mm from floor
Top shelf	470mm from floor
Wheels	Ø75

[Læs mere](#)

**SKU:** N/A



## TEXTILE TROLLEY W/ ADJUSTABLE COMPARTMENT DIVIDER

[Læs mere](#)

SKU: N/A



## HANGER RACK WITH 3 HANGER BARS - 2000X1900X500MM

Hanger rack with 3 hanger bars - 2000x1900x500 mm. Robust construction in powder-coated steel, weight 25 kg, wheels Ø75 and load 100 kg per hanger bar. Ideal for maximum hanging capacity in wardrobes, storage or event areas.

Sizes	2000x1900x500mm
approx. weight	25kg
Maximum Load	100kg. per hanger bar
Hanger bar	3 pcs. Ø30x2
Wheels	Ø75

[Læs mere](#)

SKU: 1804003002



## HANGER RACK WITH REMOVABLE RODS - 2000X500X1900MM

Hanger rack with removable bars - 2000x500x1900 mm. Robust powder-coated steel frame with 3 removable hanger bars  $\text{\O}30\times 2$ , wheels  $\text{\O}75$ , weight 15 kg and max. load 100 kg per hanger bar. Mobile, flexible solution for storage and presentation.

Sizes	2000x1900x500mm
approx. weight	15kg
Maximum Load	100kg. per hanger bar
Hanger bar	3 pcs. $\text{\O}30\times 2$
Wheels	$\text{\O}75$

[Læs mere](#)

**SKU:** 1804003003



## 85 LITER TUB CART - ROBUST & MOBILE TRANSPORT SOLUTION

Efficient 85 liter trolley with robust plastic tub and mobile construction - perfect for hygienic handling in laundries, healthcare and institutions.

Sizes	650x500x960mm
approx. weight	14kg
Maximum Load	100kg
Wheels	$\text{\O}75$

[Læs mere](#)

**SKU:** 090200300



## TEXTILE TROLLEY SMALL

Product description:

Introducing our efficient Small Textile Cart with Countertop, a practical and stylish solution for sorting clothes in a wide range of environments. With a focus on functionality and durability, this trolley is designed to optimize the laundry sorting process and bring order...

Sizes	470x390x900mm
approx. weight	20kg
Maximum Load	100kg
Shelf plate	18mm laminate board
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## GRID RACK - 1500×700×2000 MM

Solid grid stand - 1500×700×2000 mm, weight 45 kg and maximum load 200 kg. Equipped with wheels Ø75 and spot welded mesh 50×50×5 mm - ideal for presentation and visual storage.

Sizes	1500x700x2000mm
approx. weight	45kg
Maximum Load	200kg
Wheels	Ø75

[Læs mere](#)

SKU: N/A



## HEIGHT-ADJUSTABLE WASTE RACK WITH LID - MODEL 4

Practical waste rack with lid - 440x420x630-900 mm, weight approx. 11 kg and equipped with wheels Ø75 for flexible placement. Ideal for hygienic waste management in production, institutions and warehouses.

Sizes	440x420x630-900mm
approx. weight	11kg
Maximum Load	30kg
Wheels	Ø75
Low	

[Læs mere](#)

**SKU:** 1804099003-4

**Price:** from 1.245,00 kr.



## WASTE RACK WITH PEDAL - 440X420X630MM

Compact waste rack with pedal - 440x420x630 mm, weight 12 kg. Solid steel construction with non-contact pedal operation for better hygiene in production, workshops and institutions.

Sizes	440x420x630mm
approx. weight	12kg
Maximum Load	30kg
Wheels	Ø75
Low	and Pedal

[Læs mere](#)

**SKU:** N/A



## HANGER RACK ON WHEELS WITH 2 HANGER RODS - MODEL 4

This hanger rack on wheels with 2 hanger bars (Model 4) is a mobile and high-capacity solution for professional hanging, sorting and internal transportation of clothes. The rack functions as both a clothing rack and a clothes rack, and with two Ø30 hanger rods you get double hanging space...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	10.5kg
Maximum Load	100kg. per hanger bar
Hanger bar	2x Ø30x2
Wheels	Ø100

[Læs mere](#)

**SKU:** 18040030014



## HANGER RACK ON WHEELS - MODEL 2

This hanging rack on wheels (Model 2) is a mobile and robust solution for hanging clothes in stores, warehouses, showrooms and packing areas. The rack functions as both a garment rack and clothing rack and is ideal when clothes need to be moved frequently between zones, collections or...

Sizes	1500x500x1600mm, 2000x500x1600mm
approx. weight	9kg
Maximum Load	100kg. per hanger bar
Hanger bar	Ø30
Wheels	Ø100

[Læs mere](#)

**SKU:** 1804003001

# TRANSPORTATION



## LARGE ROLL CONTAINER - HIGH CAPACITY AND HEAVY-DUTY CONSTRUCTION

Heavy-duty large roll container - designed with large capacity for warehouse or logistics with volume and durability requirements. Available in optional RAL colors and custom sizes.

Sizes	1200x600x1850mm
approx. weight	100kg
Maximum Load	300kg
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A



## CONTAINER TROLLEY WITH FOLDING DOOR

Sizes	1200x600x1850mm
approx. weight	65kg
Maximum Load	200kg
Base plate	15 mm birch plywood film/film
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## OPEN-FRONT ROLL CONTAINER - FLEXIBLE TRANSPORTATION

Robust roll container with open front - ideal solution for easy access, transportation and efficient inventory management.

Sizes	700x1200x1600mm
approx. weight	85kg
Base plate	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## PALLET TRUCK

Introducing our Pallet Truck 1200x870 Special - a durable and reliable solution designed specifically for efficient pallet picking in pallet racking.

Product specifications:

- Durable steel construction: Solid design to withstand the strain of daily pallet picking.
- Size: Optimal size of...

[Læs mere](#)

**SKU:** N/A



## SMALL MESH CAGE - 900X1200MM

Compact small mesh cage - 900x1200 mm with robust steel frame, dead weight 112 kg and maximum load 480 kg. Ideal as a mesh cage, transport cage or waste cage in warehouses and logistics.

Sizes	900x1200mm
approx. weight	112kg
Maximum Load	480kg

[Læs mere](#)

**SKU:** N/A



## 2-COMPARTMENT ROLL CONTAINER - FLEXIBLE AND MANAGEABLE STORAGE

Clear 2-compartment roll container with no door - ideal for warehousing, logistics or production. Available in any RAL color and custom sizes.

Sizes	1200x800x1750mm
approx. weight	75kg
Maximum Load	300kg
Wheels	Ø160

[Læs mere](#)

**SKU:** N/A



## SMALL ROLL CONTAINER - MOBILE AND COMPACT STORAGE SOLUTION

Compact small roll container with wheels - ideal for small goods and efficient storage in warehouses and production. Available in any RAL color and custom dimensions.

Sizes	320x320x680mm
approx. weight	15kg
Maximum Load	100kg
Wheels	Ø50

[Læs mere](#)

SKU: N/A



## LOADER WAGON - 1200X600X400MM

Heavy-duty trolley - 1200x600x400mm with 15 mm birch plywood platform and comfortable Ø260 pneumatic wheels. The trolley weighs approx. 40 kg and can handle a load of up to 500 kg - ideal for internal transportation of heavy items.

Sizes	1200x600x400mm
approx. weight	40kg
Maximum Load	500kg
Base plate	15 mm birch plywood film/film
Wheels	Ø260

[Læs mere](#)

SKU: N/A



## PICKING CART WITH 9 COMPARTMENTS - 1080X450X1400 MM

Robust picking cart with 9 compartments - 1080x450x1400 mm, designed for efficient and structured picking and transportation tasks. The weight is 50 kg, max load 150 kg and it has Ø100 wheels for easy maneuvering.

Sizes	1080x450x1400mm
approx. weight	50kg
Maximum Load	150kg
Base plate	15 mm birch plywood film/film
Wheels	Ø100

[Læs mere](#)

SKU: N/A

---

## CARGO TRAILER - HARBOR TRAILER

[Læs mere](#)

SKU: N/A





## CART FOR CARDBOARD - 600X400X940MM

Functional cardboard cart - ideal for internal transportation and handling of cardboard packaging in production and warehouses. Robust steel construction with Ø125 wheels ensures easy maneuverability and high stability, even with heavy loads.

Sizes	600x400x940mm
approx. weight	20kg
Maximum Load	200kg
Wheels	Ø100

[Læs mere](#)

**SKU:** N/A



## DOUBLE-SIDED SHEET METAL TROLLEY - 1270X800X1200MM

Robust double-sided sheet metal trolley - designed for safe transportation of sheets with access from both sides, ideal for space-saving work and flexible handling.

Sizes	1270x800x1200mm
approx. weight	90kg
Maximum Load	500kg
Wheels	Ø160

[Læs mere](#)

**SKU:** 2041020003

**Price:** from 9.745,00 kr.

## TRANSPORT CAGE 1300X1220X840MM



This 1300x1220x840 mm transport cage is designed for safe, structured and efficient handling of gas cylinders and other heavy materials in industry, warehouses and logistics. The cage is dimensioned for 11 kg gas cylinders and can hold up to 16 cylinders at a time. The construction is made of...

Sizes	1300x1220x840mm
approx. weight	75kg
Maximum Load	1000kg
Stabling	Designed to be stackable and stable during transportation

[Læs mere](#)

SKU: N/A



## GAS CAGE - 1310X1220X1950 MM

Stable gas cage - 1310x1220x1950 mm designed for safe transportation of gas cylinders. Holds up to 32 10 kg gas cylinders, ideal for industrial use, storage and transportation.

Sizes	1310x1220x1950mm
approx. weight	210kg
Maximum Load	1000kg
Aluminum boom	2

[Læs mere](#)

SKU: N/A



## ROLL CONTAINER WITH FOLD-DOWN FRONT - FLEXIBLE STORAGE SOLUTION

Robust roll container with fold-down front - mobile and efficient storage solution that ensures easy access, fast operation and safe transportation.

Sizes	1200x600x1400mm
approx. weight	55kg
Maximum Load	200kg
Wheels	Ø100
Base plate	16mm melamine
Foldable	Front

[Læs mere](#)

SKU: N/A



## LARGE SHEET METAL TROLLEY - 2000X800X1200 MM

Robust large sheet metal trolley - 2000x800x1200 mm in heavy-duty steel for safe transportation of large sheets and items. The trolley has Ø160 wheels, a weight of approx. 180 kg and a maximum load of 400 kg, providing stable and efficient material handling in both production and storage.

Sizes	2000x800x1200mm
approx. weight	180kg
Maximum Load	400kg
Wheels	Ø160

[Læs mere](#)

SKU: N/A



## MESH CAGE WITH FOLDABLE SIDE - 900X1200MM

Practical grid cage with foldable side - 900x1200 mm, made of robust steel and ideal as a transport cage, waste cage or sorting cage. Perfect for efficient and safe handling in production, storage and recycling.

Sizes	900x1200mm
approx. weight	160kg
Maximum Load	480kg
Foldable	Shelf
Wheels	Ø125

[Læs mere](#)

**SKU:** N/A

# INDEX

## 1

1-step stepladder with hanger handle 261, 337

## 2

2-compartment roll container - flexible and manageable storage 171, 180, 342, 360, 386

2-sided Screen wall on wheels - 1800x2000mm 129, 149

20x3 flat steel S275JR 284

20x6 flat steel S275JR 287

25x25x2 square tube steel profile pipe - EN10305-5 305

## 3

30x20x1.5 square tube precision steel tube 308, 311

30x30 Pipe leg B44-3030 Plastic plug black 298

30x30 Pipe leg plastic plug black B44 dupsko 293

30x30x1.5 square tube precision steel tube 306

30x30x2 square tube precision steel tube 299

30x30x2 square tube steel profile tube 308

30x30x3 square tube hollow profile cold formed 301

30x50x3 square tube hollow profile cold formed 303

30x6 flat steel S275JR 276

## 4

40x20x1.5 square tube precision steel tube 287

40x40x2 square tube precision steel tube EN10305 290

## 5

50x30 1 Pipe leg plastic plug black B46 dupsko 303

50x30x2 square tube precision steel tube 316

50x50x1.5 square tube precision steel tube decapped 279

## 8

80x6 flat steel S275JR 313

85 Liter Tub Cart - Robust & Mobile Transport Solution 84, 98, 371, 379

## A

A-frame on wheels - 1500x1100x2050mm 6, 133, 139, 324, 365

A-frame with overhang - 1500x1100x2050 mm 123, 138, 320, 337

A-frame with removable shelves - 2000x800x2050mm 127, 138, 322, 335

Aluminum rail guide for raise/lower - left 203, 227

## B

B100000 bottom shelf 1600x750x18 316

B100000 worktop 1600x800x24 light gray 314

Back bar gray - 1446x25x50x2 mm R7004 208, 244

Balance block for C-profile 0.6-1.5 kg 206, 243

Base plate stainless steel 1.5x606x856mm laser cut 280

Basket trolley with 15 baskets - 1440x600x1750mm 76, 117, 377

Battery 12V/97A MK1297 Gel 205

Battery cable 200 mm 2 pole connector Linak 221  
Battery cable 200 Plug with 2-pin connector Linak 187  
Battery picking cart - 1220x600x1050 mm 81, 112, 331  
Birch plywood Wire/film 2500x1250x15mm carriage base plate 310  
Bluetooth operation 214  
Branch rack on wheels - 1000x600x1500mm 124, 157  
Branch rack on wheels - 1300x950x1700 mm 133, 157, 366

## C

C-profile rail suspension rail 1990 mm R7004 189, 252  
Cable trolley with base plate 79, 100, 319  
Cargo trailer - Harbor trailer 79, 104, 388  
Cart for cardboard - 600x400x940mm 82, 106, 330, 389  
Cat for C-profile 22mm - double wheel 211, 245  
Cat for C-profile 22mm - single wheel 213, 246  
Catafalque 2080x700x500-900mm 84, 102, 371  
Catafalque apron 2080x700 288  
Clip holder for paper - for whiteboard 220, 249  
Container trolley with folding door 170, 179, 384  
Control box Linak CBD6S 2 channels 200W 207, 227  
Control BP 10TV Linak Bluetooth w/2 references 218  
Control for Linak 1 ref. w/memory 185, 224  
Control for Linak up/down 2 ref. u/memory 202  
Control for Linak up/down DPF1K00 210, 228  
Control for Linak up/down waterproof TP1 203  
Curved bracket in 10mm plate 297  
Curved support plate for rollstand 307  
Curved U-profile for rollstand 305  
Cut bracket plate in 10mm 281

## D

Detail for package stand 5x20mm 302  
Device C13 plug w/ 2 m cord 230V power cable Linak 214, 233  
DL20184 Linak actuator DL2XXCA00500655 195, 231  
DL20370-00 Linak actuator DL27XCA00350505 193, 231  
Double cabinet with hinged doors 260, 336  
Double-sided sheet metal trolley - 1270x800x1200mm 83, 109, 389  
Drawer section 3x100mm top hung 281

## E

Ear tag cart - 1050x600x900mm 85, 93, 255, 260  
Edge strip black, clamping width of 1-2mm 276  
Erg-O-Lift 300 - Dual Vip 37, 59, 267, 320  
Erg-O-Lift 300 - Flex 42, 63, 264, 272, 324  
Erg-O-Lift 300 - Tilt & Castors - 1800x1000 mm 275  
Ergonomic Lift Table Erg-O-Lift 300 Single | Electric assembly table 40, 67, 268, 355  
Ergonomic Textile Cart - 600x390x770-1070mm 77, 117, 377  
Extraction table on wheels - 2500x800x900 mm 40, 73, 342, 356  
Extraction table with height adjustment - Erg-O-Lift 300 41, 74, 365

## F

Fee 294  
Floor mount for Liner Stand 120, 148, 357

Folder holder - 320x145x250 mm gray R7004 222, 250  
Furniture trolley with buckles - safe and robust transportation 80, 94, 328

## G

Gas cage - 1310x1220x1950 mm 173, 183, 390  
Grid rack - 1500x700x2000 mm 131, 147, 380

## H

Hand grip M8x30 Adjustable black 300  
Hand grip M8x30 black 313  
Hanger rack for drums - 1000x750x1065mm 126, 152, 341  
Hanger rack on style shoe - Model 1 10, 24, 136, 155  
Hanger rack on style shoe with 2 hanger bars - Model 3 9, 23, 135, 154  
Hanger rack on wheels - Model 2 9, 24, 135, 154, 382  
Hanger rack on wheels with 2 hanger rods - Model 4 8, 23, 134, 153, 382  
Hanger rack with 3 hanger bars - 2000x1900x500mm 122, 152, 334, 378  
Hanger rack with removable rods - 2000x500x1900mm 128, 153, 379  
Height adjustable roller table - 600x500mm - 2092900090 166, 346, 368  
Height adjustable table - 1200x600mm - Duo-Let 3070 39, 51, 268, 353  
Height adjustable table - Duo-Let 3070 38, 53  
Height adjustable table - Duo-let 3070 - Model 1 14, 21, 47, 57  
Height adjustable table - Duo-let 3070 - model 1 292  
Height adjustable table - Erg-O-Lift 300 - Model 1 39, 53  
Height adjustable table - Erg-O-Lite 3, 16, 32, 54, 354  
Height adjustable table with drawer - Duo-Let 3070 34, 55  
Height adjustable table with superstructure and drawer - Duo-Let 3070 33, 55  
Height adjustable table with tilt function - 1800x800 mm - Erg-O-Let 312 38, 60, 321  
Height adjustable table with tilt function - 2100x1000 mm - Erg-O-Lift 300 34, 61, 271, 322, 336, 353  
Height adjustable table with tilt function - 4000x750mm - Erg-O-Lift 300 32, 59, 319  
Height adjustable table with tilt function - 900x600mm - Duo-Let 3070 33, 60, 270, 321, 362  
Height adjustable table with tilt function - Erg-O-Let 312 - 1000x600mm 28, 61, 272  
Height adjustable table with tilt function - Erg-O-Lift 300 - 2100x1560mm 31, 62, 323  
Height adjustable table with wheels - 2400x750 mm - Erg-O-Let 310 41, 52, 269, 344  
Height-adjustable waste rack - Model 1 3, 131, 143  
Height-adjustable waste rack - Model 2 7, 134, 144  
Height-adjustable waste rack - Model 3 4, 120, 143  
Height-adjustable waste rack with lid - Model 4 6, 125, 141, 363, 381  
Hinge lock - Tongue 45x16x8 mm 189, 241  
Holder for up/down operation Linak 90gr 309

## K

Keg cart 87, 93, 340  
Keyboard and monitor holder with arm - for back column 196, 253  
Keyboard holder with arm - for back column 199, 240  
Knuckle shelf stainless steel 1.5mm laser cut 317

## L

LA31 250mm 12V Linak actuator 216, 229  
LA31 300mm 12V Linak actuator 188, 230  
LA31 400mm 12V Linak actuator vip 190, 230  
LA31 450mm 12V Linak actuator leg 185, 229  
Large roll container - high capacity and heavy-duty construction 169, 178, 384

Large sheet metal trolley - 2000x800x1200 mm 89, 109, 347, 367, 391  
Lift table with tilt - Lift-O-Let 120 Special | Ergonomics & Adjustable Design 30, 68, 270, 359  
Lifting platform - Lift-O-Let 390 | Robust & Ergonomic 42, 69, 273, 366  
Lifting table - 1100x600 mm 29, 68, 269, 372  
Linak actuator DL12 column 221, 224  
Linak Bluetooth dongle 198, 232  
Linak Lithium battery 2.15Ah/52Wh 24V DC 210, 232  
Linak Lithium battery 2.85 Ah 25.3-25.7V DC 186, 225  
Line stand 121, 148, 360  
Loader wagon - 1200x600x400mm 77, 104, 387  
Loose wheel Ø100 blue TPU 200  
Loose wheel Ø125/Ø8 gray TPE 208  
Lowering table with superstructure - Duo-Let 3070 - Model 2 13, 20, 46, 57  
Lowering table with superstructure - Duo-Let 3070 - Model 3 13, 20, 46, 56  
Lowering table with superstructure - Duo-Let 3070 - Model 4 12, 19, 45, 56  
Lowering table with superstructure - Erg-O-Lift 300 - Model 2 29, 51

## M

Machine shoe Ø55 black 33-D55M10x30 1 309  
Mesh cage with foldable side - 900x1200mm 174, 176, 392  
Miscellaneous purchased item 290  
Monitor holder with arm - for back column 201, 240  
Motor cable 0.2m Linak 188, 226  
Motor cable 0.5m Linak 200, 226  
Motor cable 1.0m Linak 212, 228  
Motor cable 1.55m Linak 195, 225  
Mounting bracket - Suspension arm for C-profile 217, 248  
Mounting bracket for lifting column Linak DL2 295  
Mounting kit M8 w/spring for rear column 215, 247  
Mounting plate for remote control w/magnet Linak 278  
Multifunctional ear tag cart 294

## N

Network cable 0.3m 8 pole RJ45 Linak 216, 233

## O

Open-front roll container - flexible transportation 170, 179, 385  
Open-sided roll container - flexible and easily accessible 169, 178, 329

## P

Packing rack on wheels - 600x500mm 121, 162, 332  
Packing station - 500x500mm 132, 162, 264, 346  
Packing table frame - robust and mobile workstation 36, 71, 344  
Packing table on wheels - flexible and robust work table 35, 71, 267, 343  
Pallet truck 333, 350, 354, 385  
Panel lift - 2100x1850mm - Erg-O-Lift 300 263  
Parcel trolley with grid - robust and safe transportation 90, 107, 347  
Pen holder - set 186, 251  
Perforated sheet 9x9mm holes 7% air 306  
Picking box 250x148x130 (DxWxH) gray 220, 249  
Picking box 300x115x100 (DxWxH) blue 222, 250  
Picking box 300x230x150 (DxWxH) gray 187, 251  
Picking cart with 6 compartments - 760x450x1400 mm 87, 113, 334

Picking cart with 9 compartments - 1080x450x1400 mm 78, 114, 340, 388  
Picking trolley with 4 shelves - 1270x660x1700 mm 83, 113  
Picking trolley with battery - 960x650 mm 91, 115  
Picking trolley with height adjustment - 950x500x1300 mm 88, 115, 265, 375  
Picking trolley with springs - 850x450x800 mm 76, 114, 339  
Plate 20mm 600x110mm 310, 317  
Plate 20mm 600x310mm 315  
Plate 2mm 555x325mm 304  
Plate 3mm 555x465 299  
Plate 5mm 75x75mm support 312  
Plate for position stop 285  
Plate for tilt with holes 5mm 284  
Plate in 10mm. 103x270mm 278  
Plate trolley with rollers - 1200x800x442mm 89, 110, 367  
Plug Ø36xM16-25 steel 235 oversize 196, 286  
POM roll with ball bearing 291, 296  
Positioning bolt without stop M12x1.5 thread 314  
Profile tube 25x25x1.5 stainless brushed 302  
Push trolley with push bar - robust and mobile transportation 81, 98, 373

## R

Reinforcement for pos stop 5x20mm 282  
Roll container with fold-down front - flexible storage solution 172, 181, 391  
Rolling table with 2 shelves - 080R11 - Model 1 7, 26, 167, 348, 369  
Rolling table with 3 shelves - 1000x500x1000mm - 088R20 4, 164, 330, 363  
Rolling table with loop edge - 089R21S 5, 165, 332, 364  
Rolling table with loop edge - 900x550x900 mm - 084R15M 164, 329, 362  
Rolling table with push bar - 080R11 - Model 2 165, 333, 361  
Rollstand complete - 1350 mm core 288  
Rollstand Flex 132, 150, 263, 345  
Rollstand Flex Single 125, 146, 358  
Round steel Ø8 stainless cold drawn ground 300  
Rubber stopper - Ø22x7 - black 192, 242

## S

Safety helmet rack - clear and robust storage 129, 146, 341  
Shaft Ø25 x 132mm 277  
Shelving trolley with 3 shelves - 1200x600x1450mm 86, 95  
Sit-to-stand table with tilt function - Erg-O-Let 310 - Model 1 12, 19, 45, 65  
Sit-to-stand table with tilt function - Erg-O-Let 310 - Model 2 11, 18, 44, 65, 325  
Sit-to-stand table with tilt function - Erg-O-Let 310 - Model 3 11, 18, 44, 64  
Sit-to-stand table with tilt function - Erg-O-Let 310 - Model 4 10, 17, 43, 64  
Sit-to-stand table with tilt function - Erg-O-Lift 300 - Model 1 8, 17, 43, 63, 273, 325  
Sit-to-stand table with tilt function - Erg-O-Lift 300 - Model 2 5, 16, 36, 62, 323  
Small extraction table - 650x450x900 mm 37, 73, 352  
Small mesh cage - 900x1200mm 172, 176, 355, 386  
Small picking cart - 650x500x960 mm 82, 112, 335  
Small roll container - mobile and compact storage solution 171, 180, 387  
Stackable reversible box 60x40x32cm 193  
Stainless steel height adjustable table - Erg-O-Let 310 - 1600x700 mm 30, 54, 257  
Stainless steel height adjustable table on castors - 1500x600 mm - Erg-O-Let 312 - IPX6 35, 52, 256, 374  
Stainless Steel Lifting Table - 500x600 mm 28, 67, 255, 372

Stainless steel plate 1.5x1000x2000mm 295  
Stainless steel plate 3x1000x2000mm 289  
Stainless steel plug for Tape/Liner Stand 282  
Stainless steel plug for Tape/Liner stand 285  
Stainless steel profile guide 1.5x25x25x600mm 292  
Stainless steel profile guide 1.5x25x25x608mm 286  
Stainless steel profile guide 1.5x25x50x100mm 283  
Stainless steel roller table - 900x550 mm 166, 256, 338, 373  
Stainless steel roller table with push bar - 600x400mm 283  
Stainless steel shelf trolley 85, 94, 257, 374  
Stainless steel shelving trolley 86, 95  
Stainless steel waste rack 130, 142, 258, 375  
Stair module / Ladder KIEFEL KMD 262, 345  
Stand for retractor 130, 147, 261, 343  
Steel shelf 670x300 mm R7004 213, 246  
Steel shelf 900x300 mm R7004 211, 245  
Steel shelf gray R7004 670x210 mm with end plates 194, 253  
Steel shelf gray R7004 900x210 mm with end plates 191, 252  
Storage rack for large items - efficient and space-saving solution 127, 160, 359  
Storage rack on wheels - 1250x800x1700 mm 123, 159, 338, 356  
Storage rack with 4 shelves - 900x555x1500mm 124, 159, 339, 357  
Storage trolley with adjustable shelf - robust and flexible solution 78, 106, 328, 352  
Studded wheels Ø125 directional/total brake 2044UAP125R36-32S30 2xM6 218  
Suspension arm 700 mm R7004 201, 241  
Suspension rail 670 mm R7004 206, 243  
Suspension rail 900 mm R7004 209, 244  
Swivel head M10x60 D10 B10 315

## T

Tape / Liner stand 279  
Tent wheels Ø100 UER 100x34-Ø12 - loose 198, 235  
Tent wheels Ø100 w/brakes 2477PJP100P30-11 205  
Tent wheels Ø160 fixed 3478UFP160P63 289  
Tent wheels Ø160 w/brakes 3470UFP160P63 209, 238  
Tent wheels Ø160 w/brakes 3477UFP160P63 202, 237  
Tent wheels Ø200 fixed 3478UFP200P63 204, 237  
Tent wheels Ø200 w/brakes 3477ITP200P63 191  
Tent Ø82 Novatech ETP 082x76-Ø20 HL83 wheels 192  
Tente wheels Ø125 w/brakes 3470PVR125P62 212  
Tente wheels Ø200 w/brakes 3470ITP200P63 197  
Tente wheels Ø200 w/brakes 3470UFP200P63 207, 238  
Tente wheels Ø50 w/brake 2475PI050P30-11 center mounted 194, 235  
Textile trolley - Large model 304  
Textile trolley Small 88, 118, 380  
Textile trolley w/ adjustable compartment divider 80, 118, 378  
Textile trolley with fold-down handle 275  
Threaded rod M6x1000 Stainless A2 312  
Threaded stud 20x20mm M8 thread 280  
Toggle bracket for shelf stainless. 165x305mm. Shelf bracket 297  
Tool board 480x670 mm R7024 217, 248  
Tool board 480x900 mm R7024 215, 247  
Tool board hook set 24 pieces 204, 242  
Tool board on wheels 128, 149, 271

Tool trolley with lifting bench - 1000x750x975-1675mm 90, 96, 258, 265, 368  
Top plate shelf stainless steel 1.5mm (consists of 2 parts) 277  
Transport cage 301  
Transport cage 1300x1220x840mm 173, 183, 390  
Trash rack on wheels - flexible and mobile solution 122, 141, 331  
Tub 85 liters white 80x55x33cm 296

## **U**

Unwinder Frame 262, 358

## **W**

Washer with holes Ø130x5mm 307  
Waste rack with pedal - 440x420x630mm 126, 142, 364, 381  
Wheel Ø100 w/brake and mounting plate 190  
Wire mesh Ø4 mesh c/c 50mm welded black steel 1500x3000 298  
Workbench / QA station 31, 49, 361  
Worktop 1200x650x18 w/ABS edge light gray 293  
Worktop 3000x1200x18 w/ABS edge light gray 311

## **Ø**

Ø150 - Swivel PNP (soft wheel) - Tente 2477 199, 236  
Ø150 - Swivel PNP w/brakes (soft wheels) - Tente 2470 197, 236  
Ø60x2 Precision welded steel pipe 291